

UT Date 2001-09-15 Observers M CalkinsColl. Focus 1000 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.DARK	900	1:04	17:31:17.2	31:30:14	300	90	3.0	#100 BGGem	4	
0002.DARK	900	1:04	17:46:28.2	31:30:12	300	90	3.0	#100 BGGem	4	
0003.DARK	900	1:04	18:01:36.2	31:30:10	300	90	3.0	#100 BGGem	4	
0004.DARK	900	1:04	18:16:47.2	31:30:08	300	90	3.0	#100 BGGem	4	
0005.DARK	900	1:04	18:31:55.2	31:30:07	300	90	3.0	#100 BGGem	4	
0006.DARK	900	1:04	18:47:06.1	31:30:05	300	90	3.0	#100 BGGem	4	
0007.DARK	900	1:04	19:02:14.1	31:30:03	300	90	3.0	#100 BGGem	4	
0008.DARK	900	1:04	19:17:25.1	31:30:02	300	90	3.0	#100 BGGem	4	
0009.DARK	900	1:04	19:32:34.1	31:30:00	300	90	3.0	#100 BGGem	4	
0010.DARK	900	1:04	19:47:45.0	31:29:59	300	90	3.0	#100 BGGem	4	
0011-0020.BIAS	0	3:38	19:51:05.0	31:29:59	300	90	3.0	#100 BGGem	4	
0021-0028.FLAT	6	4:11	20:24:22.9	31:29:57	300	90	3.0	#100 BGGem	4	
0029-0030.FLAT	6	4:12	20:24:52.9	31:29:56	300	90	3.0	#100 BGGem	4	
0031-0040.BIAS	0	4:14	20:27:37.9	31:29:56	300	90	3.0	#100 BGGem	2	
0041-0050.FLAT	12	4:19	20:31:57.9	31:29:56	300	90	3.0	#100 BGGem	2	
0051.Feige24	240	4:19	02:32:31	03:30:51	300	90	3.0	#56 Spectropho	4	
0052.COMP	5	4:19	02:32:31	03:30:51	300	90	3.0	#56 Spectropho	4	
0053.Feige24	240	4:19	02:32:31	03:30:51	300	-18	3.0	#56 Spectropho	2	marginal humidity
0054.COMP	12	4:19	02:32:31	03:30:51	300	-18	3.0	#56 Spectropho	2	
0055.sn2001eh	1200	4:19	01:38:12.1	41:39:18	300	-31	3.0	#2 SN Observat	2	row=83

UT Date 2001-09-15 Observers M CalkinsColl. Focus 1000 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0056.COMP	12	4:19	01:38:12.1	41:39:18	300	-31	3.0	#2 SN Observat	2	
0057.sn2001ec	900	4:19	02:12:00.4	31:32:43	300	87	3.0	#2 SN Observat	2	
0058.sn2001ec	900	4:19	02:12:00.4	31:32:43	300	87	3.0	#2 SN Observat	2	
0059.COMP	12	4:19	02:12:00.4	31:32:43	300	87	3.0	#2 SN Observat	2	
0060.a119c_471	1200	4:19	00:51:58.8	-3:01:26	300	90	3.0	#64 Cluster In	4	
0061.COMP	5	4:19	00:51:58.8	-3:01:26	300	90	3.0	#64 Cluster In	4	close for humidity
0062-0071.BIAS	0	12:01	01:01:17.9	-2:42:58	300	90	3.0	#64 Cluster In	4	
0072-0081.FLAT	6	12:04	01:01:17.9	-2:42:58	300	90	3.0	#64 Cluster In	4	
0082-0091.BIAS	0	12:07	01:01:17.9	-2:42:58	300	90	3.0	#64 Cluster In	2	
0092-0101.FLAT	12	12:12	01:01:17.9	-2:42:58	300	90	3.0	#64 Cluster In	2	
0102-0111.DARK	900	14:37	01:01:17.9	-2:42:58	300	90	3.0	#64 Cluster In	2	