

UT Date 2012-10-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:06	19:12:23.1	+31:28:53	300	89	3.0	0 Calibration	2	
0011.test	15	01:11	20:00:21.9	+32:11:23	1200	89	2.0	#176 Be/X-ray	2	
0012.test	15	01:12	20:00:21.9	+32:11:23	1200	89	2.0	#176 Be/X-ray	2	
0013.test	15	01:13	20:00:21.9	+32:11:23	1200	89	2.0	#176 Be/X-ray	2	
0014.test	15	01:14	20:00:21.9	+32:11:23	1200	89	2.0	#176 Be/X-ray	2	
0015.test	15	01:14	20:00:21.9	+32:11:23	1200	89	2.0	#176 Be/X-ray	2	
0016.FLAT	15	01:16	20:00:21.9	+32:11:23	1200	89	2.0	0 Calibration	2	
0017.FLAT	15	01:16	20:00:21.9	+32:11:23	1200	89	2.0	0 Calibration	2	1200-line, 2-sec, red tilt, gg495
0018-0030.FLAT	15	01:22	20:00:21.9	+32:11:23	1200	89	2.0	0 Calibration	2	
0031.BDp404032	180	01:52	20:08:24.1	+41:15:04	1200	89	2.0	#176 Be/X-ray	2	
0032.COMP	10	01:56	20:08:24.1	+41:15:04	1200	89	2.0	0 Calibration	2	
0033.BDp174708	90	01:58	22:11:31.5	+18:05:34	1200	89	2.0	#176 Be/X-ray	2	
0034.COMP	10	02:00	22:11:31.5	+18:05:34	1200	89	2.0	0 Calibration	2	
0035.4U1907p09	1500	02:01	19:09:38.0	+09:49:47	1200	89	2.0	#176 Be/X-ray	2	
0036.COMP	10	02:27	19:09:38.0	+09:49:47	1200	90	2.0	0 Calibration	2	
0037.XTEJ1946p274	1800	02:28	19:45:39.3	+27:21:55	1200	90	2.0	#176 Be/X-ray	2	
0038.COMP	10	02:59	19:45:39.3	+27:21:55	1200	90	2.0	0 Calibration	2	
0039.KS1947p300	1500	03:00	19:49:35.5	+30:12:32	1200	90	2.0	#176 Be/X-ray	2	
0040.COMP	10	03:26	19:49:35.5	+30:12:32	1200	90	2.0	0 Calibration	2	
0044.BDp284211	90	03:34	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	300-line, 3-sec

UT Date 2012-10-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0045.COMP	10	03:36	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0046.lsq12fhe	1800	03:39	21:32:09.3	-05:43:34	300	90	3.0	#2 SN Observat	2	
0047.COMP	10	04:09	21:32:09.3	-05:43:34	300	90	3.0	0 Calibration	2	
0048.sn2009ip	1500	04:12	22:23:08.3	-28:56:52	300	90	3.0	#2 SN Observat	2	
0049.COMP	10	04:37	22:23:08.3	-28:56:52	300	89	3.0	0 Calibration	2	
0050-0054.FLAT	7	04:41	23:20:00.0	+30:00:00	300	89	3.0	0 Calibration	2	
0055.BDp284211	120	05:14	21:51:11.1	+28:51:53	1200	90	1.5	#176 Be/X-ray	2	1200-line, 1.5-sec, blue tilt
0056.COMP	20	05:16	21:51:11.1	+28:51:53	1200	90	1.5	0 Calibration	2	
0057.IGRJ2134.2p4738	900	05:19	21:34:20.4	+47:38:00	1200	90	1.5	#176 Be/X-ray	2	
0058.COMP	20	05:34	21:34:20.4	+47:38:00	1200	90	1.5	0 Calibration	2	
0059.IGRJ2134.2p4738	900	05:35	21:34:20.4	+47:38:00	1200	90	1.5	#176 Be/X-ray	2	
0060.COMP	20	05:50	21:34:20.4	+47:38:00	1200	90	1.5	0 Calibration	2	
0061.IGRJ2134.2p4738	900	05:51	21:34:20.4	+47:38:00	1200	90	1.5	#176 Be/X-ray	2	
0062.COMP	20	06:07	21:34:20.4	+47:38:00	1200	90	1.5	0 Calibration	2	
0063.IGRJ2134.2p4738	900	06:08	21:34:20.4	+47:38:00	1200	90	1.5	#176 Be/X-ray	2	
0064.COMP	20	06:23	21:34:20.4	+47:38:00	1200	90	1.5	0 Calibration	2	
0065.IGRJ2134.2p4738	900	06:24	21:34:20.4	+47:38:00	1200	90	1.5	#176 Be/X-ray	2	
0066.COMP	20	06:40	21:34:20.4	+47:38:00	1200	89	1.5	0 Calibration	2	
0067-0071.FLAT	100	06:58	01:10:00.0	+32:00:00	1200	89	1.5	0 Calibration	2	
0072.4U2204p543	120	07:06	22:07:57.0	+54:31:06	1200	89	2.0	#176 Be/X-ray	2	1200-line, 2-sec, red tilt, gg495

UT Date 2012-10-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0073.COMP	10	07:08	22:07:57.0	+54:31:06	1200	89	2.0	0 Calibration	2	
0074.IGRJ2134.2p4738	1800	07:09	21:34:20.4	+47:38:00	1200	89	2.0	#176 Be/X-ray	2	
0075.COMP	10	07:40	21:34:20.4	+47:38:00	1200	90	2.0	0 Calibration	2	
0076.4U0115p634	1500	07:42	01:18:32.0	+63:44:33	1200	90	2.0	#176 Be/X-ray	2	
0077.COMP	10	08:07	01:18:32.0	+63:44:33	1200	90	2.0	0 Calibration	2	
0078.IGRJ01363p6610	480	08:08	01:35:49.8	+66:12:43	1200	90	2.0	#176 Be/X-ray	2	
0079.COMP	10	08:17	01:35:49.8	+66:12:43	1200	89	2.0	0 Calibration	2	
0080.RXJ01469p6121	240	08:18	01:47:00.0	+61:21:23	1200	89	2.0	#176 Be/X-ray	2	
0081.COMP	10	08:23	01:47:00.0	+61:21:23	1200	89	2.0	0 Calibration	2	
0082.IGRJ01583p6713	1500	08:24	01:58:18.2	+67:13:26	1200	89	2.0	#176 Be/X-ray	2	
0083.COMP	10	08:49	01:58:18.2	+67:13:26	1200	90	2.0	0 Calibration	2	
0084.LSIp61303	120	08:51	02:40:31.6	+61:13:46	1200	90	2.0	#176 Be/X-ray	2	
0085.COMP	10	08:53	02:40:31.6	+61:13:46	1200	90	2.0	0 Calibration	2	
0086.V0332p53	1800	08:54	03:34:59.8	+53:10:24	1200	90	2.0	#176 Be/X-ray	2	
0087.COMP	10	09:25	03:34:59.8	+53:10:24	1200	89	2.0	0 Calibration	2	
0088.XPer	4	09:26	03:55:23.0	+31:02:45	1200	89	2.0	#176 Be/X-ray	2	
0089.XPer	4	09:27	03:55:23.0	+31:02:45	1200	89	2.0	#176 Be/X-ray	2	
0090.COMP	10	09:27	03:55:23.0	+31:02:45	1200	89	2.0	0 Calibration	2	
0091.RXJ04409p4431	300	09:28	04:41:00.6	+44:31:50	1200	90	2.0	#176 Be/X-ray	2	
0092.COMP	10	09:33	04:41:00.6	+44:31:50	1200	90	2.0	0 Calibration	2	

UT Date 2012-10-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0093.A0535p262	60	09:35	05:38:54.5	+26:18:57	1200	90	2.0	#176 Be/X-ray	2	
0094.COMP	10	09:36	05:38:54.5	+26:18:57	1200	90	2.0	0 Calibration	2	
0095.IGRJ06074p2205	600	09:50	06:07:26.6	+22:05:48	1200	89	2.0	#176 Be/X-ray	2	
0096.COMP	10	10:00	06:07:26.6	+22:05:48	1200	89	2.0	0 Calibration	2	
0097.MXB0656-072	600	10:03	06:58:17.2	-07:12:35	1200	89	2.0	#176 Be/X-ray	2	
0098.COMP	10	10:13	06:58:17.2	-07:12:35	1200	90	2.0	0 Calibration	2	
0099-0103.FLAT	15	10:16	05:00:00.0	+32:00:00	1200	90	2.0	0 Calibration	2	
0104.test	10	10:20	05:00:00.0	+32:00:00	300	90	3.0	#176 Be/X-ray	2	
0105.test	10	10:22	05:00:00.0	+32:00:00	300	90	3.0	#176 Be/X-ray	2	
0106.02231510+4243532	360	10:24	02:23:15.1	+42:43:53	300	90	3.0	#141 2Mass Red	2	
0107.COMP	10	10:30	02:23:15.1	+42:43:53	300	91	3.0	0 Calibration	2	
0108.02233749+4303307	420	10:32	02:23:37.5	+43:03:31	300	91	3.0	#141 2Mass Red	2	
0109.COMP	10	10:40	02:23:37.5	+43:03:31	300	90	3.0	0 Calibration	2	
0110.02244256+4757511	900	10:41	02:24:42.6	+47:57:51	300	90	3.0	#141 2Mass Red	2	
0111.COMP	10	10:56	02:24:42.6	+47:57:51	300	90	3.0	0 Calibration	2	
0112.02250957+4246335	360	10:58	02:25:09.6	+42:46:34	300	90	3.0	#141 2Mass Red	2	
0113.COMP	10	11:05	02:25:09.6	+42:46:34	300	90	3.0	0 Calibration	2	
0114.02381758+4028161	720	11:06	02:38:17.6	+40:28:16	300	90	3.0	#141 2Mass Red	2	
0115.COMP	10	11:19	02:38:17.6	+40:28:16	300	90	3.0	0 Calibration	2	
0116.02421257+3543570	360	11:20	02:42:12.6	+35:43:57	300	90	3.0	#141 2Mass Red	2	

UT Date 2012-10-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0117.COMP	10	11:26	02:42:12.6	+35:43:57	300	90	3.0	0 Calibration	2	
0118.03050558+4403167	900	11:28	03:05:05.6	+44:03:17	300	90	3.0	#141 2Mass Red	2	
0119.COMP	10	11:43	03:05:05.6	+44:03:17	300	90	3.0	0 Calibration	2	
0120.03052855+3347369	900	11:45	03:05:28.6	+33:47:37	300	90	3.0	#141 2Mass Red	2	
0121.COMP	10	12:00	03:05:28.6	+33:47:37	300	90	3.0	0 Calibration	2	
0122.03111197+3541226	360	12:02	03:11:12.0	+35:41:23	300	90	3.0	#141 2Mass Red	2	
0123.COMP	10	12:08	03:11:12.0	+35:41:23	300	90	3.0	0 Calibration	2	
0124.03111379+2009113	900	12:10	03:11:13.8	+20:09:11	300	90	3.0	#141 2Mass Red	2	
0125.COMP	10	12:26	03:11:13.8	+20:09:11	300	90	3.0	0 Calibration	2	
0126.Hiltner600	90	12:28	06:45:13.4	+02:08:15	300	90	3.0	#56 Spectropho	2	
0127.COMP	10	12:30	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0128-0137.BIAS	0	12:34	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0138-0152.FLAT	7	12:40	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0153-0157.DARK	1200	14:11	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	