


UT Date 2012-10-17 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:11	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:16	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0026.COMP	10	01:22	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0027.DARK	1200	01:23	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0028.AS289	71	01:48	18:12:22.0	-11:40:08	300	90	3.0	#12 Symbiotic	2	
0029.AS289	600	01:52	18:12:22.0	-11:40:08	300	90	3.0	#12 Symbiotic	2	
0030.COMP	10	02:03	18:12:22.0	-11:40:08	300	90	3.0	0 Calibration	2	
0031.AS270	90	02:04	18:05:33.7	-20:20:38	300	90	3.0	#12 Symbiotic	2	
0032.AS270	390	02:06	18:05:33.7	-20:20:38	300	90	3.0	#12 Symbiotic	2	
0033.COMP	10	02:13	18:05:33.7	-20:20:38	300	90	3.0	0 Calibration	2	
0034.lsq12fhe	1800	02:15	21:32:09.3	-05:43:34	300	90	3.0	#2 SN Observat	2	
0035.COMP	10	02:46	21:32:09.3	-05:43:34	300	90	3.0	0 Calibration	2	
0036.BDp284211	120	02:48	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0037.COMP	10	02:50	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0038.BDp174708	90	02:51	22:11:31.4	+18:05:34	300	90	3.0	#56 Spectropho	2	
0039.COMP	10	02:53	22:11:31.4	+18:05:34	300	90	3.0	0 Calibration	2	
0040.IPHAS_W2928	511	02:54	20:00:52.4	+30:33:21	300	90	3.0	#157 IPHAS	2	
0041.COMP	10	03:03	20:00:52.4	+30:33:21	300	90	3.0	0 Calibration	2	
0042.IPHAS_W2974	600	03:05	20:04:02.9	+37:41:37	300	90	3.0	#157 IPHAS	2	
0043.COMP	10	03:15	20:04:02.9	+37:41:37	300	90	3.0	0 Calibration	2	

UT Date 2012-10-17 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.IPHAS_W2991	667	03:16	20:05:01.2	+32:38:41	300	90	3.0	#157 IPHAS	2	
0045.COMP	10	03:28	20:05:01.2	+32:38:41	300	89	3.0	0 Calibration	2	
0046.IPHAS_W3019	660	03:29	20:06:00.3	+35:44:56	300	89	3.0	#157 IPHAS	2	
0047.COMP	10	03:41	20:06:00.3	+35:44:56	300	90	3.0	0 Calibration	2	
0048.IPHAS_W3032	331	03:42	20:07:02.2	+27:30:27	300	90	3.0	#157 IPHAS	2	
0049.COMP	10	03:48	20:07:02.2	+27:30:27	300	90	3.0	0 Calibration	2	
0050.sn2009ip	1602	03:50	22:23:08.3	-28:56:52	300	90	3.0	#2 SN Observat	2	
0051.COMP	10	04:18	22:23:08.3	-28:56:52	300	90	3.0	0 Calibration	2	
0052.IPHAS_W3024	720	04:21	20:06:39.1	+30:12:54	300	90	3.0	#157 IPHAS	2	
0053.COMP	10	04:33	20:06:39.1	+30:12:54	300	90	3.0	0 Calibration	2	
0054.IPHAS_W3037	720	04:35	20:07:17.2	+39:19:57	300	90	3.0	#157 IPHAS	2	
0055.COMP	10	04:47	20:07:17.2	+39:19:57	300	89	3.0	0 Calibration	2	
0056.IPHAS_W3056	360	04:48	20:08:40.3	+35:18:09	300	89	3.0	#157 IPHAS	2	
0057.COMP	10	04:55	20:08:40.3	+35:18:09	300	90	3.0	0 Calibration	2	
0058.IPHAS_W3774	900	04:58	21:28:22.5	+48:32:01	300	90	3.0	#157 IPHAS	2	
0059.COMP	10	05:13	21:28:22.5	+48:32:01	300	90	3.0	0 Calibration	2	
0060.IPHAS_W3636	360	05:14	21:09:52.8	+45:52:39	300	90	3.0	#157 IPHAS	2	
0061.COMP	10	05:21	21:09:52.8	+45:52:39	300	90	3.0	0 Calibration	2	
0062.IPHAS_W3638	660	05:22	21:10:17.3	+49:18:28	300	90	3.0	#157 IPHAS	2	
0063.COMP	10	05:33	21:10:17.3	+49:18:28	300	89	3.0	0 Calibration	2	

UT Date 2012-10-17 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0064.IPHAS_W3642	300	05:35	21:10:45.6	+46:51:29	300	89	3.0	#157 IPHAS	2	
0065.COMP	10	05:40	21:10:45.6	+46:51:29	300	89	3.0	0 Calibration	2	
0066.IPHAS_W3648	600	05:41	21:11:34.5	+44:17:55	300	90	3.0	#157 IPHAS	2	
0067.COMP	10	05:52	21:11:34.5	+44:17:55	300	90	3.0	0 Calibration	2	
0068.IPHAS_W3657	900	05:53	21:13:18.7	+50:45:16	300	90	3.0	#157 IPHAS	2	
0069.COMP	10	06:09	21:13:18.7	+50:45:16	300	90	3.0	0 Calibration	2	
0070.IPHAS_W3666	540	06:09	21:15:48.3	+53:21:57	300	90	3.0	#157 IPHAS	2	
0071.COMP	10	06:19	21:15:48.3	+53:21:57	300	90	3.0	0 Calibration	2	
0072.IPHAS_W3672	900	06:20	21:16:03.7	+48:33:08	300	90	3.0	#157 IPHAS	2	
0073.COMP	10	06:36	21:16:03.7	+48:33:08	300	90	3.0	0 Calibration	2	
0074.03242414+1446378	1800	08:29	03:24:24.1	+14:46:38	300	90	3.0	#141 2Mass Red	2	
0075.COMP	10	09:00	03:24:24.1	+14:46:38	300	89	3.0	0 Calibration	2	
0076.03244836+1951555	1800	09:01	03:24:48.4	+19:51:56	300	89	3.0	#141 2Mass Red	2	
0077.COMP	10	09:31	03:24:48.4	+19:51:56	300	89	3.0	0 Calibration	2	
0078.03290549+3247443	1200	09:33	03:29:05.5	+32:47:44	300	89	3.0	#141 2Mass Red	2	
0079.COMP	10	09:53	03:29:05.5	+32:47:44	300	89	3.0	0 Calibration	2	
0080.03140395+1020388	900	09:55	03:14:03.9	+10:20:39	300	89	3.0	#141 2Mass Red	2	
0081.COMP	10	10:11	03:14:03.9	+10:20:39	300	89	3.0	0 Calibration	2	
0082.03174449+1039306	1136	10:12	03:17:44.5	+10:39:31	300	89	3.0	#141 2Mass Red	2	
0083.COMP	10	10:32	03:17:44.5	+10:39:31	300	89	3.0	0 Calibration	2	

UT Date 2012-10-17 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0084.03355726+4221249	977	10:34	03:35:57.3	+42:21:25	300	89	3.0	#141 2Mass Red	2	
0085.COMP	10	10:50	03:35:57.3	+42:21:25	300	89	3.0	0 Calibration	2	
0086.03360720+3239475	1200	10:52	03:36:07.2	+32:39:47	300	89	3.0	#141 2Mass Red	2	
0087.COMP	10	11:12	03:36:07.2	+32:39:47	300	89	3.0	0 Calibration	2	
0088.03375371+1651273	900	11:21	03:37:53.7	+16:51:27	300	89	3.0	#141 2Mass Red	2	
0089.COMP	10	11:36	03:37:53.7	+16:51:27	300	90	3.0	0 Calibration	2	
0090.03381510+2300164	721	11:37	03:38:15.1	+23:00:16	300	90	3.0	#141 2Mass Red	2	
0091.COMP	10	11:50	03:38:15.1	+23:00:16	300	90	3.0	0 Calibration	2	
0092.03391802+1424548	720	11:52	03:39:18.0	+14:24:55	300	90	3.0	#141 2Mass Red	2	
0093.COMP	10	12:04	03:39:18.0	+14:24:55	300	89	3.0	0 Calibration	2	
0094.Hiltner600	90	12:06	06:45:13.4	+02:08:15	300	89	3.0	#56 Spectropho	2	
0095.COMP	10	12:08	06:45:13.4	+02:08:15	300	89	3.0	0 Calibration	2	
0096.NGC1700	240	12:10	04:56:56.3	-04:51:57	300	90	3.0	#57 Velocity S	2	
0097.COMP	10	12:14	04:56:56.3	-04:51:57	300	90	3.0	0 Calibration	2	
0098.HD52071	5	12:16	07:00:58.2	+27:09:27	300	90	3.0	#57 Velocity S	2	
0099.HD52071	5	12:16	07:00:58.2	+27:09:27	300	90	3.0	#57 Velocity S	2	
0100.HD52071	5	12:16	07:00:58.2	+27:09:27	300	90	3.0	#57 Velocity S	2	
0101.COMP	10	12:17	07:00:58.2	+27:09:27	300	90	3.0	0 Calibration	2	
0102-0111.BIAS	0	12:20	07:00:58.2	+27:09:27	300	90	3.0	0 Calibration	2	
0112-0126.FLAT	7	12:26	07:00:58.2	+27:09:27	300	90	3.0	0 Calibration	2	

UT Date 2012-10-17 Observers P BerlindColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0127-0131.DARK	1200	13:54	07:00:58.2	+27:09:27	300	90	3.0	0 Calibration	2	