

UT Date 2013-02-10 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0007.DARK	900	01:15	09:08:41.5	+44:48:50	300	90	3.0	0 Calibration	4	
0008-0017.BIAS	0	01:35	09:08:41.5	+44:48:50	300	90	3.0	0 Calibration	4	
0018-0037.FLAT	7	01:42	09:08:41.5	+44:48:50	300	90	3.0	0 Calibration	2	
0038-0047.BIAS	0	01:45	09:08:41.5	+44:48:50	300	90	3.0	0 Calibration	2	
0048.sn2012fr	1800	02:05	03:33:36.0	-36:07:38	300	89	3.0	#2 SN Observat	2	
0049.COMP	10	02:36	03:33:36.0	-36:07:38	300	89	3.0	0 Calibration	2	
0050.sn2013S	1800	02:42	03:35:30.3	+38:17:00	300	89	3.0	#2 SN Observat	2	
0051.COMP	10	03:13	03:35:30.3	+38:17:00	300	89	3.0	0 Calibration	2	
0052.NGC1700	180	03:16	04:56:56.3	-04:51:57	300	89	3.0	#57 Velocity S	2	
0053.COMP	10	03:20	04:56:56.3	-04:51:57	300	88	3.0	0 Calibration	2	
0054.G191B2B	360	03:23	05:05:30.6	+52:49:52	300	86	3.0	#56 Spectropho	2	
0055.COMP	10	03:29	05:05:30.6	+52:49:52	300	86	3.0	0 Calibration	2	
0056.LkCa3	420	03:33	04:14:47.9	+27:52:34	300	89	3.0	#215 Grid of W	2	
0057.COMP	10	03:41	04:14:47.9	+27:52:34	300	89	3.0	0 Calibration	2	
0058.LkCa4	780	03:43	04:16:28.1	+28:07:35	300	89	3.0	#215 Grid of W	2	
0059.COMP	10	03:57	04:16:28.1	+28:07:35	300	88	3.0	0 Calibration	2	
0060.V826Tau	780	03:58	04:32:15.8	+18:01:38	300	88	3.0	#215 Grid of W	2	
0061.COMP	10	04:14	04:32:15.8	+18:01:38	300	89	3.0	0 Calibration	2	
0062.V827Tau	600	04:15	04:32:14.6	+18:20:14	300	89	3.0	#215 Grid of W	2	
0063.COMP	10	04:26	04:32:14.6	+18:20:14	300	90	3.0	0 Calibration	2	

UT Date 2013-02-10 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0064.Hiltner600	150	04:28	06:45:13.4	+02:08:15	300	90	3.0	#56 Spectropho	2	
0065.COMP	10	04:31	06:45:13.4	+02:08:15	300	89	3.0	0 Calibration	2	
0066.cvso-50833894	240	04:33	05:30:41.6	-02:14:19	300	89	3.0	#112 PMS Orion	2	
0067.COMP	10	04:38	05:30:41.6	-02:14:19	300	89	3.0	0 Calibration	2	
0068.cvso-50831689	420	04:40	05:30:42.9	+02:04:25	300	89	3.0	#112 PMS Orion	2	
0069.COMP	10	04:52	05:30:42.9	+02:04:25	300	89	3.0	0 Calibration	2	
0070.cvso-50835460	420	04:53	05:30:44.8	-02:14:56	300	89	3.0	#112 PMS Orion	2	
0071.COMP	10	05:01	05:30:44.8	-02:14:56	300	89	3.0	0 Calibration	2	
0072.cvso-50837444	480	05:03	05:30:48.6	-01:40:03	300	89	3.0	#112 PMS Orion	2	
0073.COMP	10	05:11	05:30:48.6	-01:40:03	300	88	3.0	0 Calibration	2	
0074.cvso-50838583	180	05:13	05:30:50.8	-02:10:13	300	88	3.0	#112 PMS Orion	2	
0075.COMP	10	05:16	05:30:50.8	-02:10:13	300	89	3.0	0 Calibration	2	
0076.cvso-50844449	100	05:17	05:31:02.8	-01:49:15	300	89	3.0	#112 PMS Orion	2	
0077.COMP	10	05:19	05:31:02.8	-01:49:15	300	89	3.0	0 Calibration	2	
0078.cvso-50843838	480	05:22	05:31:07.2	+05:12:44	300	80	3.0	#112 PMS Orion	2	
0079.COMP	10	05:31	05:31:07.2	+05:12:44	300	81	3.0	0 Calibration	2	
0080.cvso-50847834	240	05:33	05:31:09.5	-02:08:55	300	89	3.0	#112 PMS Orion	2	
0081.COMP	10	05:38	05:31:09.5	-02:08:55	300	89	3.0	0 Calibration	2	
0082.cvso-50845178	480	05:40	05:31:09.9	+05:40:59	300	90	3.0	#112 PMS Orion	2	
0083.COMP	10	05:48	05:31:09.9	+05:40:59	300	90	3.0	0 Calibration	2	

UT Date 2013-02-10 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0084.cvso-50848427	240	05:50	05:31:10.6	-02:03:22	300	90	3.0	#112 PMS Orion	2	
0085.COMP	10	05:55	05:31:10.6	-02:03:22	300	90	3.0	0 Calibration	2	
0086.cvso-50851619	480	05:56	05:31:17.1	-02:05:46	300	90	3.0	#112 PMS Orion	2	
0087.COMP	10	06:05	05:31:17.1	-02:05:46	300	90	3.0	0 Calibration	2	
0088.sn2013V	2400	06:08	09:08:41.5	+44:48:50	300	90	3.0	#2 SN Observat	2	
0089.COMP	10	06:49	09:08:41.5	+44:48:50	300	89	3.0	0 Calibration	2	
0090.HD84937	20	06:51	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0091.COMP	10	06:52	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0092.Feige34	120	06:54	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0093.COMP	10	06:56	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0094.sn2013U	1800	07:00	10:01:12.0	+00:19:42	300	75	3.0	#2 SN Observat	2	
0095.COMP	10	07:31	10:01:12.0	+00:19:42	300	76	3.0	0 Calibration	2	
0096.sn2013T	2400	07:35	13:10:19.7	+32:28:26	300	90	3.0	#2 SN Observat	2	
0097.COMP	10	08:15	13:10:19.7	+32:28:26	300	89	3.0	0 Calibration	2	
0098.bcand859	1320	08:22	11:10:39.3	-00:30:40	600	89	1.5	#178 Low Mass	4	
0099.COMP	10	08:44	11:10:39.3	-00:30:40	600	90	1.5	0 Calibration	4	
0100.bcand859	1320	08:45	11:10:39.3	-00:30:40	600	90	1.5	#178 Low Mass	4	
0101.COMP	10	09:07	11:10:39.3	-00:30:40	600	90	1.5	0 Calibration	4	
0102.bcand859	1320	09:08	11:10:39.3	-00:30:40	600	90	1.5	#178 Low Mass	4	
0103.COMP	10	09:31	11:10:39.3	-00:30:40	600	90	1.5	0 Calibration	4	

UT Date 2013-02-10 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0104.bcand859	1320	09:31	11:10:39.3	-00:30:40	600	90	1.5	#178 Low Mass	4	
0105.COMP	10	09:54	11:10:39.3	-00:30:40	600	90	1.5	0 Calibration	4	
0106.bcand859	1320	09:54	11:10:39.3	-00:30:40	600	90	1.5	#178 Low Mass	4	
0107.COMP	10	10:17	11:10:39.3	-00:30:40	600	90	1.5	0 Calibration	4	
0108.bcand859	1320	10:18	11:10:39.3	-00:30:40	600	90	1.5	#178 Low Mass	4	
0109.COMP	10	10:41	11:10:39.3	-00:30:40	600	90	1.5	0 Calibration	4	
0110.bcand859	1320	10:42	11:10:39.3	-00:30:40	600	90	1.5	#178 Low Mass	4	
0111.COMP	10	11:04	11:10:39.3	-00:30:40	600	90	1.5	0 Calibration	4	
0112.bcand859	1320	11:05	11:10:39.3	-00:30:40	600	90	1.5	#178 Low Mass	4	
0113.COMP	10	11:28	11:10:39.3	-00:30:40	600	90	1.5	0 Calibration	4	
0114.bcand859	1320	11:28	11:10:39.3	-00:30:40	600	90	1.5	#178 Low Mass	4	
0115.COMP	10	11:51	11:10:39.3	-00:30:40	600	90	1.5	0 Calibration	4	
0116.Feige66	120	11:53	12:37:23.5	+25:04:00	600	90	1.5	#178 Low Mass	4	
0117.COMP	10	11:56	12:37:23.5	+25:04:00	600	90	1.5	0 Calibration	4	
0118.hotwd114	1000	11:58	13:02:35.3	+52:07:11	600	89	1.5	#178 Low Mass	4	
0119.COMP	10	12:15	13:02:35.3	+52:07:11	600	89	1.5	0 Calibration	4	
0120.hotwd115	1380	12:17	13:31:46.4	+18:32:25	600	89	1.5	#178 Low Mass	4	
0121.COMP	10	12:40	13:31:46.4	+18:32:25	600	89	1.5	0 Calibration	4	
0122.hotwd116	380	12:42	13:36:33.7	+06:46:27	600	89	1.5	#178 Low Mass	4	
0123.COMP	10	12:49	13:36:33.7	+06:46:27	600	89	1.5	0 Calibration	4	

UT Date 2013-02-10 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0124.hotwd117	1240	12:51	13:57:04.7	+19:21:33	600	89	1.5	#178 Low Mass	4	
0125.COMP	10	13:12	13:57:04.7	+19:21:33	600	90	1.5	0 Calibration	4	
0126-0145.FLAT	12	13:20	13:57:04.7	+19:21:33	600	90	1.5	0 Calibration	4	
0146-0155.BIAS	0	13:23	13:57:04.7	+19:21:33	600	90	1.5	0 Calibration	4	
0156-0165.BIAS	0	13:36	13:57:04.7	+19:21:33	300	90	3.0	0 Calibration	2	
0166-0175.DARK	900	15:55	13:57:04.7	+19:21:33	300	90	3.0	0 Calibration	2	