

UT Date 2013-03-15 Observers BrownColl. Focus 1380 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.BIAS	0	22:36	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	4	x9
0002-0009.BIAS	0	22:37	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	4	
0010.DARK	900	22:38	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	4	x5
0011-0014.DARK	900	23:39	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	4	
0015.DARK	900	23:54	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	x5
0016-0019.DARK	900	00:55	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0020.BIAS	0	01:24	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	x10
0021-0029.BIAS	0	01:26	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0030.FLAT	15	01:40	14:49:02.4	+25:42:09	1200	89	2.0	0 Calibration	2	x10 1200 1/mm
0031-0039.FLAT	15	01:45	14:49:02.4	+25:42:09	1200	89	2.0	0 Calibration	2	
0040.XPer	4	02:23	03:55:23.0	+31:02:45	1200	89	2.0	#176 Be/X-ray	2	
0041.COMP	10	02:23	03:55:23.0	+31:02:45	1200	89	2.0	0 Calibration	2	
0042.A0535p262	60	02:25	05:38:54.5	+26:18:57	1200	89	2.0	#176 Be/X-ray	2	
0043.COMP	10	02:26	05:38:54.5	+26:18:57	1200	89	2.0	0 Calibration	2	
0044.HD19445	30	02:28	03:08:26.3	+26:20:29	1200	89	2.0	#176 Be/X-ray	2	
0045.COMP	10	02:29	03:08:26.3	+26:20:29	1200	89	2.0	0 Calibration	2	
0046.RXJ04409p4431	300	02:30	04:41:00.6	+44:31:50	1200	89	2.0	#176 Be/X-ray	2	
0047.COMP	10	02:35	04:41:00.6	+44:31:50	1200	90	2.0	0 Calibration	2	
0048.LSIp61303	60	02:37	02:40:31.6	+61:13:46	1200	90	2.0	#176 Be/X-ray	2	
0049.COMP	10	02:38	02:40:31.6	+61:13:46	1200	90	2.0	0 Calibration	2	

UT Date 2013-03-15 Observers BrownColl. Focus 1380 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0050.V0332p53	1800	02:40	03:34:59.8	+53:10:24	1200	90	2.0	#176 Be/X-ray	2	
0051.COMP	10	03:10	03:34:59.8	+53:10:24	1200	90	2.0	0 Calibration	2	
0052.MXB0656-072	900	03:12	06:58:17.2	-07:12:35	1200	90	2.0	#176 Be/X-ray	2	
0053.COMP	10	03:28	06:58:17.2	-07:12:35	1200	90	2.0	0 Calibration	2	
0054.IGRJ06074p2205	600	03:29	06:07:26.6	+22:05:48	1200	90	2.0	#176 Be/X-ray	2	
0055.COMP	10	03:40	06:07:26.6	+22:05:48	1200	90	2.0	0 Calibration	2	
0056.COMP	5	03:44	07:55:00.0	+31:00:00	300	90	3.0	0 Calibration	4	grating change
0057.cvso-50876966	840	03:47	05:32:15.1	-05:35:00	300	90	3.0	#112 PMS Orion	2	
0058.COMP	10	04:01	05:32:15.1	-05:35:00	300	90	3.0	0 Calibration	2	
0059.cvso-50876821	480	04:02	05:32:14.9	-05:45:23	300	90	3.0	#112 PMS Orion	2	
0060.COMP	10	04:11	05:32:14.9	-05:45:23	300	90	3.0	0 Calibration	2	
0061.cvso-50879371	720	04:12	05:32:13.9	-01:59:29	300	89	3.0	#112 PMS Orion	2	
0062.COMP	10	04:24	05:32:13.9	-01:59:29	300	89	3.0	0 Calibration	2	
0063.sn2013ak	900	04:25	08:07:06.7	-28:03:10	300	89	3.0	#2 SN Observat	2	
0064.COMP	10	04:41	08:07:06.7	-28:03:10	300	89	3.0	0 Calibration	2	
0065.HD84937	30	04:42	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0066.COMP	10	04:43	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0067.Feige34	180	04:45	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0068.COMP	10	04:49	10:39:36.7	+43:06:09	300	85	3.0	0 Calibration	2	
0069.bcg042	1200	04:50	11:39:49.6	+55:00:30	300	85	3.0	#210 Brightest	2	

UT Date 2013-03-15 Observers BrownColl. Focus 1380 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0070.COMP	10	05:11	11:39:49.6	+55:00:30	300	89	3.0	0 Calibration	2	
0071.FLAT	7	05:11	11:39:49.6	+55:00:30	300	89	3.0	0 Calibration	2	x15 300 l/mm
0072-0085.FLAT	7	05:16	11:39:49.6	+55:00:30	300	89	3.0	0 Calibration	2	
0086.NGC4861	1800	05:21	12:59:01.6	+34:51:22	300	20	3.0	#199 Optical n	2	
0087.COMP	10	05:52	12:59:01.6	+34:51:22	300	21	3.0	0 Calibration	2	
0088.NGC4861	1800	05:52	12:59:01.6	+34:51:22	300	21	3.0	#199 Optical n	2	
0089.COMP	10	06:23	12:59:01.6	+34:51:22	300	20	3.0	0 Calibration	2	
0090.NGC4861	1800	06:23	12:59:01.6	+34:51:22	300	20	3.0	#199 Optical n	2	
0091.COMP	10	06:54	12:59:01.6	+34:51:22	300	20	3.0	0 Calibration	2	
0092.IC910	600	06:55	13:41:07.9	+23:16:55	300	58	3.0	#199 Optical n	2	
0093.COMP	10	07:06	13:41:07.9	+23:16:55	300	57	3.0	0 Calibration	2	
0094.IC910	600	07:06	13:41:07.9	+23:16:55	300	57	3.0	#199 Optical n	2	
0095.IC910	600	07:16	13:41:07.9	+23:16:55	300	58	3.0	#199 Optical n	2	
0096.V419Hya	30	07:29	10:43:28.3	-29:03:51	300	90	3.0	#215 Grid of W	2	
0097.COMP	10	07:29	10:43:28.3	-29:03:51	300	90	3.0	0 Calibration	2	
0098.Feige34	180	07:34	10:39:36.7	+43:06:09	600	90	1.5	#56 Spectropho	4	grating change
0099.COMP	10	07:37	10:39:36.7	+43:06:09	600	90	1.5	0 Calibration	4	
0100.hotwd101	900	07:39	11:17:32.7	+32:58:03	600	89	1.5	#178 Low Mass	4	
0101.COMP	10	07:55	11:17:32.7	+32:58:03	600	89	1.5	0 Calibration	4	
0102.hotwd102	450	07:56	11:26:30.0	+21:21:45	600	90	1.5	#178 Low Mass	4	

UT Date 2013-03-15 Observers BrownColl. Focus 1380 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0103.COMP	10	08:04	11:26:30.0	+21:21:45	600	90	1.5	0 Calibration	4	
0104.bcand869	840	08:05	13:35:52.0	+12:37:09	600	90	1.5	#178 Low Mass	4	
0105.COMP	10	08:20	13:35:52.0	+12:37:09	600	90	1.5	0 Calibration	4	
0106.bcand869	840	08:20	13:35:52.0	+12:37:09	600	90	1.5	#178 Low Mass	4	
0107.j1638	900	08:35	16:38:26.3	+35:00:12	600	90	1.5	#178 Low Mass	4	
0110.COMP	10	08:56	16:38:26.3	+35:00:12	600	89	1.5	0 Calibration	2	had to restart ccd server
0111.bcand869	840	08:58	13:35:52.0	+12:37:09	600	89	1.5	#178 Low Mass	2	forgot to change binning
0112.COMP	10	09:12	13:35:52.0	+12:37:09	600	89	1.5	0 Calibration	2	
0113.bcand869	840	09:14	13:35:52.0	+12:37:09	600	89	1.5	#178 Low Mass	4	
0114.bcand869	840	09:29	13:35:52.0	+12:37:09	600	90	1.5	#178 Low Mass	4	
0115.COMP	10	09:43	13:35:52.0	+12:37:09	600	90	1.5	0 Calibration	4	
0116.bcand869	840	09:44	13:35:52.0	+12:37:09	600	90	1.5	#178 Low Mass	4	
0117.j1638	900	09:59	16:38:26.3	+35:00:12	600	90	1.5	#178 Low Mass	4	
0118.COMP	10	10:14	16:38:26.3	+35:00:12	600	90	1.5	0 Calibration	4	
0119.bcand869	840	10:16	13:35:52.0	+12:37:09	600	90	1.5	#178 Low Mass	4	
0120.COMP	10	10:30	13:35:52.0	+12:37:09	600	90	1.5	0 Calibration	4	
0121.bcand869	840	10:31	13:35:52.0	+12:37:09	600	90	1.5	#178 Low Mass	4	
0122.bcand869	840	10:45	13:35:52.0	+12:37:09	600	90	1.5	#178 Low Mass	4	
0123.COMP	10	11:00	13:35:52.0	+12:37:09	600	90	1.5	0 Calibration	4	
0124.j1638	900	11:02	16:38:26.3	+35:00:12	600	88	1.5	#178 Low Mass	4	

UT Date 2013-03-15 Observers BrownColl. Focus 1380 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0125.COMP	10	11:17	16:38:26.3	+35:00:12	600	88	1.5	0 Calibration	4	
0126.bcand869	840	11:18	13:35:52.0	+12:37:09	600	90	1.5	#178 Low Mass	4	
0127.COMP	10	11:33	13:35:52.0	+12:37:09	600	90	1.5	0 Calibration	4	
0128.bcand869	840	11:33	13:35:52.0	+12:37:09	600	90	1.5	#178 Low Mass	4	
0129.bcand869	840	11:47	13:35:52.0	+12:37:09	600	90	1.5	#178 Low Mass	4	
0130.COMP	10	12:02	13:35:52.0	+12:37:09	600	90	1.5	0 Calibration	4	
0131.bcand869	840	12:02	13:35:52.0	+12:37:09	600	90	1.5	#178 Low Mass	4	
0132.j1638	900	12:17	16:38:26.3	+35:00:12	600	89	1.5	#178 Low Mass	4	
0133.COMP	10	12:33	16:38:26.3	+35:00:12	600	89	1.5	0 Calibration	4	
0134.hotwd123	571	12:34	14:24:51.1	+43:09:25	600	89	1.5	#178 Low Mass	4	twilight
0135.COMP	10	12:44	14:24:51.1	+43:09:25	600	90	1.5	0 Calibration	4	
0136.FLAT	12	12:45	14:24:51.1	+43:09:25	600	90	1.5	0 Calibration	4	x10
0137-0145.FLAT	12	12:48	14:24:51.1	+43:09:25	600	90	1.5	0 Calibration	4	
0146.BIAS	0	12:49	14:24:51.1	+43:09:25	600	90	1.5	0 Calibration	4	x10
0147-0155.BIAS	0	12:50	14:24:51.1	+43:09:25	600	90	1.5	0 Calibration	4	
0156.FLAT	24	12:51	14:24:51.1	+43:09:25	600	90	1.5	0 Calibration	2	x5
0157-0160.FLAT	24	12:53	14:24:51.1	+43:09:25	600	90	1.5	0 Calibration	2	
0161-0170.DARK	900	15:16	14:24:51.1	+43:09:25	600	90	1.5	0 Calibration	4	
0171-0180.DARK	900	17:49	14:24:51.1	+43:09:25	600	90	1.5	0 Calibration	2	