

UT Date 2013-07-05 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:41	23:43:49.0	-15:17:05	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	00:47	23:43:49.0	-15:17:05	300	90	3.0	0 Calibration	2	
0026.iPTFbvn	1200	06:03	15:00:00.2	+01:52:53	300	90	3.0	#2 SN Observat	2	
0027.COMP	10	06:24	15:00:00.2	+01:52:53	300	90	3.0	0 Calibration	2	
0028.BDp262606	120	06:26	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0029.COMP	10	06:28	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0030.BDp332642	150	06:31	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0031.COMP	10	06:34	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0032.AS296	40	06:37	18:15:07.0	-00:18:52	300	90	3.0	#12 Symbiotic	2	
0033.AS296	150	06:38	18:15:07.0	-00:18:52	300	90	3.0	#12 Symbiotic	2	
0034.COMP	10	06:42	18:15:07.0	-00:18:52	300	90	3.0	0 Calibration	2	
0035.BFCyg	20	06:45	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	
0036.BFCyg	20	06:46	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	
0037.COMP	10	06:47	19:23:53.0	+29:40:27	300	90	3.0	0 Calibration	2	
0038.CHCyg	1	06:48	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0039.CHCyg	5	06:49	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0040.CHCyg	35	06:49	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0041.COMP	10	06:50	19:24:33.0	+50:14:30	300	90	3.0	0 Calibration	2	
0042-0051.BIAS	0	10:43	19:24:33.0	+50:14:30	300	90	3.0	0 Calibration	2	
0052-0066.FLAT	7	10:49	19:24:33.0	+50:14:30	300	90	3.0	0 Calibration	2	

UT Date 2013-07-05 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0067-0076.DARK	900	13:37	19:24:33.0	+50:14:30	300	90	3.0	0 Calibration	2	