

UT Date 2013-09-02 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.BIAS	0	21:44	01:36:23.0	+54:15:03	300	89	3.0	0 Calibration	2	
0006-0010.DARK	1200	23:11	01:36:23.0	+54:15:03	300	89	3.0	0 Calibration	2	
0011-0020.BIAS	0	01:52	01:36:23.0	+54:15:03	300	89	3.0	0 Calibration	2	
0021-0035.FLAT	7	01:57	01:36:23.0	+54:15:03	300	89	3.0	0 Calibration	2	
0036.BDp332642	150	03:13	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	
0037.BDp332642	150	03:17	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	
0038.COMP	10	03:20	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0039.HD142267	10	03:23	15:53:12.1	+13:11:48	300	58	3.0	#173 Small Sol	2	
0040.HD142267	10	03:24	15:53:12.1	+13:11:48	300	58	3.0	#173 Small Sol	2	
0041.HD142267	10	03:24	15:53:12.1	+13:11:48	300	58	3.0	#173 Small Sol	2	
0042.COMP	10	03:25	15:53:12.1	+13:11:48	300	58	3.0	0 Calibration	2	
0043.Comet.C2012.K1	1200	03:30	15:36:21.2	+16:42:24	300	62	3.0	#173 Small Sol	2	some thin clouds
0044.COMP	10	03:51	15:36:21.2	+16:42:24	300	62	3.0	0 Calibration	2	
0045.Comet.C2012.K1	1200	03:51	15:36:21.2	+16:42:24	300	62	3.0	#173 Small Sol	2	
0046.COMP	10	04:12	15:36:21.2	+16:42:24	300	62	3.0	0 Calibration	2	
0047.Comet.C2012.K1	1200	04:12	15:36:21.2	+16:42:24	300	62	3.0	#173 Small Sol	2	
0048.COMP	10	04:33	15:36:21.2	+16:42:24	300	62	3.0	0 Calibration	2	
0049.HD142267	5	04:35	15:53:12.1	+13:11:48	300	62	3.0	#173 Small Sol	2	
0050.HD142267	5	04:36	15:53:12.1	+13:11:48	300	62	3.0	#173 Small Sol	2	
0051.HD142267	5	04:36	15:53:12.1	+13:11:48	300	62	3.0	#173 Small Sol	2	

UT Date 2013-09-02 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0052.COMP	10	04:37	15:53:12.1	+13:11:48	300	62	3.0	0 Calibration	2	
0053.18283240+0820107	900	04:45	18:28:32.4	+08:20:11	300	90	3.0	#141 2MASS Red	2	
0054.COMP	10	05:01	18:28:32.4	+08:20:11	300	90	3.0	0 Calibration	2	
0055.18302138+0629255	900	05:02	18:30:21.4	+06:29:25	300	90	3.0	#141 2MASS Red	2	
0056.COMP	10	05:17	18:30:21.4	+06:29:25	300	90	3.0	0 Calibration	2	
0057.18311446+0655038	900	05:20	18:31:14.5	+06:55:04	300	73	3.0	#141 2MASS Red	2	
0058.COMP	10	05:35	18:31:14.5	+06:55:04	300	76	3.0	0 Calibration	2	
0059.18322780+0727585	900	05:37	18:32:27.8	+07:27:59	300	89	3.0	#141 2MASS Red	2	
0060.COMP	10	05:53	18:32:27.8	+07:27:59	300	90	3.0	0 Calibration	2	
0061.18332462+0850303	900	05:54	18:33:24.6	+08:50:30	300	90	3.0	#141 2MASS Red	2	
0062.COMP	10	06:10	18:33:24.6	+08:50:30	300	90	3.0	0 Calibration	2	
0063.19582803+4048174	120	06:13	19:58:28.0	+40:48:17	300	90	3.0	#141 2MASS Red	2	star plus faint galaxy
0064.COMP	10	06:15	19:58:28.0	+40:48:17	300	90	3.0	0 Calibration	2	
0065.20132279+5151502	1500	06:17	20:13:22.8	+51:51:50	300	90	3.0	#141 2MASS Red	2	
0066.COMP	10	06:43	20:13:22.8	+51:51:50	300	89	3.0	0 Calibration	2	
0067.20225291+2554188	1500	06:46	20:22:52.9	+25:54:19	300	105	3.0	#141 2MASS Red	2	
0068.COMP	10	07:12	20:22:52.9	+25:54:19	300	105	3.0	0 Calibration	2	
0069.20392203+2742407	900	07:14	20:39:22.0	+27:42:41	300	105	3.0	#141 2MASS Red	2	
0070.COMP	10	07:30	20:39:22.0	+27:42:41	300	105	3.0	0 Calibration	2	
0071.20395705+2600039	600	07:31	20:39:57.1	+26:00:04	300	91	3.0	#141 2MASS Red	2	

UT Date 2013-09-02 Observers P BerlindColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0072.COMP	10	07:41	20:39:57.1	+26:00:04	300	90	3.0	0 Calibration	2	
0073.back58	720	07:45	01:57:21.5	+16:07:50	300	90	3.0	#216 Local Com	2	
0074.COMP	10	07:58	01:57:21.5	+16:07:50	300	90	3.0	0 Calibration	2	
0075.back61	1500	07:59	01:58:21.9	+16:33:34	300	90	3.0	#216 Local Com	2	
0076.COMP	10	08:25	01:58:21.9	+16:33:34	300	90	3.0	0 Calibration	2	
0077.back52	1500	08:26	01:58:48.5	+15:07:56	300	90	3.0	#216 Local Com	2	
0078.COMP	10	08:52	01:58:48.5	+15:07:56	300	89	3.0	0 Calibration	2	
0079.back30	1800	08:55	01:59:34.4	+15:27:19	300	89	3.0	#216 Local Com	2	
0080.COMP	10	09:25	01:59:34.4	+15:27:19	300	89	3.0	0 Calibration	2	
0081-0090.BIAS	0	09:31	01:59:34.4	+15:27:19	300	89	3.0	0 Calibration	2	
0091-0105.FLAT	7	09:36	01:59:34.4	+15:27:19	300	89	3.0	0 Calibration	2	