

UT Date 2013-10-02 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	02:27	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	4	
0011-0030.FLAT	7	02:33	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0031-0040.BIAS	0	02:36	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0041.DASCH_J1847-1845	60	02:38	18:47:33.4	-18:45:15	300	89	3.0	#192 DASCH Lon	2	saturated in the red
0042.DASCH_J1847-1845	15	02:40	18:47:33.4	-18:45:15	300	89	3.0	#192 DASCH Lon	2	
0043.COMP	10	02:41	18:47:33.4	-18:45:15	300	89	3.0	0 Calibration	2	
0044.K4644922	70	02:44	19:15:12.1	+39:42:50	300	89	3.0	#192 DASCH Lon	2	
0045.K4644922	210	02:46	19:15:12.1	+39:42:50	300	89	3.0	#192 DASCH Lon	2	
0046.K4644922	420	02:50	19:15:12.1	+39:42:50	300	89	3.0	#192 DASCH Lon	2	
0047.COMP	10	02:58	19:15:12.1	+39:42:50	300	89	3.0	0 Calibration	2	
0048.DASCH_J1924+2621	25	03:00	19:24:33.1	+26:21:44	300	89	3.0	#192 DASCH Lon	2	
0049.COMP	5	03:02	19:24:33.1	+26:21:44	300	89	3.0	0 Calibration	2	
0050.DASCH_J1822+4434	480	03:04	18:22:47.1	+44:34:43	300	90	3.0	#192 DASCH Lon	2	
0051.COMP	10	03:13	18:22:47.1	+44:34:43	300	89	3.0	0 Calibration	2	
0052.DASCH_J1837+4451	300	03:14	18:37:13.4	+44:51:38	300	89	3.0	#192 DASCH Lon	2	
0053.COMP	10	03:20	18:37:13.4	+44:51:38	300	89	3.0	0 Calibration	2	
0054.DASCH_J1943+4140	40	03:22	19:43:28.7	+41:40:07	300	89	3.0	#192 DASCH Lon	2	
0055.DASCH_J1943+4140	120	03:23	19:43:28.7	+41:40:07	300	89	3.0	#192 DASCH Lon	2	
0056.COMP	10	03:26	19:43:28.7	+41:40:07	300	89	3.0	0 Calibration	2	
0057.DASCH_J2021+3218	30	03:28	20:21:33.1	+32:18:51	300	89	3.0	#192 DASCH Lon	2	

UT Date 2013-10-02 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0058.DASCH_J2021+3218	11	03:29	20:21:33.1	+32:18:51	300	89	3.0	#192 DASCH Lon	2	
0059.COMP	10	03:30	20:21:33.1	+32:18:51	300	89	3.0	0 Calibration	2	
0060.DASCH_J2036+0223	15	03:33	20:36:36.4	+02:23:49	300	89	3.0	#192 DASCH Lon	2	
0061.DASCH_J2036+0223	30	03:34	20:36:36.4	+02:23:49	300	89	3.0	#192 DASCH Lon	2	
0062.DASCH_J2036+0223	60	03:35	20:36:36.4	+02:23:49	300	89	3.0	#192 DASCH Lon	2	
0063.COMP	10	03:36	20:36:36.4	+02:23:49	300	89	3.0	0 Calibration	2	
0064.DASCH_J2123+4115	15	03:39	21:23:26.5	+41:15:59	300	89	3.0	#192 DASCH Lon	2	
0065.DASCH_J2123+4115	25	03:40	21:23:26.5	+41:15:59	300	89	3.0	#192 DASCH Lon	2	
0066.COMP	10	03:41	21:23:26.5	+41:15:59	300	89	3.0	0 Calibration	2	
0067.HPbcg033	1800	03:46	00:10:59.3	+32:40:48	300	78	3.0	#210 Brightest	2	
0068.COMP	10	04:16	00:10:59.3	+32:40:48	300	76	3.0	0 Calibration	2	
0069.HPbcg034	2700	04:20	00:10:18.3	+32:27:03	300	109	3.0	#210 Brightest	2	
0070.COMP	10	05:06	00:10:18.3	+32:27:03	300	109	3.0	0 Calibration	2	
0071.HPbcg036	900	05:08	00:11:37.5	+32:37:21	300	91	3.0	#210 Brightest	2	
0072.COMP	10	05:24	00:11:37.5	+32:37:21	300	90	3.0	0 Calibration	2	
0073.HPbcg037	1200	05:25	00:11:34.8	+32:28:16	300	90	3.0	#210 Brightest	2	
0074.COMP	10	05:46	00:11:34.8	+32:28:16	300	90	3.0	0 Calibration	2	
0075.BDp284211	90	05:48	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0076.COMP	10	05:50	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0077.BDp284211	90	05:52	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	

UT Date 2013-10-02 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0078.COMP	10	05:54	21:51:11.0	+28:51:50	300	91	3.0	0 Calibration	2	
0079.BDp174708	80	05:56	22:11:31.4	+18:05:34	300	91	3.0	#56 Spectropho	2	
0080.COMP	10	05:58	22:11:31.4	+18:05:34	300	91	3.0	0 Calibration	2	
0081.M31	60	06:00	00:42:44.3	+41:16:09	300	91	3.0	#57 Velocity S	2	
0082.COMP	10	06:02	00:42:44.3	+41:16:09	300	91	3.0	0 Calibration	2	
0083.HPbcg039	1200	06:05	00:12:30.5	+32:19:12	300	91	3.0	#210 Brightest	2	
0084.COMP	10	06:25	00:12:30.5	+32:19:12	300	91	3.0	0 Calibration	2	
0085.sn2013fn	1800	06:29	21:00:23.8	-14:29:52	300	91	3.0	#2 SN Observat	2	
0086.COMP	10	07:00	21:00:23.8	-14:29:52	300	90	3.0	0 Calibration	2	
0087.psn2215	2400	07:04	22:15:28.5	+15:34:04	300	90	3.0	#2 SN Observat	2	
0088.COMP	10	07:44	22:15:28.5	+15:34:04	300	91	3.0	0 Calibration	2	
0089.HPbcg041	1200	07:48	00:11:05.1	+31:54:30	300	91	3.0	#210 Brightest	2	
0090.COMP	10	08:08	00:11:05.1	+31:54:30	300	91	3.0	0 Calibration	2	
0091.HPbcg043	1500	08:10	00:10:40.2	+32:49:29	300	91	3.0	#210 Brightest	2	
0092.COMP	10	08:35	00:10:40.2	+32:49:29	300	91	3.0	0 Calibration	2	
0093.HPbcg045	1080	08:37	00:20:41.9	+28:37:19	300	91	3.0	#210 Brightest	2	
0094.COMP	10	08:55	00:20:41.9	+28:37:19	300	91	3.0	0 Calibration	2	
0095.HPbcg050	1200	08:57	00:21:03.6	+28:27:27	300	91	3.0	#210 Brightest	2	
0096.COMP	10	09:18	00:21:03.6	+28:27:27	300	91	3.0	0 Calibration	2	
0097.HPbcg108	1200	09:20	02:15:32.9	-04:46:07	300	91	3.0	#210 Brightest	2	

UT Date 2013-10-02 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0098.COMP	10	09:48	02:15:32.9	-04:46:07	300	91	3.0	0 Calibration	2	
0099.HPbcg109	900	09:50	02:21:39.4	+21:00:34	300	91	3.0	#210 Brightest	2	
0100.COMP	10	10:05	02:21:39.4	+21:00:34	300	90	3.0	0 Calibration	2	
0101.HPbcg056	900	10:07	02:20:57.1	+21:39:43	300	90	3.0	#210 Brightest	2	
0102.COMP	10	10:23	02:20:57.1	+21:39:43	300	90	3.0	0 Calibration	2	
0103.HPbcg057	2400	10:25	02:21:33.8	+21:21:57	300	91	3.0	#210 Brightest	2	
0104.COMP	10	11:05	02:21:33.8	+21:21:57	300	91	3.0	0 Calibration	2	
0105.HPbcg058	1500	11:07	02:19:34.3	+21:02:22	300	91	3.0	#210 Brightest	2	
0106.COMP	10	11:32	02:19:34.3	+21:02:22	300	91	3.0	0 Calibration	2	
0107.snj0503	1200	11:34	05:03:35.1	+01:34:17	300	40	3.0	#2 SN Observat	2	
0108.COMP	10	11:55	05:03:35.1	+01:34:17	300	41	3.0	0 Calibration	2	
0109-0118.BIAS	0	12:31	04:13:34.8	+10:29:50	300	90	3.0	0 Calibration	2	
0119-0138.FLAT	7	12:38	04:13:34.8	+10:29:50	300	90	3.0	0 Calibration	2	
0139-0148.DARK	900	15:00	04:13:34.8	+10:29:50	300	90	3.0	0 Calibration	2	