

UT Date 2014-03-30 Observers S WillisColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	900	00:22	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0006-0008.FLAT	7	00:50	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0009-0040.FLAT	7	01:01	05:55:48.1	+31:30:35	300	90	3.0	0 Calibration	2	
0041-0061.BIAS	0	01:09	05:55:48.1	+31:30:35	300	90	3.0	0 Calibration	2	
0062.COMP	10	01:59	05:55:48.1	+31:30:35	300	90	3.0	0 Calibration	2	
0063.Hiltner600	90	02:28	06:45:13.4	+02:08:15	300	90	3.0	#56 Spectropho	2	
0064.COMP	10	02:33	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0065.G191B2B	300	02:36	05:05:30.6	+52:49:52	300	90	3.0	#56 Spectropho	2	
0066.COMP	10	02:41	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	2	
0067.T13229891	90	02:45	06:12:59.5	+19:45:07	300	90	3.0	#192 DASCH Lon	2	
0068.COMP	10	02:47	06:12:59.5	+19:45:07	300	90	3.0	0 Calibration	2	
0069.T13229891	120	02:48	06:12:59.5	+19:45:07	300	90	3.0	#192 DASCH Lon	2	
0070.COMP	10	02:51	06:12:59.5	+19:45:07	300	90	3.0	0 Calibration	2	
0071.T13461231	120	02:54	07:15:02.2	+16:52:12	300	90	3.0	#192 DASCH Lon	2	
0072.T13461231	240	02:57	07:15:02.2	+16:52:12	300	90	3.0	#192 DASCH Lon	2	
0073.COMP	10	03:02	07:15:02.2	+16:52:12	300	90	3.0	0 Calibration	2	
0074.T191311701	120	03:04	07:20:59.0	+24:59:58	300	89	3.0	#192 DASCH Lon	2	
0075.T191311701	30	03:06	07:20:59.0	+24:59:58	300	89	3.0	#192 DASCH Lon	2	
0076.T191311701	10	03:08	07:20:59.0	+24:59:58	300	89	3.0	#192 DASCH Lon	2	
0077.COMP	10	03:09	07:20:59.0	+24:59:58	300	89	3.0	0 Calibration	2	

UT Date 2014-03-30 Observers S WillisColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0078.T13668881	120	03:12	07:44:56.9	+17:43:18	300	89	3.0	#192 DASCH Lon	2	
0079.COMP	5	03:16	07:44:56.9	+17:43:18	300	89	3.0	0 Calibration	2	
0080.COMP	10	03:17	07:44:56.9	+17:43:18	300	89	3.0	0 Calibration	2	
0081.T37966671	180	03:19	08:04:09.1	+53:16:43	300	90	3.0	#192 DASCH Lon	2	
0082.COMP	10	03:23	08:04:09.1	+53:16:43	300	90	3.0	0 Calibration	2	
0083.T222361	180	03:27	08:36:47.4	+06:59:22	300	89	3.0	#192 DASCH Lon	2	
0084.COMP	10	03:31	08:36:47.4	+06:59:22	300	89	3.0	0 Calibration	2	
0085.T48653671	240	03:33	08:58:00.3	-00:19:53	300	90	3.0	#192 DASCH Lon	2	
0086.BGGem	300	03:41	06:03:31.0	+27:41:50	300	89	3.0	#12 Symbiotic	2	
0087.COMP	10	03:47	06:03:31.0	+27:41:50	300	89	3.0	0 Calibration	2	
0088.BXMon	15	03:50	07:25:23.0	-03:35:51	300	90	3.0	#12 Symbiotic	2	
0089.BXMon	180	03:51	07:25:23.0	-03:35:51	300	90	3.0	#12 Symbiotic	2	
0090.COMP	10	03:55	07:25:23.0	-03:35:51	300	90	3.0	0 Calibration	2	
0091.SS129	300	03:59	07:32:45.0	-26:49:16	300	81	3.0	#12 Symbiotic	2	
0092.SS129	300	04:04	07:32:45.0	-26:49:16	300	81	3.0	#12 Symbiotic	2	
0093.sn2014ai	1200	04:13	09:19:44.2	+33:45:50	300	89	3.0	#2 SN Observat	2	
0094.COMP	10	04:34	09:19:44.2	+33:45:50	300	89	3.0	0 Calibration	2	
0095.sn2014J	1200	04:36	09:55:42.1	+69:40:26	300	90	3.0	#2 SN Observat	2	
0096.sn2014J	1200	04:57	09:55:42.1	+69:40:26	300	90	3.0	#2 SN Observat	2	
0097.COMP	10	05:17	09:55:42.1	+69:40:26	300	90	3.0	0 Calibration	2	

UT Date 2014-03-30 Observers S WillisColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0098.CGCG181-068	720	05:20	09:37:19.4	+33:49:24	300	55	3.0	#199 Optical n	2	
0099.CGCG181-068	720	05:32	09:37:19.4	+33:49:24	300	55	3.0	#199 Optical n	2	
0100.CGCG181-068	720	05:44	09:37:19.4	+33:49:24	300	55	3.0	#199 Optical n	2	
0101.COMP	10	05:57	09:37:19.4	+33:49:24	300	55	3.0	0 Calibration	2	
0102.T345210561	240	05:59	11:59:58.3	+47:30:53	300	55	3.0	#192 DASCH Lon	2	
0103.COMP	10	06:04	11:59:58.3	+47:30:53	300	53	3.0	0 Calibration	2	
0104.sn2013ge	1800	06:08	10:34:48.5	+21:39:42	300	90	3.0	#2 SN Observat	2	
0105.COMP	10	06:38	10:34:48.5	+21:39:42	300	90	3.0	0 Calibration	2	
0106.psnJ1145	1200	06:40	11:45:03.6	+19:58:25	300	90	3.0	#2 SN Observat	2	
0107.COMP	10	07:01	11:45:03.6	+19:58:25	300	90	3.0	0 Calibration	2	
0108.sn2014ad	1200	07:07	11:57:44.4	-10:10:16	300	90	3.0	#2 SN Observat	2	
0109.COMP	10	07:27	11:57:44.4	-10:10:16	300	90	3.0	0 Calibration	2	
0110.sn2014L	1800	07:36	12:18:48.7	+14:24:44	300	89	3.0	#2 SN Observat	2	
0111.COMP	10	08:07	12:18:48.7	+14:24:44	300	89	3.0	0 Calibration	2	
0112.NGC4162	780	08:11	12:11:52.5	+24:07:26	300	-15	3.0	#199 Optical n	2	
0113.NGC4162	780	08:24	12:11:52.5	+24:07:26	300	-15	3.0	#199 Optical n	2	
0114.NGC4162	780	08:37	12:11:52.5	+24:07:26	300	-15	3.0	#199 Optical n	2	
0115.COMP	10	08:50	12:11:52.5	+24:07:26	300	-15	3.0	0 Calibration	2	
0116.NGC4162sky	180	08:52	12:11:52.5	+24:07:26	300	-15	3.0	#199 Optical n	2	
0117.T3097271	240	08:59	13:55:28.0	+00:15:22	300	89	3.0	#192 DASCH Lon	2	

UT Date 2014-03-30 Observers S WillisColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0118.COMP	10	09:04	13:55:28.0	+00:15:22	300	89	3.0	0 Calibration	2	
0119.SDSSJ1522+3913	1800	09:10	15:22:38.8	+39:13:52	300	90	3.0	#Possible xray	2	
0120.COMP	10	09:41	15:22:38.8	+39:13:52	300	90	3.0	0 Calibration	2	
0121.asteroid.2003gs	600	10:00	14:37:18.1	-23:56:06	300	90	3.0	#173 Small Sol	2	
0122.asteroid.2003gs	600	10:10	14:37:18.1	-23:56:06	300	90	3.0	#173 Small Sol	2	
0123.asteroid.2003gs	600	10:20	14:37:18.1	-23:56:06	300	90	3.0	#173 Small Sol	2	
0124.HD117860	10	10:33	13:33:11.3	-08:26:36	300	90	3.0	#173 Small Sol	2	
0125.COMP	10	10:33	13:33:11.3	-08:26:36	300	90	3.0	0 Calibration	2	
0126.T202910301	180	10:43	15:35:36.6	+25:45:10	300	90	3.0	#192 DASCH Lon	2	
0127.COMP	10	10:47	15:35:36.6	+25:45:10	300	90	3.0	0 Calibration	2	
0128.S2332013424	300	10:49	15:49:15.4	-26:00:54	300	90	3.0	#192 DASCH Lon	2	
0129.COMP	10	10:55	15:49:15.4	-26:00:54	300	90	3.0	0 Calibration	2	
0130.TCrB	15	11:28	15:59:30.0	+25:55:12	300	90	3.0	#12 Symbiotic	2	
0131.TCrB	120	11:30	15:59:30.0	+25:55:12	300	90	3.0	#12 Symbiotic	2	
0132.COMP	10	11:32	15:59:30.0	+25:55:12	300	90	3.0	0 Calibration	2	
0133.AGDra	2	11:36	16:01:41.0	+66:48:10	300	90	3.0	#12 Symbiotic	2	
0134.AGDra	15	11:36	16:01:41.0	+66:48:10	300	90	3.0	#12 Symbiotic	2	
0135.AGDra	60	11:37	16:01:41.0	+66:48:10	300	90	3.0	#12 Symbiotic	2	
0136.AGDra	240	11:38	16:01:41.0	+66:48:10	300	90	3.0	#12 Symbiotic	2	
0137.COMP	10	11:43	16:01:41.0	+66:48:10	300	90	3.0	0 Calibration	2	

UT Date 2014-03-30 Observers S WillisColl. Focus 1330 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0138.Hen1341	12	11:53	17:08:36.0	-17:26:30	300	90	3.0	#12 Symbiotic	2	
0139.PG1708p602	300	11:58	17:09:15.8	+60:10:10	300	90	3.0	#56 Spectropho	2	
0140.COMP	10	12:03	17:09:15.8	+60:10:10	300	90	3.0	0 Calibration	2	
0141-0160.FLAT	7	12:10	17:09:15.8	+60:10:10	300	90	3.0	0 Calibration	2	
0161-0170.BIAS	0	12:14	17:09:15.8	+60:10:10	300	90	3.0	0 Calibration	2	
0171-0180.DARK	900	14:51	17:09:15.8	+60:10:10	300	90	3.0	0 Calibration	2	