


UT Date 2014-04-02 Observers S WillisColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:11	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:17	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	
0026.G191B2B	300	02:26	05:05:30.6	+52:49:52	300	90	3.0	#56 Spectropho	2	
0027.COMP	10	02:32	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	2	
0028.Hiltner600	90	02:37	06:45:13.4	+02:08:15	300	90	3.0	#56 Spectropho	2	
0029.COMP	10	02:39	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0030.IRAS08579+3447	600	02:43	09:01:05.8	+34:35:25	300	0	3.0	#199 Optical n	2	
0031.IRAS08579+3447	600	02:54	09:01:05.8	+34:35:25	300	0	3.0	#199 Optical n	2	
0032.IRAS08579+3447	600	03:05	09:01:05.8	+34:35:25	300	0	3.0	#199 Optical n	2	
0033.COMP	10	03:16	09:01:05.8	+34:35:25	300	0	3.0	0 Calibration	2	
0034.sn2014ai	1200	03:21	09:19:44.2	+33:45:50	300	89	3.0	#2 SN Observat	2	
0035.COMP	10	03:42	09:19:44.2	+33:45:50	300	89	3.0	0 Calibration	2	
0036.sn2014J	1200	03:45	09:55:42.1	+69:40:26	300	89	3.0	#2 SN Observat	2	
0037.sn2014J	1200	04:05	09:55:42.1	+69:40:26	300	89	3.0	#2 SN Observat	2	
0038.COMP	10	04:27	09:55:42.1	+69:40:26	300	89	3.0	0 Calibration	2	
0039.Asteroid.Erigone.163	180	04:32	10:05:10.6	+12:51:03	300	89	3.0	#173 Small Sol	2	
0040.Asteroid.Erigone.163	180	04:35	10:05:10.6	+12:51:03	300	89	3.0	#173 Small Sol	2	
0041.Asteroid.Erigone.163	180	04:38	10:05:10.6	+12:51:03	300	89	3.0	#173 Small Sol	2	
0042.COMP	10	04:42	10:05:10.6	+12:51:03	300	89	3.0	0 Calibration	2	
0043.SA102m370	30	04:45	10:56:33.8	-01:10:41	300	89	3.0	#173 Small Sol	2	

UT Date 2014-04-02 Observers S WillisColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.COMP	10	04:46	10:56:33.8	-01:10:41	300	89	3.0	0 Calibration	2	
0045.sn2013ge	1800	04:50	10:34:48.5	+21:39:42	300	89	3.0	#2 SN Observat	2	
0046.COMP	10	05:21	10:34:48.5	+21:39:42	300	89	3.0	0 Calibration	2	
0047.psnJ1145	1200	05:25	11:45:03.6	+19:58:25	300	0	3.0	#2 SN Observat	2	
0048.COMP	10	05:46	11:45:03.6	+19:58:25	300	0	3.0	0 Calibration	2	
0049.sn14ad	1200	05:53	11:57:44.4	-10:10:16	300	89	3.0	#2 SN Observat	2	
0050.COMP	10	06:14	11:57:44.4	-10:10:16	300	89	3.0	0 Calibration	2	
0051.sn2014L	1800	06:18	12:18:48.7	+14:24:44	300	89	3.0	#2 SN Observat	2	
0052.COMP	10	06:49	12:18:48.7	+14:24:44	300	89	3.0	0 Calibration	2	
0053.NGC4625	600	06:54	12:41:52.7	+41:16:26	300	0	3.0	#199 Optical n	2	
0054.NGC4625	600	07:04	12:41:52.7	+41:16:26	300	0	3.0	#199 Optical n	2	
0055.NGC4625	600	07:14	12:41:52.7	+41:16:26	300	0	3.0	#199 Optical n	2	
0056.COMP	10	07:25	12:41:52.7	+41:16:26	300	0	3.0	0 Calibration	2	
0057.SDSSJ1522p3913	1800	07:29	15:22:38.8	+39:13:52	300	89	3.0	#192 DASCH Lon	2	
0058.SDSSJ1522p3913	1800	08:04	15:22:38.8	+39:13:52	300	89	3.0	#192 DASCH Lon	2	
0059.HD109011	10	08:37	12:31:18.0	+55:07:07	300	89	3.0	#192 DASCH Lon	2	
0060.COMP	10	08:45	12:31:18.0	+55:07:07	300	89	3.0	0 Calibration	2	
0062.BIAS	0	09:04	14:22:26.0	+31:34:36	300	90	3.0	0 Calibration	2	
0063.COMP	10	09:05	14:22:26.0	+31:34:36	300	90	3.0	0 Calibration	2	
0064.HD109011	20	09:12	12:31:18.0	+55:07:07	300	90	3.0	#192 DASCH Lon	2	

UT Date 2014-04-02 Observers S WillisColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0065.HD109011	20	09:13	12:31:18.0	+55:07:07	300	90	3.0	#192 DASCH Lon	2	
0066.HD109011	20	09:14	12:31:18.0	+55:07:07	300	90	3.0	#192 DASCH Lon	2	
0067.COMP	10	09:15	12:31:18.0	+55:07:07	300	90	3.0	0 Calibration	2	
0068.SDSSJ1522p3913	1800	09:17	15:22:38.8	+39:13:52	300	90	3.0	#192 DASCH Lon	2	
0069.COMP	10	09:48	15:22:38.8	+39:13:52	300	90	3.0	0 Calibration	2	
0070.HD124752	20	09:51	14:12:25.0	+67:35:10	300	90	3.0	#192 DASCH Lon	2	
0071.HD124752	20	09:52	14:12:25.0	+67:35:10	300	90	3.0	#192 DASCH Lon	2	
0072.HD124752	20	09:53	14:12:25.0	+67:35:10	300	90	3.0	#192 DASCH Lon	2	
0073.COMP	10	09:54	14:12:25.0	+67:35:10	300	90	3.0	0 Calibration	2	
0074.HD124752b	120	09:55	14:12:25.0	+67:35:10	300	90	3.0	#192 DASCH Lon	2	
0075.HD124752b	240	09:58	14:12:25.0	+67:35:10	300	90	3.0	#192 DASCH Lon	2	
0076.HD124752b	240	10:02	14:12:25.0	+67:35:10	300	90	3.0	#192 DASCH Lon	2	
0077.HD124752b	240	10:07	14:12:25.0	+67:35:10	300	90	3.0	#192 DASCH Lon	2	
0078.COMP	10	10:12	14:12:25.0	+67:35:10	300	90	3.0	0 Calibration	2	
0079.HD128165	10	10:13	14:33:29.0	+52:54:18	300	90	3.0	#192 DASCH Lon	2	
0080.HD128165	10	10:14	14:33:29.0	+52:54:18	300	90	3.0	#192 DASCH Lon	2	
0081.HD128165	10	10:14	14:33:29.0	+52:54:18	300	90	3.0	#192 DASCH Lon	2	
0082.COMP	10	10:15	14:33:29.0	+52:54:18	300	90	3.0	0 Calibration	2	
0083.IRAS16052+5334	600	10:18	16:06:33.0	+53:26:32	300	90	3.0	#199 Optical n	2	
0084.IRAS16052+5334	600	10:29	16:06:33.0	+53:26:32	300	90	3.0	#199 Optical n	2	

UT Date 2014-04-02 Observers S WillisColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0085.IRAS16052+5334	600	10:40	16:06:33.0	+53:26:32	300	90	3.0	#199 Optical n	2	
0086.COMP	10	10:50	16:06:33.0	+53:26:32	300	90	3.0	0 Calibration	2	
0087.A00183.2	300	10:53	15:12:18.5	+27:50:41	300	90	3.0	#216 Local Com	2	
0088.A00183.2	600	10:59	15:12:18.5	+27:50:41	300	90	3.0	#216 Local Com	2	
0089.COMP	10	11:19	15:12:18.5	+27:50:41	300	90	3.0	0 Calibration	2	
0090.SDSSJ1522p3913	1800	11:21	15:22:38.8	+39:13:52	300	90	3.0	#192 DASCH Lon	2	
0091.COMP	10	11:53	15:22:38.8	+39:13:52	300	90	3.0	0 Calibration	2	
0092.BFCyg	15	11:56	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	
0093.BFCyg	10	11:57	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	
0094.BFCyg	10	11:58	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	
0095.COMP	10	11:59	19:23:53.0	+29:40:27	300	90	3.0	0 Calibration	2	
0096.CICyg	15	12:02	19:50:12.0	+35:41:02	300	90	3.0	#12 Symbiotic	2	
0097.CICyg	5	12:03	19:50:12.0	+35:41:02	300	90	3.0	#12 Symbiotic	2	
0098.CICyg	5	12:04	19:50:12.0	+35:41:02	300	90	3.0	#12 Symbiotic	2	
0099.CICyg	5	12:05	19:50:12.0	+35:41:02	300	90	3.0	#12 Symbiotic	2	
0100.CICyg	5	12:05	19:50:12.0	+35:41:02	300	90	3.0	#12 Symbiotic	2	
0101.COMP	10	12:06	19:50:12.0	+35:41:02	300	90	3.0	0 Calibration	2	
0102-0111.BIAS	0	12:11	19:50:12.0	+35:41:02	300	90	3.0	0 Calibration	2	
0112-0126.FLAT	7	12:17	19:50:12.0	+35:41:02	300	90	3.0	0 Calibration	2	
0127-0131.DARK	1200	13:49	19:50:12.0	+35:41:02	300	90	3.0	0 Calibration	2	