

UT Date 2014-05-04 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	02:31	22:11:31.4	+18:05:34	300	90	3.0	0 Calibration	4	
0011-0020.BIAS	0	02:51	22:11:31.4	+18:05:34	600	90	1.5	0 Calibration	4	
0021-0030.FLAT	12	02:55	22:11:31.4	+18:05:34	600	90	1.5	0 Calibration	4	
0031.Feige34	180	03:07	10:39:36.7	+43:06:09	600	90	1.5	#56 Spectropho	4	
0032.COMP	10	03:11	10:39:36.7	+43:06:09	600	91	1.5	0 Calibration	4	
0033.j0939p64	1320	03:39	09:39:57.0	+64:46:34	600	91	1.5	#178 Low Mass	4	
0034.COMP	10	04:01	09:39:57.0	+64:46:34	600	89	1.5	0 Calibration	4	
0035.j0939p64	1320	04:02	09:39:57.0	+64:46:34	600	89	1.5	#178 Low Mass	4	
0036.COMP	10	04:25	09:39:57.0	+64:46:34	600	87	1.5	0 Calibration	4	
0037.j0939p64	1320	04:25	09:39:57.0	+64:46:34	600	87	1.5	#178 Low Mass	4	
0038.COMP	10	04:48	09:39:57.0	+64:46:34	600	88	1.5	0 Calibration	4	
0039.j0939p64	1320	04:49	09:39:57.0	+64:46:34	600	88	1.5	#178 Low Mass	4	
0040.COMP	10	05:11	09:39:57.0	+64:46:34	600	90	1.5	0 Calibration	4	
0041.j0939p64	1320	05:12	09:39:57.0	+64:46:34	600	90	1.5	#178 Low Mass	4	
0042.COMP	10	05:35	09:39:57.0	+64:46:34	600	90	1.5	0 Calibration	4	
0043.j1337p39	1200	05:38	13:37:25.2	+39:52:39	600	91	1.5	#178 Low Mass	4	
0044.COMP	10	05:59	13:37:25.2	+39:52:39	600	85	1.5	0 Calibration	4	
0045.j1337p39	1200	05:59	13:37:25.2	+39:52:39	600	85	1.5	#178 Low Mass	4	
0046.COMP	10	06:20	13:37:25.2	+39:52:39	600	85	1.5	0 Calibration	4	
0047.j1337p39	1200	06:21	13:37:25.2	+39:52:39	600	86	1.5	#178 Low Mass	4	

UT Date 2014-05-04 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0048.COMP	10	06:41	13:37:25.2	+39:52:39	600	86	1.5	0 Calibration	4	
0049.j1337p39	1200	06:43	13:37:25.2	+39:52:39	600	86	1.5	#178 Low Mass	4	
0050.COMP	10	07:03	13:37:25.2	+39:52:39	600	85	1.5	0 Calibration	4	
0051.j1337p39	1200	07:04	13:37:25.2	+39:52:39	600	85	1.5	#178 Low Mass	4	
0052.COMP	10	07:25	13:37:25.2	+39:52:39	600	85	1.5	0 Calibration	4	
0053.SDSSJ1522p3913	1200	07:34	15:22:38.8	+39:13:52	300	85	3.0	#192 DASCH Lon	2	
0054.COMP	10	07:55	15:22:38.8	+39:13:52	300	85	3.0	0 Calibration	2	
0055.BDp262606	90	07:58	14:49:02.4	+25:42:09	300	91	3.0	#56 Spectropho	2	
0056.COMP	10	08:00	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0057.BDp332642	120	08:02	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0058.COMP	10	08:05	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0059.RWHya	2	08:11	13:34:18.0	-25:22:51	300	89	3.0	#12 Symbiotic	2	
0060.RWHya	10	08:11	13:34:18.0	-25:22:51	300	89	3.0	#12 Symbiotic	2	
0061.RWHya	20	08:12	13:34:18.0	-25:22:51	300	89	3.0	#12 Symbiotic	2	
0062.COMP	10	08:13	13:34:18.0	-25:22:51	300	89	3.0	0 Calibration	2	
0063.TXCVn	10	08:15	12:44:42.0	+36:45:48	300	89	3.0	#12 Symbiotic	2	
0064.TXCVn	30	08:16	12:44:42.0	+36:45:48	300	89	3.0	#12 Symbiotic	2	
0065.COMP	10	08:17	12:44:42.0	+36:45:48	300	89	3.0	0 Calibration	2	
0066.AWI0000wqx	600	08:19	13:22:17.7	+62:33:37	300	89	3.0	#219 Disk Dete	2	saturated?
0067.COMP	10	08:30	13:22:17.7	+62:33:37	300	90	3.0	0 Calibration	2	

UT Date 2014-05-04 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0068.AWI0000wqx	300	08:32	13:22:17.7	+62:33:37	300	90	3.0	#219 Disk Dete	2	
0069.COMP	10	08:38	13:22:17.7	+62:33:37	300	89	3.0	0 Calibration	2	
0070.AWI0000us7	420	08:39	14:24:09.7	+58:18:26	300	89	3.0	#219 Disk Dete	2	
0071.COMP	10	08:46	14:24:09.7	+58:18:26	300	89	3.0	0 Calibration	2	
0072.HD129584	60	08:50	14:43:13.0	+01:49:28	300	89	3.0	#219 Disk Dete	2	
0073.HD129584	15	08:51	14:43:13.0	+01:49:28	300	89	3.0	#219 Disk Dete	2	
0074.HD129584	5	08:52	14:43:13.0	+01:49:28	300	89	3.0	#219 Disk Dete	2	
0075.COMP	10	08:53	14:43:13.0	+01:49:28	300	89	3.0	0 Calibration	2	
0076.AWI00005xz	1800	08:54	14:45:36.7	-15:53:51	300	89	3.0	#219 Disk Dete	2	
0077.COMP	10	09:25	14:45:36.7	-15:53:51	300	90	3.0	0 Calibration	2	
0078.AWI00006m2	600	09:27	14:48:00.1	-18:35:02	300	89	3.0	#219 Disk Dete	2	
0079.COMP	10	09:37	14:48:00.1	-18:35:02	300	89	3.0	0 Calibration	2	
0080.HD132010	45	09:38	14:57:32.9	-20:07:53	300	89	3.0	#219 Disk Dete	2	
0081.COMP	10	09:39	14:57:32.9	-20:07:53	300	89	3.0	0 Calibration	2	
0082.AS210	5	09:43	16:51:20.3	-26:00:33	300	89	3.0	#12 Symbiotic	2	
0083.AS210	300	09:43	16:51:20.3	-26:00:33	300	89	3.0	#12 Symbiotic	2	
0084.COMP	10	09:48	16:51:20.3	-26:00:33	300	90	3.0	0 Calibration	2	
0085.DracoC1	1200	09:52	17:19:58.0	+57:50:06	300	90	3.0	#12 Symbiotic	2	
0086.COMP	10	10:13	17:19:58.0	+57:50:06	300	84	3.0	0 Calibration	2	
0087.AWI000042e	1800	10:14	16:40:47.0	+62:25:23	300	88	3.0	#219 Disk Dete	2	

UT Date 2014-05-04 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0088.COMP	10	10:45	16:40:47.0	+62:25:23	300	88	3.0	0 Calibration	2	
0089.AWI000028h	780	10:47	16:55:56.6	+24:15:54	300	88	3.0	#219 Disk Dete	2	
0090.COMP	10	11:00	16:55:56.6	+24:15:54	300	90	3.0	0 Calibration	2	
0091.AWI000047d	420	11:02	16:48:37.4	+35:12:09	300	90	3.0	#219 Disk Dete	2	
0092.COMP	10	11:10	16:48:37.4	+35:12:09	300	89	3.0	0 Calibration	2	
0093.AWI000047d	240	11:10	16:48:37.4	+35:12:09	300	89	3.0	#219 Disk Dete	2	
0094.COMP	10	11:15	16:48:37.4	+35:12:09	300	89	3.0	0 Calibration	2	
0095.HD152308	5	11:16	16:52:04.9	+14:58:27	300	89	3.0	#219 Disk Dete	2	
0096.HD152308	3	11:17	16:52:04.9	+14:58:27	300	89	3.0	#219 Disk Dete	2	
0097.COMP	10	11:17	16:52:04.9	+14:58:27	300	89	3.0	0 Calibration	2	
0098.AWI00006bt	270	11:19	16:57:01.0	+45:27:33	300	89	3.0	#219 Disk Dete	2	
0099.COMP	10	11:24	16:57:01.0	+45:27:33	300	89	3.0	0 Calibration	2	
0100.AWI00006bt	120	11:25	16:57:01.0	+45:27:33	300	89	3.0	#219 Disk Dete	2	
0101.COMP	10	11:27	16:57:01.0	+45:27:33	300	89	3.0	0 Calibration	2	
0102.HD234389	100	11:28	17:06:13.3	+51:27:47	300	89	3.0	#219 Disk Dete	2	
0103.COMP	10	11:31	17:06:13.3	+51:27:47	300	89	3.0	0 Calibration	2	
0104.Hen1591	120	11:34	18:07:32.0	-25:53:43	300	89	3.0	#12 Symbiotic	2	
0105.Hen1591	300	11:36	18:07:32.0	-25:53:43	300	89	3.0	#12 Symbiotic	2	
0106.COMP	10	11:42	18:07:32.0	-25:53:43	300	88	3.0	0 Calibration	2	
0107.YYHer	10	11:45	18:14:34.0	+20:59:19	300	88	3.0	#12 Symbiotic	2	

UT Date 2014-05-04 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0108.YYHer	60	11:46	18:14:34.0	+20:59:19	300	88	3.0	#12 Symbiotic	2	
0109.COMP	10	11:48	18:14:34.0	+20:59:19	300	88	3.0	0 Calibration	2	
0110-0119.BIAS	0	11:52	18:14:34.0	+20:59:19	300	89	3.0	0 Calibration	2	
0120-0139.FLAT	7	12:03	18:14:34.0	+20:59:19	300	89	3.0	0 Calibration	2	
0140-0149.DARK	900	14:25	18:14:34.0	+20:59:19	300	89	3.0	0 Calibration	2	