

UT Date 2014-05-06 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:55	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	02:00	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0026.COMP	10	02:10	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0027.HD84870	5	02:50	09:49:02.8	+34:05:06	300	90	3.0	#219 Disk Dete	2	
0028.HD84870	5	02:51	09:49:02.8	+34:05:06	300	90	3.0	#219 Disk Dete	2	
0029.HD84870	5	02:51	09:49:02.8	+34:05:06	300	90	3.0	#219 Disk Dete	2	
0030.COMP	10	02:51	09:49:02.8	+34:05:06	300	90	3.0	0 Calibration	2	
0031.HD85672	8	02:53	09:53:59.1	+27:41:43	300	90	3.0	#219 Disk Dete	2	
0032.HD85672	8	02:53	09:53:59.1	+27:41:43	300	90	3.0	#219 Disk Dete	2	
0033.HD85672	8	02:54	09:53:59.1	+27:41:43	300	90	3.0	#219 Disk Dete	2	
0034.COMP	5	02:54	09:53:59.1	+27:41:43	300	90	3.0	0 Calibration	2	
0035.HD86342	10	02:56	09:57:48.7	-01:56:50	300	90	3.0	#219 Disk Dete	2	
0036.HD86342	10	02:56	09:57:48.7	-01:56:50	300	90	3.0	#219 Disk Dete	2	
0037.HD86342	10	02:57	09:57:48.7	-01:56:50	300	90	3.0	#219 Disk Dete	2	
0038.COMP	10	02:58	09:57:48.7	-01:56:50	300	90	3.0	0 Calibration	2	
0039.HD87827	15	02:59	10:07:19.8	-15:27:18	300	90	3.0	#219 Disk Dete	2	
0040.HD87827	15	03:00	10:07:19.8	-15:27:18	300	90	3.0	#219 Disk Dete	2	
0041.HD87827	15	03:00	10:07:19.8	-15:27:18	300	90	3.0	#219 Disk Dete	2	
0042.COMP	10	03:01	10:07:19.8	-15:27:18	300	90	3.0	0 Calibration	2	
0043.HD84937	30	03:04	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	

UT Date 2014-05-06 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.HD84937	30	03:05	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0045.HD84937	30	03:06	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0046.COMP	10	03:07	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0047.HD74389	15	03:08	08:45:46.9	+48:52:43	300	90	3.0	#219 Disk Dete	2	
0048.HD74389	15	03:09	08:45:46.9	+48:52:43	300	90	3.0	#219 Disk Dete	2	
0049.HD74389	15	03:10	08:45:46.9	+48:52:43	300	90	3.0	#219 Disk Dete	2	
0050.COMP	10	03:10	08:45:46.9	+48:52:43	300	90	3.0	0 Calibration	2	
0051.HD77427	65	03:13	09:05:50.3	+64:24:50	300	90	3.0	#219 Disk Dete	2	
0052.HD77427	65	03:14	09:05:50.3	+64:24:50	300	90	3.0	#219 Disk Dete	2	
0053.HD77427	65	03:16	09:05:50.3	+64:24:50	300	90	3.0	#219 Disk Dete	2	
0054.COMP	10	03:17	09:05:50.3	+64:24:50	300	90	3.0	0 Calibration	2	
0055.HD80259	65	03:19	09:22:33.1	+69:26:23	300	90	3.0	#219 Disk Dete	2	
0056.HD80259	65	03:20	09:22:33.1	+69:26:23	300	90	3.0	#219 Disk Dete	2	
0057.HD80259	65	03:21	09:22:33.1	+69:26:23	300	90	3.0	#219 Disk Dete	2	
0058.COMP	10	03:23	09:22:33.1	+69:26:23	300	90	3.0	0 Calibration	2	
0059.Feige34	180	03:24	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0060.COMP	10	03:28	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0061.AWI000019z	600	03:31	10:17:22.6	-18:32:02	300	80	3.0	#219 Disk Dete	2	
0062.COMP	10	03:42	10:17:22.6	-18:32:02	300	80	3.0	0 Calibration	2	
0063.AWI00001q1	360	03:43	10:36:39.1	-13:55:20	300	80	3.0	#219 Disk Dete	2	

UT Date 2014-05-06 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0064.COMP	10	03:49	10:36:39.1	-13:55:20	300	80	3.0	0 Calibration	2	
0065.AWI00000my	1800	03:51	10:13:07.6	-10:05:02	300	80	3.0	#219 Disk Dete	2	
0066.COMP	10	04:22	10:13:07.6	-10:05:02	300	80	3.0	0 Calibration	2	
0067.MCL1207+0339	1200	04:26	12:07:14.3	+03:39:07	300	90	3.0	#218 M dwarfs	2	
0068.MCL1207+0339	1200	04:47	12:07:14.3	+03:39:07	300	90	3.0	#218 M dwarfs	2	
0069.MCL1207+0339	1200	05:07	12:07:14.3	+03:39:07	300	90	3.0	#218 M dwarfs	2	
0070.COMP	10	05:27	12:07:14.3	+03:39:07	300	90	3.0	0 Calibration	2	
0071.MCL1317+0406	600	05:29	13:17:42.1	+04:06:21	300	90	3.0	#218 M dwarfs	2	
0072.COMP	10	05:40	13:17:42.1	+04:06:21	300	90	3.0	0 Calibration	2	
0073.SDSSJ1522p3913	1200	05:42	15:22:38.8	+39:13:52	300	90	3.0	#192 DASCH Lon	2	
0074.COMP	10	06:03	15:22:38.8	+39:13:52	300	90	3.0	0 Calibration	2	
0075.LP20-406	600	06:07	12:42:02.1	+75:08:46	300	87	3.0	#218 M dwarfs	2	
0076.LP20-406	600	06:17	12:42:02.1	+75:08:46	300	87	3.0	#218 M dwarfs	2	
0077.LP20-406	600	06:27	12:42:02.1	+75:08:46	300	87	3.0	#218 M dwarfs	2	
0078.COMP	10	06:38	12:42:02.1	+75:08:46	300	90	3.0	0 Calibration	2	
0079.MCL1302+6121	400	06:39	13:02:20.2	+61:21:54	300	90	3.0	#218 M dwarfs	2	
0080.MCL1302+6121	400	06:46	13:02:20.2	+61:21:54	300	90	3.0	#218 M dwarfs	2	
0081.MCL1302+6121	400	06:53	13:02:20.2	+61:21:54	300	90	3.0	#218 M dwarfs	2	
0082.COMP	10	07:00	13:02:20.2	+61:21:54	300	90	3.0	0 Calibration	2	
0083.MCL1304+6801	400	07:01	13:04:16.8	+68:01:23	300	90	3.0	#218 M dwarfs	2	

UT Date 2014-05-06 Observers P BerlindColl. Focus 1350 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0084.MCL1304+6801	400	07:08	13:04:16.8	+68:01:23	300	90	3.0	#218 M dwarfs	2	
0085.MCL1304+6801	400	07:15	13:04:16.8	+68:01:23	300	90	3.0	#218 M dwarfs	2	
0086.COMP	10	07:22	13:04:16.8	+68:01:23	300	90	3.0	0 Calibration	2	
0087.BDp262606	90	07:24	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0088.BDp262606	90	07:26	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0089.BDp262606	90	07:28	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0090.COMP	10	07:30	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0091.MCL1305+2650	400	07:31	13:05:25.7	+26:50:03	300	90	3.0	#218 M dwarfs	2	
0092.MCL1305+2650	400	07:38	13:05:25.7	+26:50:03	300	90	3.0	#218 M dwarfs	2	
0093.MCL1305+2650	400	07:45	13:05:25.7	+26:50:03	300	90	3.0	#218 M dwarfs	2	
0094.COMP	10	07:52	13:05:25.7	+26:50:03	300	90	3.0	0 Calibration	2	
0095.snj1400	1800	07:54	14:00:54.5	+40:59:00	300	90	3.0	#2 SN Observat	2	
0096.COMP	10	08:24	14:00:54.5	+40:59:00	300	90	3.0	0 Calibration	2	
0097.BDp332642	120	08:26	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0098.COMP	10	08:29	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0099.G152-B4A	360	08:31	15:58:04.8	-09:08:07	300	90	3.0	#218 M dwarfs	2	
0100.G152-B4A	360	08:38	15:58:04.8	-09:08:07	300	90	3.0	#218 M dwarfs	2	
0101.G152-B4A	360	08:44	15:58:04.8	-09:08:07	300	90	3.0	#218 M dwarfs	2	
0102.COMP	10	08:50	15:58:04.8	-09:08:07	300	90	3.0	0 Calibration	2	
0103.MCL1450+3711	600	08:53	14:50:58.3	+37:11:08	300	90	3.0	#218 M dwarfs	2	

UT Date 2014-05-06 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0104.MCL1450+3711	600	09:03	14:50:58.3	+37:11:08	300	90	3.0	#218 M dwarfs	2	
0105.MCL1450+3711	600	09:13	14:50:58.3	+37:11:08	300	90	3.0	#218 M dwarfs	2	
0106.COMP	10	09:24	14:50:58.3	+37:11:08	300	90	3.0	0 Calibration	2	
0107.MCL1457+2716	720	09:25	14:57:24.8	+27:16:47	300	90	3.0	#218 M dwarfs	2	
0108.COMP	10	09:38	14:57:24.8	+27:16:47	300	90	3.0	0 Calibration	2	
0109.MCL1511+5624	900	09:39	15:11:53.4	+56:24:50	300	90	3.0	#218 M dwarfs	2	
0110.COMP	10	09:55	15:11:53.4	+56:24:50	300	89	3.0	0 Calibration	2	
0111.V443Her	10	09:57	18:22:07.0	+23:27:20	300	89	3.0	#12 Symbiotic	2	
0112.V443Her	30	09:57	18:22:07.0	+23:27:20	300	89	3.0	#12 Symbiotic	2	
0113.V443Her	120	09:58	18:22:07.0	+23:27:20	300	89	3.0	#12 Symbiotic	2	
0114.COMP	10	10:01	18:22:07.0	+23:27:20	300	89	3.0	0 Calibration	2	
0115.AS338	90	10:02	19:03:47.0	+16:26:17	300	89	3.0	#12 Symbiotic	2	
0116.AS338	300	10:04	19:03:47.0	+16:26:17	300	89	3.0	#12 Symbiotic	2	
0117.COMP	10	10:09	19:03:47.0	+16:26:17	300	87	3.0	0 Calibration	2	
0118.G142-B2A	600	10:11	19:13:38.6	+13:36:30	300	87	3.0	#218 M dwarfs	2	
0119.COMP	10	10:21	19:13:38.6	+13:36:30	300	88	3.0	0 Calibration	2	
0120.AS296	30	10:23	18:15:07.0	-00:18:52	300	88	3.0	#12 Symbiotic	2	
0121.AS296	90	10:24	18:15:07.0	-00:18:52	300	88	3.0	#12 Symbiotic	2	
0122.AS296	180	10:25	18:15:07.0	-00:18:52	300	88	3.0	#12 Symbiotic	2	
0123.COMP	10	10:29	18:15:07.0	-00:18:52	300	90	3.0	0 Calibration	2	

UT Date 2014-05-06 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0124.AS289	20	10:30	18:12:22.0	-11:40:08	300	90	3.0	#12 Symbiotic	2	
0125.AS289	40	10:31	18:12:22.0	-11:40:08	300	90	3.0	#12 Symbiotic	2	
0126.AS289	300	10:32	18:12:22.0	-11:40:08	300	90	3.0	#12 Symbiotic	2	
0127.COMP	10	10:37	18:12:22.0	-11:40:08	300	90	3.0	0 Calibration	2	
0128.AS281	60	10:39	18:10:44.0	-27:57:51	300	90	3.0	#12 Symbiotic	2	
0129.AS281	120	10:40	18:10:44.0	-27:57:51	300	90	3.0	#12 Symbiotic	2	
0130.AS281	480	10:42	18:10:44.0	-27:57:51	300	90	3.0	#12 Symbiotic	2	
0131.COMP	10	10:51	18:10:44.0	-27:57:51	300	89	3.0	0 Calibration	2	
0132.Hen1674	120	10:54	18:20:19.1	-26:22:46	300	89	3.0	#12 Symbiotic	2	
0133.Hen1674	600	10:56	18:20:19.1	-26:22:46	300	89	3.0	#12 Symbiotic	2	
0134.COMP	10	11:07	18:20:19.1	-26:22:46	300	89	3.0	0 Calibration	2	
0135.AS316	60	11:08	18:42:33.0	-21:17:47	300	89	3.0	#12 Symbiotic	2	
0136.AS316	420	11:09	18:42:33.0	-21:17:47	300	89	3.0	#12 Symbiotic	2	
0137.COMP	10	11:17	18:42:33.0	-21:17:47	300	90	3.0	0 Calibration	2	
0138.AS327	60	11:18	18:53:17.0	-24:22:59	300	90	3.0	#12 Symbiotic	2	
0139.AS327	300	11:19	18:53:17.0	-24:22:59	300	90	3.0	#12 Symbiotic	2	
0140.COMP	10	11:24	18:53:17.0	-24:22:59	300	90	3.0	0 Calibration	2	
0141.V919Sgr	30	11:25	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	
0142.V919Sgr	90	11:26	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	
0143.V919Sgr	180	11:28	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	

UT Date 2014-05-06 Observers P BerlindColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0144.COMP	10	11:31	19:03:45.0	-16:59:56	300	90	3.0	0 Calibration	2	
0145.BDp404032	120	11:34	20:08:24.1	+41:15:04	300	90	3.0	#56 Spectropho	2	
0146.COMP	10	11:36	20:08:24.1	+41:15:04	300	90	3.0	0 Calibration	2	
0147.HD192281	10	11:37	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0148.HD192281	10	11:38	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0149.HD192281	10	11:38	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0150.COMP	10	11:39	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0151-0160.BIAS	0	11:42	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0161-0175.FLAT	7	11:48	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0176-0180.DARK	1200	13:14	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	