


UT Date 2014-05-30 Observers IrwinColl. Focus 1350 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	900	22:57	02:05:22.6	+31:26:40	300	90	3.0	0 Calibration	2	
0006-0010.DARK	900	00:13	02:05:22.6	+31:26:40	300	90	3.0	0 Calibration	4	
0011-0020.BIAS	0	00:41	02:05:22.6	+31:26:40	300	90	3.0	0 Calibration	4	
0021-0030.FLAT	4	00:43	02:05:22.6	+31:26:40	300	90	3.0	0 Calibration	4	
0031-0040.BIAS	0	00:45	02:05:22.6	+31:26:40	300	90	3.0	0 Calibration	2	
0041-0055.FLAT	7	00:50	02:05:22.6	+31:26:40	300	90	3.0	0 Calibration	2	
0056.Feige66	120	03:31	12:37:23.5	+25:04:00	300	90	3.0	#56 Spectropho	2	
0057.COMP	10	03:34	12:37:23.5	+25:04:00	300	90	3.0	0 Calibration	2	
0058.N4853	600	03:35	12:58:35.2	+27:35:47	300	89	3.0	#57 Velocity S	2	
0059.COMP	10	03:45	12:58:35.2	+27:35:47	300	89	3.0	0 Calibration	2	
0060.BDp262606	90	03:47	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0061.COMP	10	03:49	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0062.AWIO0000my	2400	03:52	10:13:07.6	-10:05:02	300	90	3.0	#219 Disk Dete	2	
0063.COMP	10	04:32	10:13:07.6	-10:05:02	300	90	3.0	0 Calibration	2	
0064.MCL1208+6224	1500	04:36	12:08:27.9	+62:24:47	300	90	3.0	#218 M dwarfs	2	
0065.COMP	10	05:01	12:08:27.9	+62:24:47	300	90	3.0	0 Calibration	2	
0066.MCL1212+2315	1500	05:04	12:12:17.9	+23:15:28	300	90	3.0	#218 M dwarfs	2	
0067.COMP	10	05:30	12:12:17.9	+23:15:28	300	90	3.0	0 Calibration	2	
0068.MCL1212+2315	1500	05:31	12:12:17.9	+23:15:28	300	90	3.0	#218 M dwarfs	2	
0069.COMP	10	05:56	12:12:17.9	+23:15:28	300	90	3.0	0 Calibration	2	

UT Date 2014-05-30 Observers IrwinColl. Focus 1350 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0070.snj1325	1800	05:58	13:25:38.8	+25:57:34	300	90	3.0	#2 SN Observat	2	
0071.COMP	10	06:28	13:25:38.8	+25:57:34	300	90	3.0	0 Calibration	2	
0072.sniPTF14bdn	1800	06:30	13:30:44.9	+32:45:42	300	105	3.0	#2 SN Observat	2	
0073.COMP	10	07:01	13:30:44.9	+32:45:42	300	105	3.0	0 Calibration	2	
0074.BDp332642	120	07:03	15:51:59.9	+32:56:54	300	91	3.0	#56 Spectropho	2	
0075.COMP	10	07:05	15:51:59.9	+32:56:54	300	91	3.0	0 Calibration	2	
0076.AWI00004ox	1800	07:11	15:10:09.3	+80:24:53	300	90	3.0	#219 Disk Dete	2	
0077.COMP	10	07:41	15:10:09.3	+80:24:53	300	90	3.0	0 Calibration	2	
0078.SDSSJ1522p3913	1200	07:44	15:22:38.8	+39:13:52	300	91	3.0	#192 DASCH Lon	2	
0079.COMP	10	08:05	15:22:38.8	+39:13:52	300	91	3.0	0 Calibration	2	
0080.SDSSJ1522p3913	1200	08:05	15:22:38.8	+39:13:52	300	90	3.0	#192 DASCH Lon	2	
0081.COMP	10	08:26	15:22:38.8	+39:13:52	300	90	3.0	0 Calibration	2	
0082.AWI0000t35	1200	08:27	15:34:56.2	+33:51:45	300	89	3.0	#219 Disk Dete	2	
0083.COMP	10	08:48	15:34:56.2	+33:51:45	300	89	3.0	0 Calibration	2	
0084.AWI000047d	400	08:50	16:48:37.4	+35:12:09	300	90	3.0	#219 Disk Dete	2	
0085.COMP	10	08:57	16:48:37.4	+35:12:09	300	90	3.0	0 Calibration	2	
0086.AWI000047d	400	08:58	16:48:37.4	+35:12:09	300	89	3.0	#219 Disk Dete	2	
0087.AS296	30	09:06	18:15:07.0	-00:18:52	300	89	3.0	#12 Symbiotic	2	
0088.AS296	120	09:07	18:15:07.0	-00:18:52	300	89	3.0	#12 Symbiotic	2	
0089.COMP	10	09:09	18:15:07.0	-00:18:52	300	89	3.0	0 Calibration	2	

UT Date 2014-05-30 Observers IrwinColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0090.AWI000042e	2400	09:13	16:40:47.0	+62:25:23	300	90	3.0	#219 Disk Dete	2	
0091.COMP	10	09:53	16:40:47.0	+62:25:23	300	90	3.0	0 Calibration	2	
0092.DracoC1	1200	09:55	17:19:58.0	+57:50:06	300	90	3.0	#12 Symbiotic	2	
0093.COMP	10	10:15	17:19:58.0	+57:50:06	300	90	3.0	0 Calibration	2	
0094.V919Sgr	15	10:19	19:03:45.0	-16:59:56	300	0	3.0	#12 Symbiotic	2	
0095.V919Sgr	30	10:20	19:03:45.0	-16:59:56	300	0	3.0	#12 Symbiotic	2	
0096.COMP	10	10:21	19:03:45.0	-16:59:56	300	0	3.0	0 Calibration	2	
0097.AWI000028h	1800	10:25	16:55:56.6	+24:15:54	300	39	3.0	#219 Disk Dete	2	
0098.COMP	10	10:55	16:55:56.6	+24:15:54	300	39	3.0	0 Calibration	2	
0099.HD192281	20	10:58	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0100.COMP	10	10:58	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0101.HD192281	10	10:59	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0102.HD192281	10	10:59	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0103.HD192281	10	11:00	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0104.BDp284211	60	11:04	21:51:11.0	+28:51:50	300	90	5.0	#56 Spectropho	2	5 sec slit binby2
0105.BDp284211	60	11:05	21:51:11.0	+28:51:50	300	90	5.0	#56 Spectropho	2	
0106.BDp284211	60	11:07	21:51:11.0	+28:51:50	300	90	5.0	#56 Spectropho	2	
0107.BDp284211	60	11:08	21:51:11.0	+28:51:50	300	90	5.0	#56 Spectropho	2	
0108.BDp284211	60	11:09	21:51:11.0	+28:51:50	300	89	5.0	#56 Spectropho	2	
0109.COMP	10	11:10	21:51:11.0	+28:51:50	300	89	5.0	0 Calibration	2	

UT Date 2014-05-30 Observers IrwinColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0110.HD192281	5	11:12	20:12:33.1	+40:16:05	300	89	5.0	#56 Spectropho	2	
0111.HD192281	5	11:12	20:12:33.1	+40:16:05	300	89	5.0	#56 Spectropho	2	
0112.HD192281	5	11:13	20:12:33.1	+40:16:05	300	89	5.0	#56 Spectropho	2	
0113.HD192281	5	11:13	20:12:33.1	+40:16:05	300	89	5.0	#56 Spectropho	2	
0114.HD192281	5	11:13	20:12:33.1	+40:16:05	300	89	5.0	#56 Spectropho	2	
0115.COMP	10	11:14	20:12:33.1	+40:16:05	300	89	5.0	0 Calibration	2	
0116.BDp284211	60	11:16	21:51:11.0	+28:51:50	300	89	5.0	#56 Spectropho	4	binby4 try again with right binning this time
0117.BDp284211	60	11:17	21:51:11.0	+28:51:50	300	89	5.0	#56 Spectropho	4	
0118.BDp284211	60	11:18	21:51:11.0	+28:51:50	300	89	5.0	#56 Spectropho	4	
0119.BDp284211	60	11:19	21:51:11.0	+28:51:50	300	89	5.0	#56 Spectropho	4	
0120.BDp284211	60	11:20	21:51:11.0	+28:51:50	300	89	5.0	#56 Spectropho	4	
0121.COMP	5	11:21	21:51:11.0	+28:51:50	300	89	5.0	0 Calibration	4	
0122.HD192281	5	11:23	20:12:33.1	+40:16:05	300	89	5.0	#56 Spectropho	4	
0123.HD192281	5	11:23	20:12:33.1	+40:16:05	300	89	5.0	#56 Spectropho	4	
0124.HD192281	5	11:23	20:12:33.1	+40:16:05	300	89	5.0	#56 Spectropho	4	
0125.HD192281	5	11:23	20:12:33.1	+40:16:05	300	89	5.0	#56 Spectropho	4	
0126.HD192281	5	11:24	20:12:33.1	+40:16:05	300	89	5.0	#56 Spectropho	4	
0127.COMP	5	11:24	20:12:33.1	+40:16:05	300	89	5.0	0 Calibration	4	
0128-0142.BIAS	0	11:30	20:12:33.1	+40:16:05	300	89	5.0	0 Calibration	4	
0143-0157.FLAT	2	11:33	20:12:33.1	+40:16:05	300	89	5.0	0 Calibration	4	

UT Date 2014-05-30 Observers IrwinColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0158-0172.BIAS	0	11:36	20:12:33.1	+40:16:05	300	89	5.0	0 Calibration	2	
0173-0187.FLAT	4	11:41	20:12:33.1	+40:16:05	300	89	5.0	0 Calibration	2	
0188-0192.DARK	900	12:51	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	
0193-0197.DARK	900	14:08	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	4	