


UT Date 2014-09-25 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	900	23:58	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0006-0010.DARK	900	01:15	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	4	
0011.fastfoc	10	01:36	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0012.fastfoc	10	01:36	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0013.fastfoc	10	01:37	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0014.fastfoc	10	01:37	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0015.fastfoc	10	01:38	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0016.fastfoc	10	01:38	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0017.fastfoc	10	01:39	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0018.fastfoc	10	01:39	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0019.fastfoc	10	01:39	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0020-0029.BIAS	0	01:43	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0030-0044.FLAT	7	01:48	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0045.COMP	10	01:49	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0046.COMP	10	01:52	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0047.COMP	10	01:53	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0048.COMP	10	01:55	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0049.COMP	10	01:57	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0050.AWI0005bk2	100	02:04	17:29:12.4	+00:56:05	600	90	1.5	#219 Disk Dete	2	
0051.COMP	10	02:06	17:29:12.4	+00:56:05	600	90	1.5	0 Calibration	2	

UT Date 2014-09-25 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0052.dc163718p274026	1800	02:17	16:37:18.6	+27:40:27	300	90	3.0	#188 Dwarf Car	2	
0053.COMP	10	02:48	16:37:18.6	+27:40:27	300	90	3.0	0 Calibration	2	
0054.AS281	60	02:52	18:10:44.0	-27:57:51	300	90	3.0	#12 Symbiotic	2	
0055.COMP	10	02:54	18:10:44.0	-27:57:51	300	90	3.0	0 Calibration	2	
0056.AS281	360	02:55	18:10:44.0	-27:57:51	300	90	3.0	#12 Symbiotic	2	
0057.Hen1674	120	03:04	18:20:19.1	-26:22:46	300	71	3.0	#12 Symbiotic	2	
0058.COMP	10	03:06	18:20:19.1	-26:22:46	300	71	3.0	0 Calibration	2	
0059.Hen1674	600	03:07	18:20:19.1	-26:22:46	300	71	3.0	#12 Symbiotic	2	
0060.AS316	30	03:21	18:42:33.0	-21:17:47	300	89	3.0	#12 Symbiotic	2	
0061.COMP	10	03:22	18:42:33.0	-21:17:47	300	89	3.0	0 Calibration	2	
0062.AS316	300	03:23	18:42:33.0	-21:17:47	300	89	3.0	#12 Symbiotic	2	
0063.AS327	30	03:29	18:53:17.0	-24:22:59	300	89	3.0	#12 Symbiotic	2	
0064.COMP	10	03:30	18:53:17.0	-24:22:59	300	89	3.0	0 Calibration	2	
0065.AS327	300	03:33	18:53:17.0	-24:22:59	300	90	3.0	#12 Symbiotic	2	
0066.dc184735p405944	900	03:43	18:47:35.6	+40:59:44	300	89	3.0	#188 Dwarf Car	2	
0067.COMP	10	03:59	18:47:35.6	+40:59:44	300	89	3.0	0 Calibration	2	
0068.PUVu1	1	04:01	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0069.COMP	10	04:02	20:21:13.0	+21:34:21	300	89	3.0	0 Calibration	2	
0070.PUVu1	10	04:03	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0071.PUVu1	60	04:03	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	

UT Date 2014-09-25 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0072.COMP	10	04:05	20:21:13.0	+21:34:21	300	89	3.0	0 Calibration	2	
0073.BDp284211	150	04:10	21:51:11.0	+28:51:50	300	89	3.0	#56 Spectropho	2	
0074.COMP	10	04:13	21:51:11.0	+28:51:50	300	89	3.0	0 Calibration	2	
0075.BDp174708	90	04:15	22:11:31.4	+18:05:34	300	86	3.0	#56 Spectropho	2	
0076.COMP	10	04:23	22:11:31.4	+18:05:34	300	86	3.0	0 Calibration	2	
0077.WHSS220208-071341	900	04:25	22:02:08.3	-07:13:41	300	88	3.0	#221 Bright Hi	2	
0078.COMP	10	04:41	22:02:08.3	-07:13:41	300	88	3.0	0 Calibration	2	
0079.WHSS220211-093654	700	04:44	22:02:11.2	-09:36:54	300	90	3.0	#221 Bright Hi	2	
0080.COMP	10	04:56	22:02:11.2	-09:36:54	300	90	3.0	0 Calibration	2	
0081.WHSS220253+044725	800	05:00	22:02:53.1	+04:47:26	300	89	3.0	#221 Bright Hi	2	
0082.COMP	10	05:14	22:02:53.1	+04:47:26	300	89	3.0	0 Calibration	2	
0083.WHSS220255+140942	1000	05:18	22:02:55.5	+14:09:43	300	90	3.0	#221 Bright Hi	2	
0084.COMP	10	05:35	22:02:55.5	+14:09:43	300	90	3.0	0 Calibration	2	
0085.WHSS220309+195844	1100	05:42	22:03:09.7	+19:58:45	300	100	3.0	#221 Bright Hi	2	
0086.COMP	10	06:01	22:03:09.7	+19:58:45	300	100	3.0	0 Calibration	2	
0087.WHSS220357-042001	800	06:11	22:03:56.1	-04:18:58	300	100	3.0	#221 Bright Hi	2	
0088.COMP	10	06:25	22:03:56.1	-04:18:58	300	99	3.0	0 Calibration	2	
0089.WHSS220417+123052	600	06:28	22:04:17.9	+12:30:53	300	90	3.0	#221 Bright Hi	2	
0090.COMP	10	06:38	22:04:17.9	+12:30:53	300	90	3.0	0 Calibration	2	
0091.WHSS234509-040807	800	06:40	23:45:09.0	-04:08:08	300	90	3.0	#221 Bright Hi	2	

UT Date 2014-09-25 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0092.COMP	10	06:54	23:45:09.0	-04:08:08	300	90	3.0	0 Calibration	2	
0093.WHSS234631-014341	800	07:01	23:46:31.0	-01:43:42	300	90	3.0	#221 Bright Hi	2	
0094.COMP	10	07:14	23:46:31.0	-01:43:42	300	90	3.0	0 Calibration	2	
0095.rmbcg009	1800	07:45	00:09:20.7	+06:49:23	300	91	3.0	#210 Brightest	2	
0096.COMP	10	08:15	00:09:20.7	+06:49:23	300	91	3.0	0 Calibration	2	
0097.rmbcg004	1800	08:22	01:08:19.0	+27:58:02	300	90	3.0	#210 Brightest	2	
0098.COMP	10	08:52	01:08:19.0	+27:58:02	300	90	3.0	0 Calibration	2	
0099.WHSS020207-081614	700	08:55	02:02:07.9	-08:16:15	300	90	3.0	#221 Bright Hi	2	
0100.COMP	10	09:07	02:02:07.9	-08:16:15	300	90	3.0	0 Calibration	2	
0101.WHSS020250+020928	1000	09:13	02:02:50.5	+02:09:29	300	90	3.0	#221 Bright Hi	2	
0102.COMP	10	09:30	02:02:50.5	+02:09:29	300	90	3.0	0 Calibration	2	
0103.WHSS020348+295925	700	09:37	02:03:48.6	+29:59:26	300	90	3.0	#221 Bright Hi	2	
0104.COMP	10	09:49	02:03:48.6	+29:59:26	300	90	3.0	0 Calibration	2	
0105.WHSS020609-053331	800	09:52	02:06:09.0	-05:33:31	300	90	3.0	#221 Bright Hi	2	
0106.COMP	10	10:06	02:06:09.0	-05:33:31	300	90	3.0	0 Calibration	2	
0107.WHSS020633+205707	1000	10:11	02:06:33.5	+20:57:07	300	90	3.0	#221 Bright Hi	2	
0108.COMP	10	10:28	02:06:33.5	+20:57:07	300	90	3.0	0 Calibration	2	
0109.WHSS020637-054742	900	10:37	02:06:38.7	-05:45:29	300	90	3.0	#221 Bright Hi	2	
0109.WHSS020637-054742q.ms	900	10:37	02:06:38.7	-05:45:29	300	90	3.0	#221 Bright Hi	1	
0110.COMP	10	10:52	02:06:38.7	-05:45:29	300	90	3.0	0 Calibration	2	

UT Date 2014-09-25 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0111.WHSS020645+031320	1200	10:55	02:06:45.2	+03:13:20	300	90	3.0	#221 Bright Hi	2	
0112.COMP	10	11:15	02:06:45.2	+03:13:20	300	90	3.0	0 Calibration	2	
0113.AWI0005yjq	2	11:21	02:30:47.4	+36:07:01	300	90	3.0	#219 Disk Dete	2	
0113.AWI0005yjq.ms	2	11:21	02:30:47.4	+36:07:01	300	90	3.0	#219 Disk Dete	1	
0114.COMP	10	11:21	02:30:47.4	+36:07:01	300	90	3.0	0 Calibration	2	
0115.AWI0005yjq	20	11:22	02:30:47.4	+36:07:01	300	90	3.0	#219 Disk Dete	2	
0116.AWI0005w77	2	11:24	02:37:20.8	+39:53:45	300	90	3.0	#219 Disk Dete	2	
0117.COMP	10	11:24	02:37:20.8	+39:53:45	300	90	3.0	0 Calibration	2	
0118.AWI000425z	2	11:28	02:47:55.4	+55:36:48	300	90	3.0	#219 Disk Dete	2	
0119.COMP	10	11:28	02:47:55.4	+55:36:48	300	90	3.0	0 Calibration	2	
0120.AWI0005zfw	10	11:30	02:44:30.0	+28:00:53	300	90	3.0	#219 Disk Dete	2	
0121-0125.DARK	900	13:02	03:28:47.8	+57:55:56	300	90	3.0	0 Calibration	2	
0126-0130.DARK	900	14:18	03:28:47.8	+57:55:56	300	90	3.0	0 Calibration	4	
comp300+600.ms	10	05:47	10:39:36.9	+43:06:11	300	90	3.0	#56 Spectropho	1	