
UT Date 2014-12-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0003.DARK	1200	00:13	22:37:04.1	+34:24:56	300	89	3.0	0 Calibration	2	
0004-0013.BIAS	0	00:35	22:37:04.1	+34:24:56	300	89	3.0	0 Calibration	2	
0014-0028.FLAT	7	00:41	22:37:04.1	+34:24:56	300	89	3.0	0 Calibration	2	
0029.BDp174708	100	01:19	22:11:31.4	+18:05:34	300	89	3.0	#56 Spectropho	2	
0030.COMP	10	01:21	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	
0031.BDp284211	240	01:23	21:51:11.0	+28:51:50	300	89	3.0	#56 Spectropho	2	
0032.COMP	10	01:28	21:51:11.0	+28:51:50	300	89	3.0	0 Calibration	2	
0033.snASASSN-14lq	1200	01:32	22:57:19.4	-20:58:01	300	89	3.0	#220 ASASSN Tr	2	
0034.COMP	10	01:53	22:57:19.4	-20:58:01	300	89	3.0	0 Calibration	2	
0035.snASASSN-14ma	1200	01:55	23:55:09.1	+10:12:54	300	89	3.0	#220 ASASSN Tr	2	
0036.snASASSN-14ma	1200	02:16	23:55:09.1	+10:12:54	300	89	3.0	#220 ASASSN Tr	2	
0037.COMP	10	02:36	23:55:09.1	+10:12:54	300	89	3.0	0 Calibration	2	
0038.snASASSN-14lt	1200	02:54	03:11:02.5	-13:06:39	300	89	3.0	#220 ASASSN Tr	2	
0039.snASASSN-14lt	1200	03:14	03:11:02.5	-13:06:39	300	89	3.0	#220 ASASSN Tr	2	
0040.COMP	10	03:35	03:11:02.5	-13:06:39	300	89	3.0	0 Calibration	2	
0041.03544856+4124307	1200	03:41	03:54:48.6	+41:24:31	300	86	3.0	#141 2MASS Red	2	
0042.COMP	10	04:03	03:54:48.6	+41:24:31	300	86	3.0	0 Calibration	2	
0043.06454795-1519012	1800	09:42	06:45:48.0	-15:19:01	300	90	3.0	#141 2MASS Red	2	
0044.COMP	10	10:13	06:45:48.0	-15:19:01	300	90	3.0	0 Calibration	2	
0045.snASASSN-14lo	1200	10:17	11:51:53.2	+18:32:31	300	90	3.0	#220 ASASSN Tr	2	

UT Date 2014-12-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0046.snASASSN-141o	492	10:37	11:51:53.2	+18:32:31	300	90	3.0	#220 ASASSN Tr	2	
0047.COMP	10	10:46	11:51:53.2	+18:32:31	300	90	3.0	0 Calibration	2	