

UT Date 2015-01-17 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:43	15:01:12.1	+47:16:23	300	91	3.0	0 Calibration	2	
0011.FLAT	7	00:43	15:01:12.1	+47:16:23	300	91	3.0	0 Calibration	2	300-line, 3-sec
0012-0025.FLAT	7	00:48	15:01:12.1	+47:16:23	300	91	3.0	0 Calibration	2	
0026.AWI00062gs	10	01:36	23:05:33.0	+14:57:32	300	90	3.0	#219 Disk Dete	2	
0027.AWI00062gs	10	01:36	23:05:33.0	+14:57:32	300	90	3.0	#219 Disk Dete	2	
0028.COMP	10	01:36	23:05:33.0	+14:57:32	300	90	3.0	0 Calibration	2	
0029.AWI0005mry	25	01:40	00:34:12.7	+54:03:59	300	90	3.0	#219 Disk Dete	2	
0030.AWI0005mry	25	01:41	00:34:12.7	+54:03:59	300	90	3.0	#219 Disk Dete	2	
0031.COMP	10	01:42	00:34:12.7	+54:03:59	300	90	3.0	0 Calibration	2	
0032.AWI0003cp6	120	01:43	23:56:52.3	+61:13:38	300	90	3.0	#219 Disk Dete	2	
0033.AWI0003cp6	120	01:46	23:56:52.3	+61:13:38	300	90	3.0	#219 Disk Dete	2	
0034.AWI0003cp6	120	01:48	23:56:52.3	+61:13:38	300	90	3.0	#219 Disk Dete	2	
0035.COMP	10	01:50	23:56:52.3	+61:13:38	300	90	3.0	0 Calibration	2	
0036.snASASSN-15ak	600	01:52	00:12:01.6	+26:23:37	300	90	3.0	#220 ASASSN Tr	2	
0037.snASASSN-15ak	600	02:03	00:12:01.6	+26:23:37	300	90	3.0	#220 ASASSN Tr	2	
0038.snASASSN-15ak	600	02:13	00:12:01.6	+26:23:37	300	90	3.0	#220 ASASSN Tr	2	
0039.COMP	10	02:23	00:12:01.6	+26:23:37	300	89	3.0	0 Calibration	2	
0040.snASASSN-15ar	900	02:25	02:28:20.4	+10:23:04	300	89	3.0	#220 ASASSN Tr	2	
0041.snASASSN-15ar	900	02:40	02:28:20.4	+10:23:04	300	89	3.0	#220 ASASSN Tr	2	
0042.snASASSN-15ar	900	02:55	02:28:20.4	+10:23:04	300	89	3.0	#220 ASASSN Tr	2	

UT Date 2015-01-17 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0043.COMP	10	03:11	02:28:20.4	+10:23:04	300	90	3.0	0 Calibration	2	
0044.BIAS	0	03:14	04:00:00.0	+32:00:00	600	90	1.5	0 Calibration	4	
0045.COMP	10	03:16	00:35:08.3	+13:50:45	600	90	1.5	0 Calibration	4	600-line, 1.5-sec, 445
0046.j0035p13	1000	03:17	00:35:08.3	+13:50:45	600	90	1.5	#178 Low Mass	4	
0047.COMP	10	03:35	00:35:08.3	+13:50:45	600	90	1.5	0 Calibration	4	
0048.j0035p13	1000	03:36	00:35:08.3	+13:50:45	600	90	1.5	#178 Low Mass	4	
0049.COMP	10	03:53	00:35:08.3	+13:50:45	600	90	1.5	0 Calibration	4	
0050.j0035p13	1000	03:54	00:35:08.3	+13:50:45	600	90	1.5	#178 Low Mass	4	
0051.COMP	10	04:12	00:35:08.3	+13:50:45	600	90	1.5	0 Calibration	4	
0052.j0035p13	1000	04:13	00:35:08.3	+13:50:45	600	90	1.5	#178 Low Mass	4	
0053.COMP	10	04:30	00:35:08.3	+13:50:45	600	90	1.5	0 Calibration	4	
0054.hss239	900	04:33	03:21:54.6	-00:39:38	600	90	1.5	#178 Low Mass	4	
0055.COMP	10	04:48	03:21:54.6	-00:39:38	600	90	1.5	0 Calibration	4	
0056.G191B2B	300	04:51	05:05:30.6	+52:49:52	600	90	1.5	#56 Spectropho	4	
0057.COMP	10	04:57	05:05:30.6	+52:49:52	600	90	1.5	0 Calibration	4	
0058-0067.FLAT	12	05:02	05:30:00.0	+32:00:00	600	90	1.5	0 Calibration	4	
0068.j0916p20	1500	05:05	09:16:01.9	+20:07:58	600	90	1.5	#178 Low Mass	4	
0069.COMP	10	05:30	09:16:01.9	+20:07:58	600	90	1.5	0 Calibration	4	
0070.j0916p20	1500	05:31	09:16:01.9	+20:07:58	600	90	1.5	#178 Low Mass	4	
0071.COMP	10	05:57	09:16:01.9	+20:07:58	600	90	1.5	0 Calibration	4	

UT Date 2015-01-17 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0072.j0916p20	1500	05:57	09:16:01.9	+20:07:58	600	90	1.5	#178 Low Mass	4	
0073.COMP	10	06:23	09:16:01.9	+20:07:58	600	90	1.5	0 Calibration	4	
0074.j0916p20	1500	06:24	09:16:01.9	+20:07:58	600	90	1.5	#178 Low Mass	4	
0075.COMP	10	06:51	09:16:01.9	+20:07:58	600	87	1.5	0 Calibration	4	
0076.bcand472	1500	06:54	09:42:00.1	+31:29:20	600	99	1.5	#178 Low Mass	4	
0077.COMP	10	07:19	09:42:00.1	+31:29:20	600	99	1.5	0 Calibration	4	
0078.bcand472	1500	07:20	09:42:00.1	+31:29:20	600	99	1.5	#178 Low Mass	4	
0079.COMP	10	07:45	09:42:00.1	+31:29:20	600	99	1.5	0 Calibration	4	
0080.bcand472	1500	07:46	09:42:00.1	+31:29:20	600	99	1.5	#178 Low Mass	4	
0081.COMP	10	08:11	09:42:00.1	+31:29:20	600	99	1.5	0 Calibration	4	
0082.bcand472	1500	08:12	09:42:00.1	+31:29:20	600	99	1.5	#178 Low Mass	4	
0083.COMP	10	08:37	09:42:00.1	+31:29:20	600	99	1.5	0 Calibration	4	
0084.bcand537	1200	08:40	11:30:56.6	+12:49:51	600	86	1.5	#178 Low Mass	4	
0085.COMP	10	09:00	11:30:56.6	+12:49:51	600	86	1.5	0 Calibration	4	
0086.bcand537	1200	09:01	11:30:56.6	+12:49:51	600	86	1.5	#178 Low Mass	4	
0087.COMP	10	09:21	11:30:56.6	+12:49:51	600	86	1.5	0 Calibration	4	
0088.bcand537	1200	09:22	11:30:56.6	+12:49:51	600	86	1.5	#178 Low Mass	4	
0089.COMP	10	09:42	11:30:56.6	+12:49:51	600	86	1.5	0 Calibration	4	
0090.bcand537	1200	09:43	11:30:56.6	+12:49:51	600	86	1.5	#178 Low Mass	4	
0091.COMP	10	10:04	11:30:56.6	+12:49:51	600	86	1.5	0 Calibration	4	

UT Date 2015-01-17 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0092.Feige34	180	10:05	10:39:36.7	+43:06:09	600	89	1.5	#56 Spectropho	4	
0093.COMP	10	10:09	10:39:36.7	+43:06:09	600	89	1.5	0 Calibration	4	
0094.test	10	10:12	11:00:00.0	+32:00:00	300	89	3.0	#56 Spectropho	2	
0095.test	10	10:14	11:00:00.0	+32:00:00	300	89	3.0	#56 Spectropho	2	
0096.HD84937	30	10:17	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	300-line, 3-sec
0097.COMP	10	10:18	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0098.snASASSN-15as	1200	10:20	09:39:16.6	+06:25:49	300	89	3.0	#220 ASASSN Tr	2	
0099.snASASSN-15as	1200	10:40	09:39:16.6	+06:25:49	300	90	3.0	#220 ASASSN Tr	2	
0100.snASASSN-15as	1200	11:00	09:39:16.6	+06:25:49	300	90	3.0	#220 ASASSN Tr	2	
0101.COMP	10	11:20	09:39:16.6	+06:25:49	300	90	3.0	0 Calibration	2	
0102.Feige34	180	11:22	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0103.COMP	10	11:26	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0104.snASASSN-15az	1200	11:28	11:08:37.6	-10:14:58	300	90	3.0	#220 ASASSN Tr	2	
0105.snASASSN-15az	1200	11:50	11:08:37.6	-10:14:58	300	90	3.0	#220 ASASSN Tr	2	
0106.snASASSN-15az	1200	12:10	11:08:37.6	-10:14:58	300	90	3.0	#220 ASASSN Tr	2	
0107.COMP	10	12:31	11:08:37.6	-10:14:58	300	89	3.0	0 Calibration	2	
0108.snASASSN-14lp	300	12:32	12:45:09.1	-00:27:33	300	89	3.0	#2 SN Observat	2	
0109.COMP	10	12:37	12:45:09.1	-00:27:33	300	89	3.0	0 Calibration	2	
0110.snBRUTUS7038_7	720	12:40	14:04:55.1	+08:55:13	300	89	3.0	#220 ASASSN Tr	2	
0111.snBRUTUS7038_7	720	12:52	14:04:55.1	+08:55:13	300	89	3.0	#220 ASASSN Tr	2	

UT Date 2015-01-17 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0112.snBRUTUS7038_7	720	13:04	14:04:55.1	+08:55:13	300	89	3.0	#220 ASASSN Tr	2	
0113.COMP	10	13:17	14:04:55.1	+08:55:13	300	90	3.0	0 Calibration	2	
0114.RWHya	10	13:19	13:34:18.0	-25:22:51	300	90	3.0	#12 Symbiotic	2	
0115.RWHya	20	13:19	13:34:18.0	-25:22:51	300	90	3.0	#12 Symbiotic	2	
0116.RWHya	3	13:20	13:34:18.0	-25:22:51	300	90	3.0	#12 Symbiotic	2	
0117.COMP	10	13:21	13:34:18.0	-25:22:51	300	90	3.0	0 Calibration	2	
0118.TXCVn	60	13:23	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0119.TXCVn	60	13:25	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0120.COMP	10	13:26	12:44:42.0	+36:45:48	300	90	3.0	0 Calibration	2	
0121-0130.BIAS	0	13:31	12:44:42.0	+36:45:48	300	90	3.0	0 Calibration	2	
0131-0145.FLAT	7	13:36	12:44:42.0	+36:45:48	300	90	3.0	0 Calibration	2	
0146-0155.BIAS	0	13:39	12:44:42.0	+36:45:48	300	90	3.0	0 Calibration	4	
0156-0160.DARK	900	14:41	12:44:42.0	+36:45:48	300	90	3.0	0 Calibration	2	
0161-0165.DARK	900	15:58	12:44:42.0	+36:45:48	300	90	3.0	0 Calibration	4	