

UT Date 2015-04-21 Observers WillnerColl. Focus 1357 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	21:34	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	
0011-0022.DARK	600	23:29	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	
0023.DARK	900	01:54	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	
0024-0033.FLAT	12	02:13	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	
0035.Feige34	180	02:34	10:39:36.7	+43:06:09	300	0	3.0	#56 Spectropho	2	
0036.COMP	10	02:37	10:39:36.7	+43:06:09	300	0	3.0	0 Calibration	2	
0037.HD84937	30	02:40	09:48:56.1	+13:44:39	300	0	3.0	#56 Spectropho	2	
0038.COMP	10	02:41	09:48:56.1	+13:44:39	300	0	3.0	0 Calibration	2	
0039.065_WHSS100011	600	02:50	10:00:11.4	+24:51:52	300	0	3.0	#221 Bright Hi	2	
0040.COMP	10	03:01	10:00:11.4	+24:51:52	300	-1	3.0	0 Calibration	2	
0041.065_WHSS100011	600	03:01	10:00:11.4	+24:51:52	300	-1	3.0	#221 Bright Hi	2	
0042.COMP	10	03:12	10:00:11.4	+24:51:52	300	0	3.0	0 Calibration	2	
0044.snASASSN-15hg	900	03:34	09:53:48.6	+09:11:38	300	0	3.0	#220 ASASSN Tr	2	
0045.COMP	10	03:49	09:53:48.6	+09:11:38	300	0	3.0	0 Calibration	2	
0046.045_WHSS085720	600	03:58	08:57:20.4	+21:42:18	300	0	3.0	#221 Bright Hi	2	
0047.COMP	10	04:09	08:57:20.4	+21:42:18	300	0	3.0	0 Calibration	2	
0048.045_WHSS085720	600	04:12	08:57:20.4	+21:42:18	300	0	3.0	#221 Bright Hi	2	
0049.COMP	10	04:22	08:57:20.4	+21:42:18	300	0	3.0	0 Calibration	2	
0050.041_WHSS085050	600	04:26	08:50:50.3	+40:49:52	300	0	3.0	#221 Bright Hi	2	
0051.COMP	10	04:36	08:50:50.3	+40:49:52	300	1	3.0	0 Calibration	2	

UT Date 2015-04-21 Observers WillnerColl. Focus 1357 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0052.042_WHSS085247	600	04:40	08:52:47.2	+50:03:59	300	1	3.0	#221 Bright Hi	2	
0053.COMP	10	04:50	08:52:47.2	+50:03:59	300	0	3.0	0 Calibration	2	
0054.042_WHSS085247	600	04:51	08:52:47.2	+50:03:59	300	0	3.0	#221 Bright Hi	2	
0056.043_WHSS085600	600	05:15	08:56:00.7	+47:15:20	300	0	3.0	#221 Bright Hi	2	
0057.COMP	10	05:25	08:56:00.7	+47:15:20	300	0	3.0	0 Calibration	2	
0058.043_WHSS085600	600	05:27	08:56:00.7	+47:15:20	300	0	3.0	#221 Bright Hi	2	
0059.COMP	10	05:37	08:56:00.7	+47:15:20	300	0	3.0	0 Calibration	2	
0060.044_WHSS085632	600	05:39	08:56:32.4	+50:41:14	300	1	3.0	#221 Bright Hi	2	
0061.COMP	10	05:49	08:56:32.4	+50:41:14	300	1	3.0	0 Calibration	2	
0062.054_WHSS092141	600	05:52	09:21:41.8	+51:01:33	300	1	3.0	#221 Bright Hi	2	
0063.COMP	10	06:03	09:21:41.8	+51:01:33	300	0	3.0	0 Calibration	2	
0064.054_WHSS092141	600	06:04	09:21:41.8	+51:01:33	300	0	3.0	#221 Bright Hi	2	
0065.COMP	10	06:14	09:21:41.8	+51:01:33	300	0	3.0	0 Calibration	2	
0066.snASASSN-15hg	900	06:19	09:53:48.6	+09:11:38	300	1	3.0	#220 ASASSN Tr	2	
0067.COMP	10	06:35	09:53:48.6	+09:11:38	300	1	3.0	0 Calibration	2	
0068.snASASSN-15ga	900	06:40	12:59:27.3	+14:10:16	300	1	3.0	#220 ASASSN Tr	2	
0069.COMP	10	06:56	12:59:27.3	+14:10:16	300	1	3.0	0 Calibration	2	
0070.snASASSN-15ga	900	06:57	12:59:27.3	+14:10:16	300	1	3.0	#220 ASASSN Tr	2	
0071.COMP	10	07:13	12:59:27.3	+14:10:16	300	0	3.0	0 Calibration	2	
0072.128_WHSS121734	600	07:15	12:17:35.0	+40:47:01	300	0	3.0	#221 Bright Hi	2	

UT Date 2015-04-21 Observers WillnerColl. Focus 1357 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0073.COMP	10	07:26	12:17:35.0	+40:47:01	300	1	3.0	0 Calibration	2	
0074.128_WHSS121734	600	07:27	12:17:35.0	+40:47:01	300	1	3.0	#221 Bright Hi	2	
0075.COMP	10	07:37	12:17:35.0	+40:47:01	300	0	3.0	0 Calibration	2	
0076.130_WHSS122006	600	07:39	12:20:06.8	+40:49:36	300	0	3.0	#221 Bright Hi	2	
0077.COMP	10	07:50	12:20:06.8	+40:49:36	300	0	3.0	0 Calibration	2	
0078.130_WHSS122006	600	07:52	12:20:06.8	+40:49:36	300	0	3.0	#221 Bright Hi	2	
0079.COMP	10	08:03	12:20:06.8	+40:49:36	300	0	3.0	0 Calibration	2	
0080.136_WHSS123033	600	08:05	12:30:33.2	+41:34:41	300	0	3.0	#221 Bright Hi	2	
0081.COMP	10	08:15	12:30:33.2	+41:34:41	300	0	3.0	0 Calibration	2	
0082.136_WHSS123033	600	08:16	12:30:33.2	+41:34:41	300	0	3.0	#221 Bright Hi	2	
0083.COMP	10	08:26	12:30:33.2	+41:34:41	300	1	3.0	0 Calibration	2	
0084.141_WHSS124146	600	08:28	12:41:46.3	+41:03:27	300	1	3.0	#221 Bright Hi	2	
0085.COMP	10	08:38	12:41:46.3	+41:03:27	300	1	3.0	0 Calibration	2	
0086.141_WHSS124146	600	08:39	12:41:46.3	+41:03:27	300	1	3.0	#221 Bright Hi	2	
0087.COMP	10	08:49	12:41:46.3	+41:03:27	300	0	3.0	0 Calibration	2	
0088.169_WHSS135824	600	08:54	13:58:24.6	+40:14:43	300	0	3.0	#221 Bright Hi	2	
0089.COMP	10	09:04	13:58:24.6	+40:14:43	300	0	3.0	0 Calibration	2	
0090.17331455-0848273	900	10:06	17:33:14.5	-08:48:27	300	0	3.0	#141 2MASS Red	2	
0091.COMP	10	10:21	17:33:14.5	-08:48:27	300	0	3.0	0 Calibration	2	
0092.248_WHSS162043	600	10:26	16:20:43.3	+28:20:37	300	0	3.0	#221 Bright Hi	2	

UT Date 2015-04-21 Observers WillnerColl. Focus 1357 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0093.COMP	10	10:36	16:20:43.3	+28:20:37	300	1	3.0	0 Calibration	2	
0094.248_WHSS162043	600	10:37	16:20:43.3	+28:20:37	300	1	3.0	#221 Bright Hi	2	
0095.COMP	10	10:48	16:20:43.3	+28:20:37	300	1	3.0	0 Calibration	2	
0096.249_WHSS162044	600	10:51	16:20:44.2	+11:37:05	300	1	3.0	#221 Bright Hi	2	
0097.COMP	10	11:01	16:20:44.2	+11:37:05	300	1	3.0	0 Calibration	2	
0098.249_WHSS162044	600	11:02	16:20:44.2	+11:37:05	300	1	3.0	#221 Bright Hi	2	
0099.COMP	10	11:12	16:20:44.2	+11:37:05	300	0	3.0	0 Calibration	2	
0100.253_WHSS162856	600	11:15	16:28:56.6	+31:47:56	300	0	3.0	#221 Bright Hi	2	
0101.COMP	10	11:26	16:28:56.6	+31:47:56	300	1	3.0	0 Calibration	2	
0102.255_WHSS163020	600	11:29	16:30:20.8	+36:49:56	300	1	3.0	#221 Bright Hi	2	
0103.COMP	10	11:40	16:30:20.8	+36:49:56	300	0	3.0	0 Calibration	2	
0104.245_WHSS161756	600	11:44	16:17:56.2	+40:11:20	300	0	3.0	#221 Bright Hi	2	
0105.COMP	10	11:55	16:17:56.2	+40:11:20	300	0	3.0	0 Calibration	2	
0106.BDp332642	120	11:58	15:51:59.9	+32:56:54	300	0	3.0	#56 Spectropho	2	
0107.COMP	10	12:00	15:51:59.9	+32:56:54	300	0	3.0	0 Calibration	2	
0108.BDp262606	90	12:02	14:49:02.4	+25:42:09	300	0	3.0	#56 Spectropho	2	
0109.COMP	10	12:03	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	
0110-0119.BIAS	0	12:12	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	
0120-0139.FLAT	12	12:19	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	
0140-0149.DARK	600	13:54	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	

UT Date 2015-04-21 Observers WillnerColl. Focus 1357 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0150-0151.DARK	900	14:20	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	