

UT Date 2015-04-22 Observers WillnerColl. Focus 1387 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0002.DARK	600	22:09	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	
0003-0012.BIAS	0	22:30	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	
0013-0022.DARK	600	00:50	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	
0023-0024.DARK	900	01:45	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	
0025.COMP	5	02:02	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	
0026-0035.FLAT	12	02:07	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	
0036.HD84937	30	02:19	09:48:56.1	+13:44:39	300	0	3.0	#56 Spectropho	2	
0037.COMP	10	02:19	09:48:56.1	+13:44:39	300	0	3.0	0 Calibration	2	
0038.Feige34	180	02:36	10:39:36.7	+43:06:09	300	0	3.0	#56 Spectropho	2	
0039.COMP	10	02:39	10:39:36.7	+43:06:09	300	-1	3.0	0 Calibration	2	
0040.snASASSN-15ho	900	02:47	09:09:23.8	-04:43:31	300	-1	3.0	#220 ASASSN Tr	2	
0041.COMP	10	03:02	09:09:23.8	-04:43:31	300	0	3.0	0 Calibration	2	
0042.snASASSN-15ho	900	03:06	09:09:23.8	-04:43:31	300	0	3.0	#220 ASASSN Tr	2	
0043.COMP	10	03:21	09:09:23.8	-04:43:31	300	1	3.0	0 Calibration	2	
0044.AWI0005c3v	60	03:28	07:17:28.9	+35:04:54	300	1	3.0	#219 Disk Dete	2	
0045.COMP	10	03:30	07:17:28.9	+35:04:54	300	1	3.0	0 Calibration	2	
0046.AWI0005c3v	150	03:31	07:17:28.9	+35:04:54	300	1	3.0	#219 Disk Dete	2	
0047.COMP	10	03:34	07:17:28.9	+35:04:54	300	1	3.0	0 Calibration	2	
0048.AWI0005c3v	150	03:35	07:17:28.9	+35:04:54	300	1	3.0	#219 Disk Dete	2	
0049.COMP	10	03:38	07:17:28.9	+35:04:54	300	1	3.0	0 Calibration	2	

UT Date 2015-04-22 Observers WillnerColl. Focus 1387 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0050.AWI000561a	10	03:40	07:44:09.1	+02:01:27	300	1	3.0	#219 Disk Dete	2	
0051.COMP	10	03:41	07:44:09.1	+02:01:27	300	1	3.0	0 Calibration	2	
0052.AWI000561a	100	03:42	07:44:09.1	+02:01:27	300	1	3.0	#219 Disk Dete	2	
0053.COMP	10	03:44	07:44:09.1	+02:01:27	300	1	3.0	0 Calibration	2	
0054.AWI000561a	60	03:45	07:44:09.1	+02:01:27	300	1	3.0	#219 Disk Dete	2	
0055.COMP	10	03:47	07:44:09.1	+02:01:27	300	1	3.0	0 Calibration	2	
0056.AWI000561a	60	03:52	07:44:09.1	+02:01:27	300	1	3.0	#219 Disk Dete	2	
0057.COMP	10	03:53	07:44:09.1	+02:01:27	300	1	3.0	0 Calibration	2	
0058.046_WHSS085828	600	03:56	08:58:28.7	+34:23:44	300	1	3.0	#221 Bright Hi	2	
0059.COMP	10	04:06	08:58:28.7	+34:23:44	300	1	3.0	0 Calibration	2	
0060.048_WHSS090645	600	04:10	09:06:45.4	+16:06:48	300	1	3.0	#221 Bright Hi	2	
0061.COMP	10	04:20	09:06:45.4	+16:06:48	300	1	3.0	0 Calibration	2	
0062.048_WHSS090645	600	04:21	09:06:45.4	+16:06:48	300	1	3.0	#221 Bright Hi	2	
0063.COMP	10	04:31	09:06:45.4	+16:06:48	300	1	3.0	0 Calibration	2	
0064.050_WHSS091432	600	04:34	09:14:32.5	+15:05:39	300	1	3.0	#221 Bright Hi	2	
0065.COMP	10	04:44	09:14:32.5	+15:05:39	300	1	3.0	0 Calibration	2	
0066.050_WHSS091432	600	04:53	09:14:32.5	+15:05:39	300	1	3.0	#221 Bright Hi	2	
0067.COMP	10	05:04	09:14:32.5	+15:05:39	300	0	3.0	0 Calibration	2	
0068.053_WHSS092124	600	05:06	09:21:24.3	+13:48:16	300	0	3.0	#221 Bright Hi	2	
0069.COMP	10	05:17	09:21:24.3	+13:48:16	300	1	3.0	0 Calibration	2	

UT Date 2015-04-22 Observers WillnerColl. Focus 1387 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0070.COMP	10	05:18	09:21:24.3	+13:48:16	300	0	3.0	0 Calibration	2	
0071.053_WHSS092124	600	05:19	09:21:24.3	+13:48:16	300	0	3.0	#221 Bright Hi	2	
0072.COMP	10	05:29	09:21:24.3	+13:48:16	300	1	3.0	0 Calibration	2	
0073.snASASSN-15hg	900	05:35	09:53:48.6	+09:11:38	300	1	3.0	#220 ASASSN Tr	2	
0074.COMP	10	05:50	09:53:48.6	+09:11:38	300	0	3.0	0 Calibration	2	
0075.snASASSN-15hg	900	05:53	09:53:48.6	+09:11:38	300	0	3.0	#220 ASASSN Tr	2	
0076.COMP	10	06:08	09:53:48.6	+09:11:38	300	0	3.0	0 Calibration	2	
0091-0093.FLAT	12	06:24	09:53:48.6	+09:11:38	600	0	1.5	0 Calibration	2	
0094-0100.FLAT	12	06:26	13:37:25.2	+39:52:39	600	0	1.5	0 Calibration	2	
0101-0110.FLAT	12	06:30	13:37:25.2	+39:52:39	600	0	1.5	0 Calibration	4	
0111.HIP63125	4	06:39	12:56:01.8	+38:19:06	600	0	1.5	#57 Velocity S	4	
0112.COMP	10	06:43	13:37:25.2	+39:52:39	600	0	1.5	0 Calibration	4	
0113.j1337p39	1320	06:44	13:37:25.2	+39:52:39	600	0	1.5	#178 Low Mass	4	
0114.COMP	10	07:06	13:37:25.2	+39:52:39	600	0	1.5	0 Calibration	4	
0115.j1337p39	1320	07:07	13:37:25.2	+39:52:39	600	0	1.5	#178 Low Mass	4	
0116.COMP	10	07:30	13:37:25.2	+39:52:39	600	0	1.5	0 Calibration	4	
0117.j1337p39	1320	07:30	13:37:25.2	+39:52:39	600	0	1.5	#178 Low Mass	4	
0118.COMP	10	07:53	13:37:25.2	+39:52:39	600	0	1.5	0 Calibration	4	
0119.j1337p39	1320	07:54	13:37:25.2	+39:52:39	600	0	1.5	#178 Low Mass	4	
0120.COMP	10	08:16	13:37:25.2	+39:52:39	600	0	1.5	0 Calibration	4	

UT Date 2015-04-22 Observers WillnerColl. Focus 1387 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0121.dr1557	1500	08:21	15:57:13.2	+04:05:53	600	0	1.5	#178 Low Mass	4	
0122.COMP	10	08:46	15:57:13.2	+04:05:53	600	-6	1.5	0 Calibration	4	
0123.dr1557	1500	08:47	15:57:13.2	+04:05:53	600	-6	1.5	#178 Low Mass	4	
0124.COMP	10	09:12	15:57:13.2	+04:05:53	600	-5	1.5	0 Calibration	4	
0125.dr1557	1500	09:13	15:57:13.2	+04:05:53	600	-5	1.5	#178 Low Mass	4	
0126.COMP	10	09:39	15:57:13.2	+04:05:53	600	-4	1.5	0 Calibration	4	
0127.dr1557	1500	09:39	15:57:13.2	+04:05:53	600	-4	1.5	#178 Low Mass	4	
0128.COMP	10	10:05	15:57:13.2	+04:05:53	600	-2	1.5	0 Calibration	4	
0129.wrong	1200	10:13	16:26:18.3	+11:24:34	600	-2	2.0	#178 Low Mass	4	
0130.COMP	10	10:33	16:26:18.3	+11:24:34	600	-1	2.0	0 Calibration	4	
0131.hotwd148	1200	10:35	16:26:18.3	+11:24:34	600	-1	2.0	#178 Low Mass	4	
0132.COMP	10	10:55	16:26:18.3	+11:24:34	600	0	2.0	0 Calibration	4	
0133.hotwd148	1200	10:56	16:26:18.3	+11:24:34	600	0	2.0	#178 Low Mass	4	
0134.COMP	10	11:16	16:26:18.3	+11:24:34	600	0	2.0	0 Calibration	4	
0135.hotwd148	1200	11:17	16:26:18.3	+11:24:34	600	0	2.0	#178 Low Mass	4	
0136.COMP	10	11:37	16:26:18.3	+11:24:34	600	0	2.0	0 Calibration	4	
0137.hotwd148	1200	11:38	16:26:18.3	+11:24:34	600	0	2.0	#178 Low Mass	4	
0138.COMP	10	11:59	16:26:18.3	+11:24:34	600	1	2.0	0 Calibration	4	
0139.BDp332642	120	12:00	15:51:59.9	+32:56:54	600	1	2.0	#56 Spectropho	4	
0140.COMP	10	12:02	15:51:59.9	+32:56:54	600	1	2.0	0 Calibration	4	

UT Date 2015-04-22 Observers WillnerColl. Focus 1387 Grating/Grism 600

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0141.BDp332642	120	12:03	15:51:59.9	+32:56:54	600	1	2.0	#56 Spectropho	4	
0142.COMP	10	12:05	15:51:59.9	+32:56:54	600	1	2.0	0 Calibration	4	
0143-0152.BIAS	0	12:08	15:51:59.9	+32:56:54	600	1	2.0	0 Calibration	4	
0153-0162.FLAT	12	12:12	15:51:59.9	+32:56:54	600	1	2.0	0 Calibration	4	
0163-0172.DARK	1200	15:17	15:51:59.9	+32:56:54	600	1	2.0	0 Calibration	4	