

UT Date 2015-04-24 Observers M CalkinsColl. Focus 1387 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	01:51	15:51:59.9	+32:56:54	600	91	1.5	0 Calibration	4	
0011-0020.BIAS	0	02:12	15:51:59.9	+32:56:54	600	91	1.5	0 Calibration	4	
0021-0040.FLAT	7	02:46	15:51:59.9	+32:56:54	300	91	3.0	0 Calibration	2	
0041-0050.BIAS	0	02:50	15:51:59.9	+32:56:54	300	91	3.0	0 Calibration	2	
0051.HD84937	30	02:55	09:48:56.1	+13:44:39	300	91	3.0	#56 Spectropho	2	
0052.COMP	10	02:56	09:48:56.1	+13:44:39	300	91	3.0	0 Calibration	2	
0053.Feige34	180	03:02	10:39:36.7	+43:06:09	300	91	3.0	#56 Spectropho	2	
0054.COMP	10	03:05	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0055.BGGem	600	03:09	06:03:31.0	+27:41:50	300	90	3.0	#12 Symbiotic	2	
0056.COMP	10	03:19	06:03:31.0	+27:41:50	300	90	3.0	0 Calibration	2	
0057.BXMon	15	03:21	07:25:23.0	-03:35:51	300	90	3.0	#12 Symbiotic	2	
0058.BXMon	180	03:22	07:25:23.0	-03:35:51	300	90	3.0	#12 Symbiotic	2	
0059.COMP	10	03:26	07:25:23.0	-03:35:51	300	91	3.0	0 Calibration	2	
0060.snASASSN-15hg	1800	03:29	09:53:48.6	+09:11:38	300	21	3.0	#220 ASASSN Tr	2	
0061.COMP	10	03:59	09:53:48.6	+09:11:38	300	21	3.0	0 Calibration	2	
0062.TXCVn	10	04:03	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0063.TXCVn	30	04:04	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0064.COMP	10	04:06	12:44:42.0	+36:45:48	300	90	3.0	0 Calibration	2	
0065.058_WHSS093214	1020	04:08	09:32:14.8	+49:50:55	300	90	3.0	#221 Bright Hi	2	
0066.COMP	10	04:26	09:32:14.8	+49:50:55	300	90	3.0	0 Calibration	2	

UT Date 2015-04-24 Observers M CalkinsColl. Focus 1387 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0067.059_WHSS093332	1500	04:28	09:33:32.7	+36:02:04	300	90	3.0	#221 Bright Hi	2	
0068.COMP	10	04:54	09:33:32.7	+36:02:04	300	90	3.0	0 Calibration	2	
0069.060_WHSS093433	1500	04:56	09:34:33.3	+10:37:53	300	80	3.0	#221 Bright Hi	2	
0070.COMP	10	05:21	09:34:33.3	+10:37:53	300	80	3.0	0 Calibration	2	
0071.061_WHSS094902	2400	05:24	09:49:03.0	+45:39:48	300	90	3.0	#221 Bright Hi	2	
0072.COMP	10	06:05	09:49:03.0	+45:39:48	300	90	3.0	0 Calibration	2	
0073.062_WHSS094909	720	06:07	09:49:09.2	+45:43:15	300	90	3.0	#221 Bright Hi	2	
0074.COMP	10	06:23	09:49:09.2	+45:43:15	300	90	3.0	0 Calibration	2	
0077-0086.BIAS	0	11:47	13:07:30.1	+24:27:40	300	90	3.0	0 Calibration	2	
0087-0106.FLAT	7	11:55	13:07:30.1	+24:27:40	300	90	3.0	0 Calibration	2	
0107-0116.DARK	900	14:15	13:07:30.1	+24:27:40	300	90	3.0	0 Calibration	2	