

UT Date 2015-05-21 Observers IrwinColl. Focus 1415 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.DARK	900	00:12	20:23:48.0	+42:12:24	300	90	3.0	0 Calibration	2	standard setup
0002-0003.DARK	900	00:43	20:23:48.0	+42:12:24	300	90	3.0	0 Calibration	2	
0004-0013.BIAS	0	01:19	20:23:48.0	+42:12:24	300	90	3.0	0 Calibration	4	
0014-0023.FLAT	4	01:21	20:23:48.0	+42:12:24	300	90	3.0	0 Calibration	4	
0024-0033.BIAS	0	01:23	20:23:48.0	+42:12:24	300	90	3.0	0 Calibration	2	
0034-0048.FLAT	7	01:28	20:23:48.0	+42:12:24	300	90	3.0	0 Calibration	2	
0049.snngc27702015	2400	04:40	09:09:35.0	+33:07:20	300	90	3.0	#2 SN Observat	2	some cloud
0050.COMP	10	05:21	09:09:35.0	+33:07:20	300	90	3.0	0 Calibration	2	
0051.N4853	900	05:23	12:58:35.2	+27:35:47	300	90	3.0	#57 Velocity S	2	
0052.COMP	10	05:38	12:58:35.2	+27:35:47	300	90	3.0	0 Calibration	2	
0053.snPSN130032	2400	05:40	13:00:32.3	+27:58:41	300	90	3.0	#2 SN Observat	2	
0054.COMP	10	06:21	13:00:32.3	+27:58:41	300	89	3.0	0 Calibration	2	
0055.BDp262606	90	06:23	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0056.COMP	10	06:25	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0057.BDp262606	90	06:26	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0058.BDp332642	180	06:30	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0059.COMP	10	06:33	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0060.BDp332642	180	06:34	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	
0061.snPSN162838	1800	06:40	16:28:38.4	+39:32:55	300	89	3.0	#2 SN Observat	2	
0062.COMP	10	07:10	16:28:38.4	+39:32:55	300	89	3.0	0 Calibration	2	

UT Date 2015-05-21 Observers IrwinColl. Focus 1415 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0063.COMP	5	07:17	16:28:38.4	+39:32:55	600	89	2.0	0 Calibration	2	test
0064.COMP	5	07:18	16:28:38.4	+39:32:55	600	89	2.0	0 Calibration	2	test
0065.COMP	5	07:19	16:28:38.4	+39:32:55	600	89	2.0	0 Calibration	2	test
0066.COMP	5	07:21	16:28:38.4	+39:32:55	600	89	2.0	0 Calibration	2	test
0067.BDp262606	300	07:24	14:49:02.4	+25:42:09	600	87	2.0	#222 M dwarfs	2	600 tilt 752 2 sec binby2 Newton
0068.COMP	10	07:30	14:49:02.4	+25:42:09	600	87	2.0	0 Calibration	2	
0069.LSPMJ1418+1812N	240	07:32	14:18:41.1	+18:12:21	600	105	2.0	#222 M dwarfs	2	
0070.COMP	10	07:37	14:18:41.1	+18:12:21	600	105	2.0	0 Calibration	2	
0071.LSPMJ1339+0922	2400	07:39	13:39:15.9	+09:22:37	600	91	2.0	#222 M dwarfs	2	
0072.COMP	10	08:20	13:39:15.9	+09:22:37	600	90	2.0	0 Calibration	2	
0073.LSPMJ1343+3321	240	08:24	13:43:41.9	+33:21:20	600	11	2.0	#222 M dwarfs	2	
0074.COMP	10	08:28	13:43:41.9	+33:21:20	600	11	2.0	0 Calibration	2	
0075.LSPMJ1601+3027E	900	08:30	16:01:52.6	+30:27:35	600	11	2.0	#222 M dwarfs	2	
0076.COMP	10	08:46	16:01:52.6	+30:27:35	600	11	2.0	0 Calibration	2	
0077.LSPMJ1601+3027W	2400	08:48	16:01:44.5	+30:27:41	600	80	2.0	#222 M dwarfs	2	
0078.COMP	10	09:29	16:01:44.5	+30:27:41	600	80	2.0	0 Calibration	2	
0079.LSPMJ1646+6335	682	09:31	16:46:17.4	+63:35:10	600	89	2.0	#222 M dwarfs	2	
0080.COMP	10	09:43	16:46:17.4	+63:35:10	600	89	2.0	0 Calibration	2	
0081.LSPMJ1717+1140	2100	09:47	17:17:44.1	+11:40:12	600	85	2.0	#222 M dwarfs	2	dec unhappy here, few tens arcsec worth of stiction so target r
0082.COMP	10	10:22	17:17:44.1	+11:40:12	600	86	2.0	0 Calibration	2	

UT Date 2015-05-21 Observers IrwinColl. Focus 1415 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0083.G1699	30	10:24	17:57:48.5	+04:41:36	600	86	2.0	#222 M dwarfs	2	
0084.COMP	10	10:25	17:57:48.5	+04:41:36	600	86	2.0	0 Calibration	2	
0085.G1699	75	10:26	17:57:48.5	+04:41:36	600	86	2.0	#222 M dwarfs	2	
0086.LSPMJ1938+3311	720	10:29	19:38:43.8	+33:11:36	600	80	2.0	#222 M dwarfs	2	
0087.COMP	10	10:42	19:38:43.8	+33:11:36	600	79	2.0	0 Calibration	2	
0088.LSPMJ2022+3117	720	10:44	20:22:14.8	+31:17:45	600	90	2.0	#222 M dwarfs	2	
0089.COMP	10	10:56	20:22:14.8	+31:17:45	600	90	2.0	0 Calibration	2	
0090.LSPMJ1800+2933	180	10:59	18:00:45.4	+29:33:57	600	90	2.0	#222 M dwarfs	2	
0091.COMP	10	11:02	18:00:45.4	+29:33:57	600	89	2.0	0 Calibration	2	
0092.HD192281	10	11:04	20:12:33.1	+40:16:05	600	89	2.0	#222 M dwarfs	2	
0093.COMP	10	11:05	20:12:33.1	+40:16:05	600	89	2.0	0 Calibration	2	
0094.HD192281	50	11:05	20:12:33.1	+40:16:05	600	89	2.0	#222 M dwarfs	2	
0095.HD192281	50	11:07	20:12:33.1	+40:16:05	600	89	2.0	#222 M dwarfs	2	
0096.HD192281	50	11:08	20:12:33.1	+40:16:05	600	89	2.0	#222 M dwarfs	2	
0097-0116.FLAT	12	11:19	20:12:33.1	+40:16:05	600	89	2.0	0 Calibration	2	
0117-0136.BIAS	0	11:24	20:12:33.1	+40:16:05	600	89	2.0	0 Calibration	2	
0137-0141.DARK	900	12:32	20:12:33.1	+40:16:05	600	89	2.0	0 Calibration	2	
0142-0146.DARK	900	13:49	20:12:33.1	+40:16:05	600	89	2.0	0 Calibration	4	