

UT Date 2015-06-14 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:29	12:40:25.1	+23:03:48	300	84	3.0	0 Calibration	4	
0011-0015.DARK	1200	01:51	12:40:25.1	+23:03:48	300	84	3.0	0 Calibration	4	
0016-0025.BIAS	0	03:09	12:40:25.1	+23:03:48	300	84	3.0	0 Calibration	2	
0026-0040.FLAT	7	03:15	12:40:25.1	+23:03:48	300	84	3.0	0 Calibration	2	
0041.AGK2p43928	30	03:28	09:52:29.0	+43:28:00	300	84	3.0	#57 Velocity S	2	
0042.AGK2p43928	30	03:29	09:52:29.0	+43:28:00	300	84	3.0	#57 Velocity S	2	
0043.AGK2p43928	30	03:29	09:52:29.0	+43:28:00	300	84	3.0	#57 Velocity S	2	
0044.COMP	10	03:30	09:52:29.0	+43:28:00	300	84	3.0	0 Calibration	2	
0045.snngc27702015	600	03:37	09:09:35.0	+33:07:20	300	89	3.0	#2 SN Observat	2	
0046.snngc27702015	600	03:47	09:09:35.0	+33:07:20	300	89	3.0	#2 SN Observat	2	
0047.snngc27702015	600	03:57	09:09:35.0	+33:07:20	300	89	3.0	#2 SN Observat	2	
0048.snngc27702015	600	04:07	09:09:35.0	+33:07:20	300	89	3.0	#2 SN Observat	2	
0049.COMP	10	04:18	09:09:35.0	+33:07:20	300	90	3.0	0 Calibration	2	
0050.BDp262606	90	04:20	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0051.COMP	10	04:22	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0052.snASASSN-151a	720	04:24	14:12:51.2	+35:42:40	300	90	3.0	#220 ASASSN Tr	2	
0053.snASASSN-151a	720	04:36	14:12:51.2	+35:42:40	300	90	3.0	#220 ASASSN Tr	2	
0054.snASASSN-151a	720	04:48	14:12:51.2	+35:42:40	300	90	3.0	#220 ASASSN Tr	2	
0055.COMP	10	05:00	14:12:51.2	+35:42:40	300	90	3.0	0 Calibration	2	
0056.BDp332642	150	05:03	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	

UT Date 2015-06-14 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0057.COMP	10	05:06	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0058.BIAS	0	05:09	15:51:59.9	+32:56:54	600	90	1.5	0 Calibration	4	
0059.BDp332642	150	05:12	15:51:59.9	+32:56:54	600	90	1.5	#56 Spectropho	4	
0060.COMP	10	05:15	15:51:59.9	+32:56:54	600	90	1.5	0 Calibration	4	
0061.dr1557	1500	05:17	15:57:13.2	+04:05:53	600	90	1.5	#178 Low Mass	4	
0062.COMP	10	05:42	15:57:13.2	+04:05:53	600	90	1.5	0 Calibration	4	
0063.dr1557	1500	05:43	15:57:13.2	+04:05:53	600	90	1.5	#178 Low Mass	4	
0064.COMP	10	06:09	15:57:13.2	+04:05:53	600	90	1.5	0 Calibration	4	
0065.dr1557	1500	06:09	15:57:13.2	+04:05:53	600	90	1.5	#178 Low Mass	4	
0066.COMP	10	06:36	15:57:13.2	+04:05:53	600	89	1.5	0 Calibration	4	
0067.bcand899	960	06:38	15:55:02.0	+24:44:22	600	89	1.5	#178 Low Mass	4	
0068.COMP	10	06:54	15:55:02.0	+24:44:22	600	89	1.5	0 Calibration	4	
0069.bcand899	960	06:55	15:55:02.0	+24:44:22	600	89	1.5	#178 Low Mass	4	
0070.COMP	10	07:11	15:55:02.0	+24:44:22	600	89	1.5	0 Calibration	4	
0071.bcand899	960	07:12	15:55:02.0	+24:44:22	600	89	1.5	#178 Low Mass	4	
0072.COMP	10	07:28	15:55:02.0	+24:44:22	600	90	1.5	0 Calibration	4	
0073.lmwd551	840	07:30	17:35:21.7	+21:34:41	600	90	1.5	#178 Low Mass	4	
0074.COMP	10	07:44	17:35:21.7	+21:34:41	600	90	1.5	0 Calibration	4	
0075.lmwd551	840	07:45	17:35:21.7	+21:34:41	600	90	1.5	#178 Low Mass	4	
0076.COMP	10	07:59	17:35:21.7	+21:34:41	600	90	1.5	0 Calibration	4	

UT Date 2015-06-14 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0077.lmwd551	840	08:00	17:35:21.7	+21:34:41	600	90	1.5	#178 Low Mass	4	
0078.COMP	10	08:15	17:35:21.7	+21:34:41	600	90	1.5	0 Calibration	4	
0079.lmwd551	840	08:15	17:35:21.7	+21:34:41	600	90	1.5	#178 Low Mass	4	
0080.COMP	10	08:30	17:35:21.7	+21:34:41	600	89	1.5	0 Calibration	4	
0081.lamost175	540	08:32	19:47:31.3	+38:51:01	600	89	1.5	#178 Low Mass	4	
0082.COMP	10	08:41	19:47:31.3	+38:51:01	600	89	1.5	0 Calibration	4	
0083.lamost175	540	08:42	19:47:31.3	+38:51:01	600	89	1.5	#178 Low Mass	4	
0084.COMP	10	08:51	19:47:31.3	+38:51:01	600	89	1.5	0 Calibration	4	
0085.lamost175	540	08:52	19:47:31.3	+38:51:01	600	89	1.5	#178 Low Mass	4	
0086.COMP	10	09:01	19:47:31.3	+38:51:01	600	89	1.5	0 Calibration	4	
0087.lamost175	540	09:02	19:47:31.3	+38:51:01	600	89	1.5	#178 Low Mass	4	
0088.COMP	10	09:11	19:47:31.3	+38:51:01	600	89	1.5	0 Calibration	4	
0089.lmwd480	730	09:14	21:39:07.4	+22:27:09	600	88	1.5	#178 Low Mass	4	
0090.COMP	10	09:27	21:39:07.4	+22:27:09	600	88	1.5	0 Calibration	4	
0091.lmwd480	730	09:27	21:39:07.4	+22:27:09	600	88	1.5	#178 Low Mass	4	
0092.COMP	10	09:40	21:39:07.4	+22:27:09	600	86	1.5	0 Calibration	4	
0093-0102.FLAT	12	09:45	20:20:00.0	+32:00:00	600	86	1.5	0 Calibration	4	
0103.YYHer	60	09:50	18:14:34.0	+20:59:19	300	86	3.0	#12 Symbiotic	2	
0104.YYHer	420	09:52	18:14:34.0	+20:59:19	300	86	3.0	#12 Symbiotic	2	
0105.COMP	10	10:00	18:14:34.0	+20:59:19	300	86	3.0	0 Calibration	2	

UT Date 2015-06-14 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0106.V443Her	60	10:02	18:22:07.0	+23:27:20	300	86	3.0	#12 Symbiotic	2	
0107.V443Her	15	10:04	18:22:07.0	+23:27:20	300	86	3.0	#12 Symbiotic	2	
0108.V443Her	180	10:05	18:22:07.0	+23:27:20	300	86	3.0	#12 Symbiotic	2	
0109.COMP	10	10:09	18:22:07.0	+23:27:20	300	86	3.0	0 Calibration	2	
0110.BFCyg	20	10:10	19:23:53.0	+29:40:27	300	86	3.0	#12 Symbiotic	2	
0111.BFCyg	45	10:11	19:23:53.0	+29:40:27	300	86	3.0	#12 Symbiotic	2	
0112.COMP	10	10:13	19:23:53.0	+29:40:27	300	86	3.0	0 Calibration	2	
0113.snASASSN15kx	1200	10:17	22:16:11.8	+37:28:26	300	86	3.0	#2 SN Observat	2	
0114.COMP	10	10:37	22:16:11.8	+37:28:26	300	80	3.0	0 Calibration	2	
0115.BDp284211	150	10:39	21:51:11.0	+28:51:50	300	80	3.0	#56 Spectropho	2	
0116.COMP	10	10:42	21:51:11.0	+28:51:50	300	80	3.0	0 Calibration	2	
0117.BDp404032	120	10:45	20:08:24.1	+41:15:04	300	80	3.0	#56 Spectropho	2	
0118.BDp404032	10	10:47	20:08:24.1	+41:15:04	300	80	3.0	#56 Spectropho	2	
0119.V1515Cyg	60	10:49	20:23:48.0	+42:12:24	300	80	3.0	#12 Symbiotic	2	
0120.V1515Cyg	600	10:51	20:23:48.0	+42:12:24	300	80	3.0	#12 Symbiotic	2	
0121.COMP	10	11:01	20:23:48.0	+42:12:24	300	89	3.0	0 Calibration	2	
0122.V1016Cyg	60	11:03	19:57:05.0	+39:49:37	300	89	3.0	#12 Symbiotic	2	
0123.V1016Cyg	10	11:04	19:57:05.0	+39:49:37	300	89	3.0	#12 Symbiotic	2	
0124.V1016Cyg	5	11:05	19:57:05.0	+39:49:37	300	89	3.0	#12 Symbiotic	2	
0125.V1016Cyg	600	11:06	19:57:05.0	+39:49:37	300	89	3.0	#12 Symbiotic	2	

UT Date 2015-06-14 Observers P BerlindColl. Focus 1380 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0126.COMP	10	11:16	19:57:05.0	+39:49:37	300	89	3.0	0 Calibration	2	
0127.PUVu1	60	11:18	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0128.PUVu1	10	11:20	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0129.COMP	10	11:20	20:21:13.0	+21:34:21	300	89	3.0	0 Calibration	2	
0130-0139.BIAS	0	11:25	20:21:13.0	+21:34:21	300	89	3.0	0 Calibration	2	
0140-0154.FLAT	7	11:30	20:21:13.0	+21:34:21	300	89	3.0	0 Calibration	2	
0155-0159.DARK	1200	12:57	20:21:13.0	+21:34:21	300	89	3.0	0 Calibration	2	