

UT Date 2015-07-11 Observers P ChallisColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0003.DARK	1200	22:48	05:01:48.3	+31:29:30	300	88	3.0	0 Calibration	2	
0004.BIAS	0	02:44	14:33:39.7	+31:34:21	300	87	3.0	0 Calibration	2	
0005.COMP	10	02:45	14:33:39.7	+31:34:21	300	87	3.0	0 Calibration	2	
0006-0015.BIAS	0	02:51	14:33:39.7	+31:34:21	300	87	3.0	0 Calibration	2	
0016-0030.FLAT	7	02:56	14:33:39.7	+31:34:21	300	87	3.0	0 Calibration	2	
0031.HIP75695	1	03:12	15:27:49.9	+29:06:20	300	90	3.0	#57 Velocity S	2	
0032.HIP75695	1	03:12	15:27:49.9	+29:06:20	300	90	3.0	#57 Velocity S	2	
0033.HIP75695	5	03:13	15:27:49.9	+29:06:20	300	90	3.0	#57 Velocity S	2	
0034.BDp262606	30	03:44	14:49:02.4	+25:42:06	300	90	3.0	#2 SN Observat	2	
0035.COMP	10	03:45	14:49:02.4	+25:42:06	300	90	3.0	0 Calibration	2	
0036.BDp332642	45	03:49	15:51:59.9	+32:56:55	300	90	3.0	#2 SN Observat	2	
0037.COMP	10	03:50	15:51:59.9	+32:56:55	300	90	3.0	0 Calibration	2	
0038.snASASSN15lg	1800	03:53	13:15:32.8	+03:30:02	300	90	3.0	#2 SN Observat	2	
0039.COMP	10	04:24	13:15:32.8	+03:30:02	300	90	3.0	0 Calibration	2	
0040.snASASSN15la	1800	04:26	14:12:51.2	+35:42:39	300	90	3.0	#2 SN Observat	2	
0041.COMP	10	04:57	14:12:51.2	+35:42:39	300	90	3.0	0 Calibration	2	
0042.snASASSN15mg	1800	05:18	15:32:22.8	+41:51:00	300	90	3.0	#2 SN Observat	2	
0043.COMP	10	05:49	15:32:22.8	+41:51:00	300	90	3.0	0 Calibration	2	
0044.snASASSN15mg	1800	05:50	15:32:22.8	+41:51:00	300	90	3.0	#2 SN Observat	2	
0045.COMP	10	06:20	15:32:22.8	+41:51:00	300	90	3.0	0 Calibration	2	

UT Date 2015-07-11 Observers P ChallisColl. Focus 1380 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0046.m57	600	06:27	18:53:35.0	+33:01:45	300	89	3.0	#2 SN Observat	2	
0047.COMP	10	06:37	18:53:35.0	+33:01:45	300	89	3.0	0 Calibration	2	
0048.BIAS	0	08:36	20:26:19.3	+31:27:22	300	87	3.0	0 Calibration	2	
0049.BIAS	0	14:25	02:17:13.3	+31:26:31	300	86	3.0	0 Calibration	2	
0050.COMP	5	14:27	02:17:13.3	+31:26:31	300	91	3.0	0 Calibration	2	