

UT Date 2015-10-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:38	19:47:31.3	+38:51:01	600	89	1.5	0 Calibration	4	
0011.FLAT	12	01:38	19:47:31.3	+38:51:01	600	89	1.5	0 Calibration	4	600-line, 1,5-sec, blue
0012-0025.FLAT	12	01:43	19:47:31.3	+38:51:01	600	89	1.5	0 Calibration	4	
0026.BDp284211	180	01:48	21:51:11.0	+28:51:50	600	89	1.5	#56 Spectropho	4	
0027.COMP	10	01:51	21:51:11.0	+28:51:50	600	89	1.5	0 Calibration	4	
0028.lmwd079	780	01:55	19:13:11.6	+37:26:32	600	89	1.5	#178 Low Mass	4	
0029.COMP	10	02:09	19:13:11.6	+37:26:32	600	89	1.5	0 Calibration	4	
0030.lmwd079	780	02:09	19:13:11.6	+37:26:32	600	89	1.5	#178 Low Mass	4	
0031.COMP	10	02:23	19:13:11.6	+37:26:32	600	89	1.5	0 Calibration	4	
0032.lmwd079	780	02:24	19:13:11.6	+37:26:32	600	89	1.5	#178 Low Mass	4	
0033.COMP	10	02:37	19:13:11.6	+37:26:32	600	89	1.5	0 Calibration	4	
0034.lmwd079	780	02:38	19:13:11.6	+37:26:32	600	89	1.5	#178 Low Mass	4	
0035.COMP	10	02:51	19:13:11.6	+37:26:32	600	89	1.5	0 Calibration	4	
0036.lmwd079	780	02:52	19:13:11.6	+37:26:32	600	89	1.5	#178 Low Mass	4	
0037.COMP	10	03:05	19:13:11.6	+37:26:32	600	90	1.5	0 Calibration	4	
0038.lamost175	480	03:08	19:47:31.3	+38:51:01	600	90	1.5	#178 Low Mass	4	
0039.COMP	10	03:16	19:47:31.3	+38:51:01	600	90	1.5	0 Calibration	4	
0040.lamost175	480	03:17	19:47:31.3	+38:51:01	600	90	1.5	#178 Low Mass	4	
0041.COMP	10	03:25	19:47:31.3	+38:51:01	600	90	1.5	0 Calibration	4	
0042.lamost175	480	03:26	19:47:31.3	+38:51:01	600	90	1.5	#178 Low Mass	4	

UT Date 2015-10-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0043.COMP	10	03:35	19:47:31.3	+38:51:01	600	90	1.5	0 Calibration	4	
0044.lamost175	480	03:35	19:47:31.3	+38:51:01	600	90	1.5	#178 Low Mass	4	
0045.COMP	10	03:44	19:47:31.3	+38:51:01	600	90	1.5	0 Calibration	4	
0046.lamost175	480	03:45	19:47:31.3	+38:51:01	600	90	1.5	#178 Low Mass	4	
0047.COMP	10	03:53	19:47:31.3	+38:51:01	600	90	1.5	0 Calibration	4	
0048.hs2220ab	780	03:56	22:23:01.7	+22:01:25	600	-11	1.5	#178 Low Mass	2	
0049.COMP	10	04:10	22:23:01.7	+22:01:25	600	-11	1.5	0 Calibration	2	
0050.hs2220ab	780	04:10	22:23:01.7	+22:01:25	600	-11	1.5	#178 Low Mass	2	
0051.COMP	10	04:24	22:23:01.7	+22:01:25	600	-11	1.5	0 Calibration	2	
0052.hs2220ab	780	04:25	22:23:01.7	+22:01:25	600	-11	1.5	#178 Low Mass	2	
0053.COMP	10	04:39	22:23:01.7	+22:01:25	600	-11	1.5	0 Calibration	2	
0054.hs2220ab	780	04:40	22:23:01.7	+22:01:25	600	-11	1.5	#178 Low Mass	2	
0055.COMP	10	04:53	22:23:01.7	+22:01:25	600	-11	1.5	0 Calibration	2	
0056.hs2220ab	780	04:54	22:23:01.7	+22:01:25	600	-11	1.5	#178 Low Mass	2	
0057.COMP	10	05:07	22:23:01.7	+22:01:25	600	-11	1.5	0 Calibration	2	
0058.j0035p13	1020	05:11	00:35:08.3	+13:50:45	600	90	1.5	#178 Low Mass	4	
0059.COMP	10	05:29	00:35:08.3	+13:50:45	600	90	1.5	0 Calibration	4	
0060.j0035p13	1020	05:30	00:35:08.3	+13:50:45	600	90	1.5	#178 Low Mass	4	
0061.COMP	10	05:48	00:35:08.3	+13:50:45	600	90	1.5	0 Calibration	4	
0062.j0035p13	1020	05:49	00:35:08.3	+13:50:45	600	90	1.5	#178 Low Mass	4	

UT Date 2015-10-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0063.COMP	10	06:06	00:35:08.3	+13:50:45	600	90	1.5	0 Calibration	4	
0064.j0035p13	1020	06:07	00:35:08.3	+13:50:45	600	90	1.5	#178 Low Mass	4	
0065.COMP	10	06:24	00:35:08.3	+13:50:45	600	89	1.5	0 Calibration	4	
0066.j0153	1380	06:27	01:53:04.8	-00:49:07	600	89	1.5	#178 Low Mass	4	
0067.COMP	5	06:51	01:53:04.8	-00:49:07	600	89	1.5	0 Calibration	4	
0068.j0153	1380	06:52	01:53:04.8	-00:49:07	600	90	1.5	#178 Low Mass	4	
0069.COMP	10	07:15	01:53:04.8	-00:49:07	600	90	1.5	0 Calibration	4	
0070.j0153	1380	07:16	01:53:04.8	-00:49:07	600	90	1.5	#178 Low Mass	4	
0071.COMP	10	07:39	01:53:04.8	-00:49:07	600	90	1.5	0 Calibration	4	
0072.j0153	1380	07:40	01:53:04.8	-00:49:07	600	90	1.5	#178 Low Mass	4	
0073.COMP	10	08:03	01:53:04.8	-00:49:07	600	90	1.5	0 Calibration	4	
0074.j0153	1380	08:05	01:53:04.8	-00:49:07	600	90	1.5	#178 Low Mass	4	
0075.COMP	10	08:28	01:53:04.8	-00:49:07	600	90	1.5	0 Calibration	4	
0076.lamost029	480	08:32	02:17:18.3	+58:22:39	600	90	1.5	#178 Low Mass	4	
0077.COMP	10	08:40	02:17:18.3	+58:22:39	600	90	1.5	0 Calibration	4	
0078.lamost029	480	08:41	02:17:18.3	+58:22:39	600	90	1.5	#178 Low Mass	4	
0079.COMP	10	08:49	02:17:18.3	+58:22:39	600	90	1.5	0 Calibration	4	
0080.lamost029	480	08:50	02:17:18.3	+58:22:39	600	90	1.5	#178 Low Mass	4	
0081.COMP	10	08:58	02:17:18.3	+58:22:39	600	90	1.5	0 Calibration	4	
0082.lamost029	480	08:59	02:17:18.3	+58:22:39	600	90	1.5	#178 Low Mass	4	

UT Date 2015-10-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0083.COMP	10	09:08	02:17:18.3	+58:22:39	600	90	1.5	0 Calibration	4	
0084.lamost029	480	09:09	02:17:18.3	+58:22:39	600	90	1.5	#178 Low Mass	4	
0085.COMP	10	09:17	02:17:18.3	+58:22:39	600	89	1.5	0 Calibration	4	
0086.lmwd035	1380	09:21	07:46:15.8	+39:22:03	600	89	1.5	#178 Low Mass	4	
0087.COMP	10	09:44	07:46:15.8	+39:22:03	600	89	1.5	0 Calibration	4	
0088.lmwd035	1380	09:45	07:46:15.8	+39:22:03	600	89	1.5	#178 Low Mass	4	
0089.COMP	10	10:08	07:46:15.8	+39:22:03	600	89	1.5	0 Calibration	4	
0090.lmwd035	1380	10:09	07:46:15.8	+39:22:03	600	89	1.5	#178 Low Mass	4	
0091.COMP	10	10:32	07:46:15.8	+39:22:03	600	89	1.5	0 Calibration	4	
0092.lmwd035	1380	10:33	07:46:15.8	+39:22:03	600	89	1.5	#178 Low Mass	4	
0093.COMP	10	10:57	07:46:15.8	+39:22:03	600	90	1.5	0 Calibration	4	
0096-0105.FLAT	22	11:51	07:58:04.6	+47:54:06	600	89	1.5	0 Calibration	2	
0106.test	10	11:55	06:03:31.0	+27:41:50	300	89	3.0	#12 Symbiotic	2	300-line, 3-sec
0107.test	10	11:56	06:03:31.0	+27:41:50	300	89	3.0	#12 Symbiotic	2	
0108.BGGem	300	11:57	06:03:31.0	+27:41:50	300	89	3.0	#12 Symbiotic	2	worried about shape of continuum
0109.BGGem	300	12:03	06:03:31.0	+27:41:50	300	88	3.0	#12 Symbiotic	2	
0110.COMP	10	12:09	06:03:31.0	+27:41:50	300	89	3.0	0 Calibration	2	
0111.AWI0002vdg	300	12:10	04:20:51.8	+48:24:50	300	89	3.0	#219 Disk Dete	2	
0112.COMP	10	12:16	04:20:51.8	+48:24:50	300	89	3.0	0 Calibration	2	
0113.AWI0005wcp	45	12:18	04:59:12.8	+16:55:44	300	89	3.0	#219 Disk Dete	2	

UT Date 2015-10-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0114.COMP	10	12:19	04:59:12.8	+16:55:44	300	89	3.0	0 Calibration	2	
0115.Hiltner600	120	12:20	06:45:13.4	+02:08:15	300	89	3.0	#56 Spectropho	2	taken with different telescope focus to see if that changes
0116.Hiltner600	120	12:23	06:45:13.4	+02:08:15	300	89	3.0	#56 Spectropho	2	shape of continuum. It does.
0117.Hiltner600	120	12:26	06:45:13.4	+02:08:15	300	89	3.0	#56 Spectropho	2	slit effects
0118.COMP	10	12:28	06:45:13.4	+02:08:15	300	89	3.0	0 Calibration	2	
0119-0128.BIAS	0	12:44	04:59:12.8	+16:55:44	300	89	3.0	0 Calibration	2	
0129-0143.FLAT	7	12:50	04:59:12.8	+16:55:44	300	89	3.0	0 Calibration	2	
0144-0148.DARK	900	13:52	04:59:12.8	+16:55:44	300	89	3.0	0 Calibration	2	
0149-0151.DARK	900	14:38	04:59:12.8	+16:55:44	300	89	3.0	0 Calibration	4	