

UT Date 2015-12-14 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:50	09:10:08.8	+50:03:40	300	86	3.0	0 Calibration	4	
0011-0020.FLAT	4	00:52	09:10:08.8	+50:03:40	300	86	3.0	0 Calibration	4	
0021-0030.BIAS	0	00:54	09:10:08.8	+50:03:40	300	86	3.0	0 Calibration	2	
0031-0045.FLAT	7	00:59	09:10:08.8	+50:03:40	300	86	3.0	0 Calibration	2	
0046.BDp284211	90	01:21	21:51:11.1	+28:51:53	300	86	3.0	#176 Be/X-ray	2	
0046.BDp284211q.ms	90	01:21	21:51:11.1	+28:51:53	300	86	3.0	#176 Be/X-ray	1	
0047.COMP	5	01:23	21:51:11.1	+28:51:53	300	86	3.0	0 Calibration	2	
0048.BDp174708	60	01:26	22:11:31.5	+18:05:34	300	86	3.0	#176 Be/X-ray	2	
0048.BDp174708q.ms	60	01:26	22:11:31.5	+18:05:34	300	86	3.0	#176 Be/X-ray	1	
0049.COMP	5	01:29	22:11:31.5	+18:05:34	300	86	3.0	0 Calibration	2	
0050.PUVu1	1	01:33	20:21:13.0	+21:34:21	300	86	3.0	#12 Symbiotic	2	
0051.PUVu1	5	01:33	20:21:13.0	+21:34:21	300	86	3.0	#12 Symbiotic	2	
0052.PUVu1	60	01:34	20:21:13.0	+21:34:21	300	86	3.0	#12 Symbiotic	2	
0053.COMP	5	01:35	20:21:13.0	+21:34:21	300	86	3.0	0 Calibration	2	
0054.V1515Cyg	600	01:40	20:23:48.0	+42:12:24	300	86	3.0	#12 Symbiotic	2	
0055.COMP	5	01:51	20:23:48.0	+42:12:24	300	86	3.0	0 Calibration	2	
0056.V1329Cyg	20	02:03	20:51:01.0	+35:34:55	300	87	3.0	#12 Symbiotic	2	
0056.V1329Cygq.ms	20	02:03	20:51:01.0	+35:34:55	300	87	3.0	#12 Symbiotic	1	
0057.COMP	5	02:04	20:51:01.0	+35:34:55	300	87	3.0	0 Calibration	2	
0058.V1329Cyg	120	02:04	20:51:01.0	+35:34:55	300	87	3.0	#12 Symbiotic	2	

UT Date 2015-12-14 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0059.COMP	5	02:07	20:51:01.0	+35:34:55	300	87	3.0	0 Calibration	2	
0060.V1057Cyg	480	02:16	20:58:54.0	+44:15:30	300	87	3.0	#12 Symbiotic	2	
0061.COMP	5	02:25	20:58:54.0	+44:15:30	300	87	3.0	0 Calibration	2	
0062.AGPeg	1	02:30	21:51:02.0	+12:37:33	300	88	3.0	#12 Symbiotic	2	
0063.AGPeg	10	02:30	21:51:02.0	+12:37:33	300	88	3.0	#12 Symbiotic	2	
0064.AGPeg	30	02:31	21:51:02.0	+12:37:33	300	88	3.0	#12 Symbiotic	2	
0065.COMP	5	02:33	21:51:02.0	+12:37:33	300	88	3.0	0 Calibration	2	
0066.ZAnd	1	02:39	23:33:40.0	+48:49:06	300	86	3.0	#12 Symbiotic	2	
0067.ZAnd	10	02:40	23:33:40.0	+48:49:06	300	86	3.0	#12 Symbiotic	2	
0068.ZAnd	30	02:40	23:33:40.0	+48:49:06	300	86	3.0	#12 Symbiotic	2	
0069.COMP	5	02:41	23:33:40.0	+48:49:06	300	86	3.0	0 Calibration	2	
0070.RAqr	1	02:45	23:43:49.0	-15:17:05	300	86	3.0	#12 Symbiotic	2	
0071.RAqr	5	02:45	23:43:49.0	-15:17:05	300	86	3.0	#12 Symbiotic	2	
0072.RAqr	10	02:45	23:43:49.0	-15:17:05	300	86	3.0	#12 Symbiotic	2	
0073.COMP	5	02:46	23:43:49.0	-15:17:05	300	86	3.0	0 Calibration	2	
0074.snPSNJ23244903	1800	02:53	23:24:49.0	+15:16:52	300	86	3.0	#2 SN Observat	2	
0075.COMP	5	03:24	23:24:49.0	+15:16:52	300	86	3.0	0 Calibration	2	
0076.snASASSN15sf	1800	03:32	00:11:27.6	-06:25:38	300	85	3.0	#2 SN Observat	2	
0077.COMP	5	04:02	00:11:27.6	-06:25:38	300	85	3.0	0 Calibration	2	
0078.snASASSN15tg	1800	04:07	00:20:41.1	+25:13:45	300	85	3.0	#2 SN Observat	2	

UT Date 2015-12-14 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0079.COMP	5	04:37	00:20:41.1	+25:13:45	300	85	3.0	0 Calibration	2	
0080.EGAnd	1	04:41	00:44:37.0	+40:40:47	300	87	3.0	#12 Symbiotic	2	
0081.EGAnd	5	04:42	00:44:37.0	+40:40:47	300	87	3.0	#12 Symbiotic	2	
0082.EGAnd	10	04:42	00:44:37.0	+40:40:47	300	87	3.0	#12 Symbiotic	2	
0083.COMP	5	04:43	00:44:37.0	+40:40:47	300	87	3.0	0 Calibration	2	
0084.AXPer	4	04:50	01:36:23.0	+54:15:03	300	87	3.0	#12 Symbiotic	2	
0085.AXPer	30	04:50	01:36:23.0	+54:15:03	300	87	3.0	#12 Symbiotic	2	
0086.AXPer	90	04:51	01:36:23.0	+54:15:03	300	87	3.0	#12 Symbiotic	2	
0087.COMP	5	04:53	01:36:23.0	+54:15:03	300	87	3.0	0 Calibration	2	
0088.snASASSN15tx	1800	04:57	02:30:24.4	+45:07:18	300	87	3.0	#2 SN Observat	2	
0089.COMP	5	05:27	02:30:24.4	+45:07:18	300	87	3.0	0 Calibration	2	
0090.snASASSN15tz	1800	05:30	02:41:08.9	+43:40:49	300	87	3.0	#2 SN Observat	2	
0091.COMP	5	06:01	02:41:08.9	+43:40:49	300	87	3.0	0 Calibration	2	
0092.snASASSN15ti	1800	06:09	03:05:08.6	+37:54:01	300	87	3.0	#2 SN Observat	2	
0093.COMP	5	06:39	03:05:08.6	+37:54:01	300	81	3.0	0 Calibration	2	
0094.snPSNJ03094251	1800	06:42	03:09:42.5	+40:58:29	300	81	3.0	#2 SN Observat	2	
0095.COMP	5	07:13	03:09:42.5	+40:58:29	300	81	3.0	0 Calibration	2	
0096.snPSNJ03094251	1800	07:14	03:09:42.5	+40:58:29	300	86	3.0	#2 SN Observat	2	
0097.COMP	5	07:46	03:09:42.5	+40:58:29	300	86	3.0	0 Calibration	2	
0098.GITau	600	07:48	04:33:34.0	+24:21:18	300	87	3.0	#12 Symbiotic	2	

UT Date 2015-12-14 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0099.COMP	5	07:59	04:33:34.0	+24:21:18	300	87	3.0	0 Calibration	2	
0100.GITau	300	08:00	04:33:34.0	+24:21:18	300	86	3.0	#12 Symbiotic	2	
0101.COMP	5	08:06	04:33:34.0	+24:21:18	300	86	3.0	0 Calibration	2	
0102.BGGem	300	08:13	06:03:31.0	+27:41:50	300	87	3.0	#12 Symbiotic	2	
0103.COMP	5	08:18	06:03:31.0	+27:41:50	300	87	3.0	0 Calibration	2	
0104.BXMon	15	08:21	07:25:23.0	-03:35:51	300	86	3.0	#12 Symbiotic	2	
0105.BXMon	180	08:22	07:25:23.0	-03:35:51	300	86	3.0	#12 Symbiotic	2	
0106.COMP	5	08:26	07:25:23.0	-03:35:51	300	86	3.0	0 Calibration	2	
0107.snASASSN15tj	1800	08:34	07:55:28.7	+52:09:28	300	86	3.0	#2 SN Observat	2	
0108.COMP	10	09:04	07:55:28.7	+52:09:28	300	87	3.0	0 Calibration	2	
0109.BIAS	0	09:09	08:00:17.5	+05:50:30	600	87	1.5	0 Calibration	4	
0110.COMP	10	09:10	08:00:17.5	+05:50:30	600	87	1.5	0 Calibration	4	
0111.j0800p05	660	09:13	08:00:17.5	+05:50:30	600	87	1.5	#178 Low Mass	4	
0112.COMP	10	09:24	08:00:17.5	+05:50:30	600	87	1.5	0 Calibration	4	
0113.j0800p05	660	09:25	08:00:17.5	+05:50:30	600	87	1.5	#178 Low Mass	4	
0114.COMP	10	09:36	08:00:17.5	+05:50:30	600	87	1.5	0 Calibration	4	
0115.j0800p05	660	09:37	08:00:17.5	+05:50:30	600	87	1.5	#178 Low Mass	4	
0116.COMP	10	09:48	08:00:17.5	+05:50:30	600	87	1.5	0 Calibration	4	
0117.j0800p05	660	09:49	08:00:17.5	+05:50:30	600	87	1.5	#178 Low Mass	4	
0118.COMP	10	10:00	08:00:17.5	+05:50:30	600	87	1.5	0 Calibration	4	

UT Date 2015-12-14 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0119.j0800p05	660	10:01	08:00:17.5	+05:50:30	600	87	1.5	#178 Low Mass	4	
0120.COMP	10	10:12	08:00:17.5	+05:50:30	600	84	1.5	0 Calibration	4	
0121.k0758	1020	10:14	07:58:04.6	+47:54:06	600	84	1.5	#178 Low Mass	4	
0122.COMP	10	10:31	07:58:04.6	+47:54:06	600	84	1.5	0 Calibration	4	
0123.k0758	1020	10:32	07:58:04.6	+47:54:06	600	84	1.5	#178 Low Mass	4	
0124.COMP	10	10:49	07:58:04.6	+47:54:06	600	84	1.5	0 Calibration	4	
0125.k0758	1020	10:50	07:58:04.6	+47:54:06	600	88	1.5	#178 Low Mass	4	
0126.COMP	10	11:07	07:58:04.6	+47:54:06	600	88	1.5	0 Calibration	4	
0127.k0758	1020	11:08	07:58:04.6	+47:54:06	600	88	1.5	#178 Low Mass	4	
0128.COMP	10	11:26	07:58:04.6	+47:54:06	600	84	1.5	0 Calibration	4	
0129.Feige34	120	11:27	10:39:36.7	+43:06:09	600	84	1.5	#56 Spectropho	4	
0130.COMP	10	11:30	10:39:36.7	+43:06:09	600	84	1.5	0 Calibration	4	
0131-0140.FLAT	12	11:34	10:39:36.7	+43:06:09	600	84	1.5	0 Calibration	4	
0141.test	10	11:38	10:30:00.0	+32:00:00	300	84	3.0	#56 Spectropho	2	
0142.test	10	11:39	10:30:00.0	+32:00:00	300	84	3.0	#56 Spectropho	2	
0143.snPSNK0910088	1200	11:42	09:10:08.8	+50:03:40	300	84	3.0	#2 SN Observat	2	
0144.COMP	10	12:02	09:10:08.8	+50:03:40	300	83	3.0	0 Calibration	2	
0145.snBRUTUS7369_4	900	12:07	13:34:54.5	+10:59:03	300	83	3.0	#2 SN Observat	2	
0146.snBRUTUS7369_4	900	12:23	13:34:54.5	+10:59:03	300	83	3.0	#2 SN Observat	2	
0147.snBRUTUS7369_4	900	12:38	13:34:54.5	+10:59:03	300	83	3.0	#2 SN Observat	2	

UT Date 2015-12-14 Observers P BerlindColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0148.COMP	10	12:53	13:34:54.5	+10:59:03	300	83	3.0	0 Calibration	2	
0149.snASASSN15so	720	12:55	11:14:11.0	+48:19:07	300	83	3.0	#2 SN Observat	2	
0150.COMP	10	13:08	11:14:11.0	+48:19:07	300	83	3.0	0 Calibration	2	
0151-0160.BIAS	0	13:12	11:14:11.0	+48:19:07	300	83	3.0	0 Calibration	2	
0161-0175.FLAT	7	13:17	11:14:11.0	+48:19:07	300	83	3.0	0 Calibration	2	
0176-0185.BIAS	0	13:20	11:14:11.0	+48:19:07	300	83	3.0	0 Calibration	4	
0186-0190.DARK	900	14:21	11:14:11.0	+48:19:07	300	83	3.0	0 Calibration	2	
0191-0195.DARK	900	15:38	11:14:11.0	+48:19:07	300	83	3.0	0 Calibration	4	
comp300+600.ms	10	05:47	10:39:36.9	+43:06:11	300	90	3.0	#56 Spectropho	1	