

UT Date 2015-12-20 Observers Rubtsov & AfanasievColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	07:58	12:30:00.0	+31:00:00	300	87	3.0	0 Calibration	2	
0010.BIASq.ms	0	07:58	12:30:00.0	+31:00:00	300	87	3.0	#99 Director	1	
0011-0020.FLAT	7	08:03	12:30:00.0	+31:00:00	300	87	3.0	0 Calibration	2	
0021.05583384+4026458	1800	08:15	05:58:33.8	+40:26:46	300	90	3.0	#141 2MASS Red	2	
0021.05583384+4026458q.ms	1800	08:15	05:58:33.8	+40:26:46	300	90	3.0	#141 2MASS Red	1	
0021.BDp284211q.ms	180	01:27	21:51:11.0	+28:51:50	300	89	5.0	#56 Spectropho	1	
0022.COMP	10	08:49	05:58:33.8	+40:26:46	300	90	3.0	0 Calibration	2	
0023.05582946+3753309	1800	08:56	05:58:29.5	+37:53:31	300	90	3.0	#141 2MASS Red	2	
0023.05582946+3753309q.ms	1800	08:56	05:58:29.5	+37:53:31	300	90	3.0	#141 2MASS Red	1	
0024.COMP	10	09:29	05:58:29.5	+37:53:31	300	91	3.0	0 Calibration	2	
0025.05580909+4413436	1800	09:34	05:58:09.1	+44:13:44	300	91	3.0	#141 2MASS Red	2	
0025.05580909+4413436q.ms	1800	09:34	05:58:09.1	+44:13:44	300	91	3.0	#141 2MASS Red	1	
0026.COMP	10	10:07	05:58:09.1	+44:13:44	300	90	3.0	0 Calibration	2	
0027.snASASSN15so	1800	10:52	11:14:11.0	+48:19:07	300	89	3.0	#2 SN Observat	2	
0027.snASASSN15soq.ms	1800	10:52	11:14:11.0	+48:19:07	300	89	3.0	#2 SN Observat	1	
0028.COMP	10	11:23	11:14:11.0	+48:19:07	300	90	3.0	0 Calibration	2	
0029.HD84937	30	11:28	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0031.COMP	10	11:30	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0032.Feige34	180	11:33	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0033.COMP	10	11:36	10:39:36.7	+43:06:09	300	81	3.0	0 Calibration	2	

UT Date 2015-12-20 Observers Rubtsov & AfanasievColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0034-0043.FLAT	7	12:33	14:17:11.9	+02:14:02	300	81	3.0	0 Calibration	2	
0044.Comet.Catalina	120	12:48	14:17:06.0	+03:13:00	300	81	3.0	#99 Director	2	
0044.Comet.Catalinaq.ms	120	12:48	14:17:06.0	+03:13:00	300	81	3.0	#99 Director	1	
0045.Comet.Catalina	120	12:51	14:17:06.0	+03:13:00	300	81	3.0	#99 Director	2	
0045.Comet.Catalinaq.ms	120	12:51	14:17:06.0	+03:13:00	300	81	3.0	#99 Director	1	
0046.Comet.Catalina	120	12:54	14:17:06.0	+03:13:00	300	81	3.0	#99 Director	2	
0046.Comet.Catalinaq.ms	120	12:54	14:17:06.0	+03:13:00	300	81	3.0	#99 Director	1	
0047.COMP	10	12:57	14:17:06.0	+03:13:00	300	81	3.0	0 Calibration	2	
0048-0057.DARK	1800	17:39	12:00:00.0	+30:00:00	300	81	3.0	0 Calibration	2	
comp300+600.ms	10	05:47	10:39:36.9	+43:06:11	300	90	3.0	#56 Spectropho	1	