

UT Date 2016-01-14 Observers P BerlindColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	900	22:24	16:01:41.0	+66:48:10	300	89	3.0	0 Calibration	2	
0006-0010.DARK	900	23:41	16:01:41.0	+66:48:10	300	89	3.0	0 Calibration	4	
0011-0020.BIAS	0	00:22	16:01:41.0	+66:48:10	300	89	3.0	0 Calibration	2	
0021.FLAT	7	00:23	16:01:41.0	+66:48:10	300	89	3.0	0 Calibration	2	
0022.FLAT	7	00:23	16:01:41.0	+66:48:10	300	89	3.0	0 Calibration	2	300-line, 3-sec
0023-0035.FLAT	7	00:28	16:01:41.0	+66:48:10	300	89	3.0	0 Calibration	2	
0036-0045.BIAS	0	00:38	16:01:41.0	+66:48:10	300	89	3.0	0 Calibration	4	
0046.V1329Cyg	30	01:30	20:51:01.0	+35:34:55	300	89	3.0	#12 Symbiotic	2	
0047.V1329Cyg	90	01:31	20:51:01.0	+35:34:55	300	89	3.0	#12 Symbiotic	2	
0048.V1329Cyg	300	01:34	20:51:01.0	+35:34:55	300	89	3.0	#12 Symbiotic	2	
0049.V1329Cyg	600	01:40	20:51:01.0	+35:34:55	300	89	3.0	#12 Symbiotic	2	
0050.COMP	10	01:50	20:51:01.0	+35:34:55	300	90	3.0	0 Calibration	2	
0051.AGPeg	10	01:52	21:51:02.0	+12:37:33	300	90	3.0	#12 Symbiotic	2	
0052.AGPeg	1	01:53	21:51:02.0	+12:37:33	300	90	3.0	#12 Symbiotic	2	
0053.AGPeg	0	01:53	21:51:02.0	+12:37:33	300	90	3.0	#12 Symbiotic	2	
0054.COMP	10	01:54	21:51:02.0	+12:37:33	300	90	3.0	0 Calibration	2	
0055.HD19445	15	01:57	03:08:25.6	+26:19:51	300	90	3.0	#56 Spectropho	2	
0056.HD19445	15	01:58	03:08:25.6	+26:19:51	300	90	3.0	#56 Spectropho	2	
0057.HD19445	15	01:59	03:08:25.6	+26:19:51	300	90	3.0	#56 Spectropho	2	
0058.COMP	10	02:00	03:08:25.6	+26:19:51	300	90	3.0	0 Calibration	2	

UT Date 2016-01-14 Observers P BerlindColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0059.snAT2016G	1800	02:05	03:03:57.7	+43:24:04	300	75	3.0	#2 SN Observat	2	
0060.COMP	10	02:35	03:03:57.7	+43:24:04	300	75	3.0	0 Calibration	2	
0061.snAT2016G	1800	02:36	03:03:57.7	+43:24:04	300	75	3.0	#2 SN Observat	2	
0062.COMP	10	03:06	03:03:57.7	+43:24:04	300	75	3.0	0 Calibration	2	
0063.snAT2016G	1800	03:07	03:03:57.7	+43:24:04	300	75	3.0	#2 SN Observat	2	
0064.COMP	10	03:38	03:03:57.7	+43:24:04	300	75	3.0	0 Calibration	2	
0065.snASASSN15tz	1800	03:42	02:41:08.9	+43:40:49	300	89	3.0	#2 SN Observat	2	
0066.COMP	10	04:13	02:41:08.9	+43:40:49	300	90	3.0	0 Calibration	2	
0067.snASASSN16ah	900	04:15	05:47:45.4	+53:36:32	300	90	3.0	#2 SN Observat	2	
0068.snASASSN16ah	900	04:30	05:47:45.4	+53:36:32	300	90	3.0	#2 SN Observat	2	
0069.snASASSN16ah	900	04:46	05:47:45.4	+53:36:32	300	90	3.0	#2 SN Observat	2	
0070.COMP	10	05:01	05:47:45.4	+53:36:32	300	89	3.0	0 Calibration	2	
0071.G191B2B	300	05:04	05:05:30.6	+52:49:52	300	89	3.0	#56 Spectropho	2	
0072.COMP	10	05:09	05:05:30.6	+52:49:52	300	86	3.0	0 Calibration	2	
0073.AWI0005n36	1200	05:12	06:15:15.2	-00:51:19	300	86	3.0	#219 Disk Dete	2	
0074.COMP	10	05:32	06:15:15.2	-00:51:19	300	90	3.0	0 Calibration	2	
0075.AWI0005n3q	900	05:34	06:22:39.4	-05:19:47	300	90	3.0	#219 Disk Dete	2	
0076.COMP	10	05:49	06:22:39.4	-05:19:47	300	89	3.0	0 Calibration	2	
0077.AWI0002p36	900	05:51	06:57:12.5	+02:57:33	300	89	3.0	#219 Disk Dete	2	
0078.COMP	10	06:07	06:57:12.5	+02:57:33	300	90	3.0	0 Calibration	2	

UT Date 2016-01-14 Observers P BerlindColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0079.AWI0000xg7	240	06:08	07:05:30.8	-05:19:31	300	90	3.0	#219 Disk Dete	2	
0080.COMP	10	06:13	07:05:30.8	-05:19:31	300	90	3.0	0 Calibration	2	
0081.AWI0005ai6	10	06:14	07:58:30.3	+02:56:09	300	90	3.0	#219 Disk Dete	2	
0082.AWI0005ai6	10	06:15	07:58:30.3	+02:56:09	300	90	3.0	#219 Disk Dete	2	
0083.COMP	10	06:15	07:58:30.3	+02:56:09	300	90	3.0	0 Calibration	2	
0084.Hiltner600	90	06:17	06:45:13.4	+02:08:15	300	90	3.0	#56 Spectropho	2	
0085.COMP	10	06:19	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0086.BIAS	0	06:22	07:10:00.0	+32:00:00	600	90	1.5	0 Calibration	4	
0087.j0819p42	1000	06:42	08:19:17.7	+42:33:39	600	90	1.5	#178 Low Mass	4	600-line, 1.5-sec, 445 blue
0088.COMP	10	06:59	08:19:17.7	+42:33:39	600	90	1.5	0 Calibration	4	
0089.k0832	1500	07:01	08:32:38.9	+13:51:21	600	90	1.5	#178 Low Mass	4	
0090.COMP	10	07:26	08:32:38.9	+13:51:21	600	90	1.5	0 Calibration	4	
0091.j0800p05	660	07:28	08:00:17.5	+05:50:30	600	90	1.5	#178 Low Mass	4	
0092.COMP	10	07:39	08:00:17.5	+05:50:30	600	89	1.5	0 Calibration	4	
0093.wd0921	1380	07:42	09:23:50.3	-12:18:24	600	89	1.5	#178 Low Mass	4	
0094.COMP	10	08:05	09:23:50.3	-12:18:24	600	89	1.5	0 Calibration	4	
0095.j0819p42	1000	08:08	08:19:17.7	+42:33:39	600	89	1.5	#178 Low Mass	4	
0096.COMP	10	08:25	08:19:17.7	+42:33:39	600	89	1.5	0 Calibration	4	
0097.k0832	1500	08:27	08:32:38.9	+13:51:21	600	89	1.5	#178 Low Mass	4	
0098.COMP	10	08:53	08:32:38.9	+13:51:21	600	90	1.5	0 Calibration	4	

UT Date 2016-01-14 Observers P BerlindColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0099.j0800p05	660	08:55	08:00:17.5	+05:50:30	600	90	1.5	#178 Low Mass	4	increasing clouds
0100.COMP	10	09:06	08:00:17.5	+05:50:30	600	90	1.5	0 Calibration	4	
0101.wd0921	1380	09:09	09:23:50.3	-12:18:24	600	90	1.5	#178 Low Mass	4	
0102.COMP	10	09:32	09:23:50.3	-12:18:24	600	90	1.5	0 Calibration	4	
0103.j0819p42	1000	09:34	08:19:17.7	+42:33:39	600	90	1.5	#178 Low Mass	4	
0104.COMP	10	09:51	08:19:17.7	+42:33:39	600	90	1.5	0 Calibration	4	
0105.k0832	1500	09:53	08:32:38.9	+13:51:21	600	90	1.5	#178 Low Mass	4	
0106.COMP	10	10:18	08:32:38.9	+13:51:21	600	90	1.5	0 Calibration	4	
0107.j0800p05	660	10:19	08:00:17.5	+05:50:30	600	90	1.5	#178 Low Mass	4	
0108.COMP	10	10:30	08:00:17.5	+05:50:30	600	89	1.5	0 Calibration	4	
0109.Feige34	120	10:32	10:39:36.7	+43:06:09	600	89	1.5	#56 Spectropho	4	
0110.COMP	10	10:34	10:39:36.7	+43:06:09	600	89	1.5	0 Calibration	4	
0111-0120.FLAT	12	10:39	10:39:36.7	+43:06:09	600	89	1.5	0 Calibration	4	
0121.test	10	10:42	10:39:36.7	+43:06:09	600	89	1.5	#56 Spectropho	2	
0122.test	10	10:44	10:39:36.7	+43:06:09	600	89	1.5	#56 Spectropho	2	
0123.test	10	10:44	10:39:36.7	+43:06:09	600	89	1.5	#56 Spectropho	2	
0124-0128.BIAS	0	10:46	10:39:36.7	+43:06:09	600	89	1.5	0 Calibration	4	