


UT Date 2016-02-06 Observers WBrownColl. Focus 1345 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.COMP	5	00:03	15:51:59.9	+32:56:54	300	91	3.0	0 Calibration	4	300 line
0002.COMP	5	00:06	15:51:59.9	+32:56:54	300	91	3.0	0 Calibration	4	
0003.fastfoc	5	00:09	15:51:59.9	+32:56:54	300	91	3.0	#56 Spectropho	4	x7 foc=1310
0004.fastfoc	5	00:09	15:51:59.9	+32:56:54	300	91	3.0	#56 Spectropho	4	
0005.fastfoc	5	00:09	15:51:59.9	+32:56:54	300	91	3.0	#56 Spectropho	4	
0006.fastfoc	5	00:10	15:51:59.9	+32:56:54	300	91	3.0	#56 Spectropho	4	
0007.fastfoc	5	00:10	15:51:59.9	+32:56:54	300	91	3.0	#56 Spectropho	4	
0008.fastfoc	5	00:10	15:51:59.9	+32:56:54	300	91	3.0	#56 Spectropho	4	
0009.fastfoc	5	00:11	15:51:59.9	+32:56:54	300	91	3.0	#56 Spectropho	4	
0010.BIAS	0	00:13	15:51:59.9	+32:56:54	300	91	3.0	0 Calibration	2	x10
0011-0019.BIAS	0	00:14	15:51:59.9	+32:56:54	300	91	3.0	0 Calibration	2	
0020-0022.DARK	900	00:45	15:51:59.9	+32:56:54	300	91	3.0	0 Calibration	2	
0023.FLAT	7	01:04	15:51:59.9	+32:56:54	300	91	3.0	0 Calibration	2	x17
0024-0039.FLAT	7	01:09	15:51:59.9	+32:56:54	300	91	3.0	0 Calibration	2	
0040.HD19445	10	02:01	03:08:25.6	+26:19:51	300	91	3.0	#56 Spectropho	2	seeing is horrible
0041.COMP	10	02:01	03:08:25.6	+26:19:51	300	91	3.0	0 Calibration	2	
0042.G191B2B	300	02:03	05:05:30.6	+52:49:52	300	91	3.0	#56 Spectropho	2	
0043.COMP	10	02:09	05:05:30.6	+52:49:52	300	91	3.0	0 Calibration	2	
0044.03435654+4456315	1680	02:12	03:43:56.5	+44:56:31	300	89	3.0	#141 2MASS Red	2	
0045.COMP	10	02:41	03:43:56.5	+44:56:31	300	89	3.0	0 Calibration	2	

UT Date 2016-02-06 Observers WBrownColl. Focus 1345 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0046.03444712+4559150	1500	02:42	03:44:47.1	+45:59:15	300	89	3.0	#141 2MASS Red	2	
0047.COMP	10	03:07	03:44:47.1	+45:59:15	300	90	3.0	0 Calibration	2	
0048.snAT2016G	1800	03:11	03:03:57.7	+43:24:04	300	66	3.0	#2 SN Observat	2	
0049.COMP	10	03:41	03:03:57.7	+43:24:04	300	65	3.0	0 Calibration	2	
0050.snAT2016G	1800	03:43	03:03:57.7	+43:24:04	300	66	3.0	#2 SN Observat	2	
0051.COMP	10	04:13	03:03:57.7	+43:24:04	300	66	3.0	0 Calibration	2	
0052.snAT2016G	1800	04:14	03:03:57.7	+43:24:04	300	65	3.0	#2 SN Observat	2	
0053.COMP	10	04:46	03:03:57.7	+43:24:04	300	65	3.0	0 Calibration	2	
0054.04280875+4103008	1500	04:48	04:28:08.8	+41:03:01	300	90	3.0	#141 2MASS Red	2	
0055.COMP	10	05:13	04:28:08.8	+41:03:01	300	90	3.0	0 Calibration	2	
0056.06535135-2657065	1620	05:17	06:53:51.3	-26:57:07	300	94	3.0	#141 2MASS Red	2	
0057.COMP	10	05:45	06:53:51.3	-26:57:07	300	95	3.0	0 Calibration	2	
0058.SS129	300	05:47	07:32:45.0	-26:49:16	300	70	3.0	#12 Symbiotic	2	
0059.COMP	10	05:53	07:32:45.0	-26:49:16	300	70	3.0	0 Calibration	2	
0060.SS129	300	05:53	07:32:45.0	-26:49:16	300	70	3.0	#12 Symbiotic	2	
0061.COMP	10	05:59	07:32:45.0	-26:49:16	300	70	3.0	0 Calibration	2	
0062.BXMon	15	06:00	07:25:23.0	-03:35:51	300	90	3.0	#12 Symbiotic	2	
0063.BXMon	180	06:01	07:25:23.0	-03:35:51	300	90	3.0	#12 Symbiotic	2	
0064.COMP	10	06:04	07:25:23.0	-03:35:51	300	90	3.0	0 Calibration	2	
0065.snASASSN16ah	1800	06:11	05:47:45.4	+53:36:32	300	90	3.0	#2 SN Observat	2	

UT Date 2016-02-06 Observers WBrownColl. Focus 1345 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0066.COMP	10	06:42	05:47:45.4	+53:36:32	300	90	3.0	0 Calibration	2	
0067.05594532+4223345	1800	06:43	05:59:45.3	+42:23:34	300	89	3.0	#141 2MASS Red	2	
0068.COMP	10	07:14	05:59:45.3	+42:23:34	300	89	3.0	0 Calibration	2	
0069.06244543+2849554	1800	07:19	06:24:45.4	+28:49:55	300	10	3.0	#141 2MASS Red	2	
0070.COMP	10	07:49	06:24:45.4	+28:49:55	300	10	3.0	0 Calibration	2	
0071.06330049+2222008	1800	07:53	06:33:00.5	+22:22:01	300	89	3.0	#141 2MASS Red	2	
0072.COMP	10	08:23	06:33:00.5	+22:22:01	300	89	3.0	0 Calibration	2	
0073.11120285-2218127	1320	08:26	11:12:02.8	-22:18:13	300	89	3.0	#141 2MASS Red	2	
0074.COMP	10	08:48	11:12:02.8	-22:18:13	300	89	3.0	0 Calibration	2	
0075.11022047-2549153	1200	08:50	11:02:20.5	-25:49:15	300	89	3.0	#141 2MASS Red	2	
0076.COMP	10	09:11	11:02:20.5	-25:49:15	300	89	3.0	0 Calibration	2	
0077.sn2016P	1800	09:18	13:57:31.1	+06:05:51	300	20	3.0	#2 SN Observat	2	
0078.COMP	10	09:48	13:57:31.1	+06:05:51	300	20	3.0	0 Calibration	2	
0079.sn2016P	1800	09:49	13:57:31.1	+06:05:51	300	20	3.0	#2 SN Observat	2	
0080.COMP	10	10:20	13:57:31.1	+06:05:51	300	20	3.0	0 Calibration	2	
0081.sn2016P	1800	10:20	13:57:31.1	+06:05:51	300	20	3.0	#2 SN Observat	2	seeing better
0082.COMP	10	10:51	13:57:31.1	+06:05:51	300	20	3.0	0 Calibration	2	
0083.12482238-2148571	1200	10:53	12:48:22.4	-21:48:57	300	90	3.0	#141 2MASS Red	2	
0084.COMP	10	11:14	12:48:22.4	-21:48:57	300	90	3.0	0 Calibration	2	
0085.LSPMJ1105+3414	720	11:22	11:05:33.8	+34:14:35	600	90	2.0	#222 M dwarfs	2	600 line

UT Date 2016-02-06 Observers WBrownColl. Focus 1345 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0086.COMP	10	11:34	11:05:33.8	+34:14:35	600	90	2.0	0 Calibration	2	
0087.LSPMJ1129+0941	1800	11:37	11:29:31.8	+09:41:14	600	90	2.0	#222 M dwarfs	2	
0088.COMP	10	12:07	11:29:31.8	+09:41:14	600	90	2.0	0 Calibration	2	
0089.PM_I12303-2824	1800	12:09	12:30:19.6	-28:24:31	600	90	2.0	#222 M dwarfs	2	
0090.COMP	10	12:40	12:30:19.6	-28:24:31	600	90	2.0	0 Calibration	2	
0091.LSPMJ1148+1856	1500	12:42	11:48:49.5	+18:56:54	600	90	2.0	#222 M dwarfs	2	
0092.COMP	10	13:07	11:48:49.5	+18:56:54	600	90	2.0	0 Calibration	2	
0093.LSPMJ1148+3505	360	13:08	11:48:00.6	+35:05:15	600	90	2.0	#222 M dwarfs	2	
0094.COMP	10	13:15	11:48:00.6	+35:05:15	600	90	2.0	0 Calibration	2	
0095.BDp262606	120	13:16	14:49:02.4	+25:42:09	600	90	2.0	#222 M dwarfs	2	
0096.COMP	10	13:19	14:49:02.4	+25:42:09	600	90	2.0	0 Calibration	2	
0097.FLAT	14	13:20	14:49:02.4	+25:42:09	600	90	2.0	0 Calibration	2	x15
0098-0111.FLAT	14	13:26	14:49:02.4	+25:42:09	600	90	2.0	0 Calibration	2	
0112.BIAS	0	13:27	14:49:02.4	+25:42:09	600	90	2.0	0 Calibration	2	x9
0113-0120.BIAS	0	13:29	14:49:02.4	+25:42:09	600	90	2.0	0 Calibration	2	