

UT Date 2016-02-12 Observers P BerlindColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0007.DARK	900	01:02	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0008-0020.BIAS	0	01:20	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0021-0035.FLAT	7	01:26	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0036.ZAnd	2	01:59	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0037.ZAnd	5	02:00	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0038.ZAnd	15	02:00	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0039.ZAnd	30	02:01	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0040.COMP	10	02:02	23:33:40.0	+48:49:06	300	90	3.0	0 Calibration	2	
0041.HD19445	10	02:04	03:08:25.6	+26:19:51	300	90	3.0	#56 Spectropho	2	
0042.COMP	10	02:04	03:08:25.6	+26:19:51	300	90	3.0	0 Calibration	2	
0043.COMP	10	02:07	03:03:57.7	+43:24:04	300	90	3.0	0 Calibration	2	
0044.snAT2016G	1800	02:09	03:03:57.7	+43:24:04	300	90	3.0	#2 SN Observat	2	
0045.snAT2016G	1800	02:39	03:03:57.7	+43:24:04	300	90	3.0	#2 SN Observat	2	
0046.snAT2016G	1800	03:09	03:03:57.7	+43:24:04	300	90	3.0	#2 SN Observat	2	
0047.COMP	10	03:40	03:03:57.7	+43:24:04	300	90	3.0	0 Calibration	2	
0048.05581510+0931460	1200	03:42	05:58:15.1	+09:31:46	300	90	3.0	#141 2MASS Red	2	
0049.COMP	10	04:03	05:58:15.1	+09:31:46	300	90	3.0	0 Calibration	2	
0050.06483642-1433566	900	04:05	06:48:36.4	-14:33:57	300	90	3.0	#141 2MASS Red	2	
0051.COMP	10	04:21	06:48:36.4	-14:33:57	300	90	3.0	0 Calibration	2	
0052.06484330-1847200	1500	04:24	06:48:43.3	-18:47:20	300	90	3.0	#141 2MASS Red	2	

UT Date 2016-02-12 Observers P BerlindColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0053.COMP	10	04:50	06:48:43.3	-18:47:20	300	90	3.0	0 Calibration	2	
0054.06544667-2025279	1500	04:52	06:54:46.7	-20:25:28	300	90	3.0	#141 2MASS Red	2	
0055.COMP	10	05:18	06:54:46.7	-20:25:28	300	91	3.0	0 Calibration	2	
0056.07152143-2511324	1500	05:19	07:15:21.4	-25:11:32	300	91	3.0	#141 2MASS Red	2	
0057.COMP	10	05:45	07:15:21.4	-25:11:32	300	90	3.0	0 Calibration	2	
0058.07155987-2541120	1200	05:47	07:15:59.9	-25:41:12	300	90	3.0	#141 2MASS Red	2	
0059.COMP	10	06:07	07:15:59.9	-25:41:12	300	90	3.0	0 Calibration	2	
0060.08470522-2747306	1500	06:10	08:47:05.2	-27:47:31	300	90	3.0	#141 2MASS Red	2	
0061.COMP	10	06:36	08:47:05.2	-27:47:31	300	90	3.0	0 Calibration	2	
0062.05150775+5206599	1200	06:39	05:15:07.8	+52:07:00	300	91	3.0	#141 2MASS Red	2	
0063.COMP	10	06:59	05:15:07.8	+52:07:00	300	91	3.0	0 Calibration	2	
0064.05284520+1816048	1800	07:01	05:28:45.2	+18:16:05	300	90	3.0	#141 2MASS Red	2	
0065.COMP	10	07:32	05:28:45.2	+18:16:05	300	90	3.0	0 Calibration	2	
0066.05293867+2032099	1500	07:33	05:29:38.7	+20:32:10	300	90	3.0	#141 2MASS Red	2	
0067.COMP	10	08:00	05:29:38.7	+20:32:10	300	90	3.0	0 Calibration	2	
0068.05310774+2434471	1685	08:02	05:31:07.7	+24:34:47	300	90	3.0	#141 2MASS Red	2	
0069.COMP	10	08:31	05:31:07.7	+24:34:47	300	90	3.0	0 Calibration	2	
0070.05553695+4311405	900	08:32	05:55:37.0	+43:11:40	300	90	3.0	#141 2MASS Red	2	
0071.COMP	10	08:48	05:55:37.0	+43:11:40	300	90	3.0	0 Calibration	2	
0072.HD84937	30	08:50	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	

UT Date 2016-02-12 Observers P BerlindColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0073.COMP	10	08:51	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0074.Feige34	180	08:52	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0075.COMP	10	08:56	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0076.N4853	360	08:59	12:58:35.2	+27:35:47	300	88	3.0	#57 Velocity S	2	
0077.COMP	10	09:06	12:58:35.2	+27:35:47	300	88	3.0	0 Calibration	2	
0078.snASASSN15so	1200	09:16	11:14:11.0	+48:19:07	300	88	3.0	#2 SN Observat	2	
0079.COMP	10	09:37	11:14:11.0	+48:19:07	300	88	3.0	0 Calibration	2	
0080.COMP	10	09:40	13:57:31.1	+06:05:51	300	86	3.0	0 Calibration	2	
0081.sn2016P	1800	09:42	13:57:31.1	+06:05:51	300	71	3.0	#2 SN Observat	2	
0082.sn2016P	1800	10:12	13:57:31.1	+06:05:51	300	71	3.0	#2 SN Observat	2	
0083.sn2016P	1800	10:43	13:57:31.1	+06:05:51	300	71	3.0	#2 SN Observat	2	
0084.COMP	10	11:13	13:57:31.1	+06:05:51	300	70	3.0	0 Calibration	2	
0085.AWIO0004c1	1500	11:37	16:12:41.5	+05:41:40	300	89	3.0	#219 Disk Dete	2	
0086.COMP	10	12:02	16:12:41.5	+05:41:40	300	89	3.0	0 Calibration	2	
0087.snASASSN16bp	1800	12:08	14:06:44.4	+71:53:15	300	89	3.0	#2 SN Observat	2	
0088.COMP	10	12:39	14:06:44.4	+71:53:15	300	88	3.0	0 Calibration	2	
0089.snAT2016adm	1200	12:41	17:38:46.6	+59:22:22	300	88	3.0	#2 SN Observat	2	
0090.COMP	10	13:03	17:38:46.6	+59:22:22	300	88	3.0	0 Calibration	2	
0091.BDp332642	120	13:04	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0092.COMP	10	13:07	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	

UT Date 2016-02-12 Observers P BerlindColl. Focus 1330 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0093-0102.BIAS	0	13:12	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0103-0117.FLAT	7	13:17	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	