

UT Date 2016-03-17 Observers Astro100Coll. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:30	14:10:44.5	-10:09:35	300	89	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:36	14:10:44.5	-10:09:35	300	89	3.0	0 Calibration	2	
0026.G191B2B	30	02:15	05:05:30.6	+52:49:52	300	89	3.0	#56 Spectropho	2	
0027.G191B2B	120	02:17	05:05:30.6	+52:49:52	300	89	3.0	#56 Spectropho	2	
0028.G191B2B	120	02:20	05:05:30.6	+52:49:52	300	89	3.0	#56 Spectropho	2	
0029.COMP	10	02:24	05:05:30.6	+52:49:52	300	88	3.0	0 Calibration	2	
0030.PS16asd	1800	02:43	05:01:40.7	+07:20:39	300	89	3.0	#56 Spectropho	2	
0031.COMP	10	03:16	05:01:40.7	+07:20:39	300	89	3.0	0 Calibration	2	
0032.X0-2b	60	03:25	07:48:07.0	+50:13:33	300	89	3.0	#56 Spectropho	2	
0033.X0-2b	90	03:27	07:48:07.0	+50:13:33	300	89	3.0	#56 Spectropho	2	
0034.X0-2b	90	03:29	07:48:07.0	+50:13:33	300	89	3.0	#56 Spectropho	2	
0035.COMP	10	03:33	07:48:07.0	+50:13:33	300	89	3.0	0 Calibration	2	
0036.HD56925	90	03:38	07:18:29.0	-13:13:03	300	89	3.0	#56 Spectropho	2	
0037.HD56925	90	03:43	07:18:29.0	-13:13:03	300	89	3.0	#56 Spectropho	2	
0038.COMP	10	03:45	07:18:29.0	-13:13:03	300	90	3.0	0 Calibration	2	
0039.HD84801	30	03:57	09:48:20.0	+28:31:21	300	90	3.0	#56 Spectropho	2	
0040.HD84801	15	03:59	09:48:20.0	+28:31:21	300	90	3.0	#56 Spectropho	2	
0041.HD84801	15	04:00	09:48:20.0	+28:31:21	300	90	3.0	#56 Spectropho	2	
0042.COMP	10	04:03	09:48:20.0	+28:31:21	300	82	3.0	0 Calibration	2	
0043.HD64511	30	04:07	07:55:05.0	+22:00:06	300	82	3.0	#56 Spectropho	2	

UT Date 2016-03-17 Observers Astro100Coll. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.HD64511	240	04:09	07:55:05.0	+22:00:06	300	82	3.0	#56 Spectropho	2	
0045.HD64511	240	04:14	07:55:05.0	+22:00:06	300	82	3.0	#56 Spectropho	2	
0046.COMP	10	04:21	07:55:05.0	+22:00:06	300	86	3.0	0 Calibration	2	
0047.NGC3526	1800	04:34	11:06:56.6	+07:10:26	300	54	3.0	#56 Spectropho	2	
0047.NGC3526q.ms	1800	04:34	11:06:56.6	+07:10:26	300	54	3.0	#56 Spectropho	1	
0048.COMP	10	05:11	11:06:56.6	+07:10:26	300	54	3.0	0 Calibration	2	
0049.ASASSN-16db	1800	05:21	11:09:25.8	+29:34:24	300	90	3.0	#56 Spectropho	2	
0050.ASASSN-16db	396	05:54	11:09:25.8	+29:34:24	300	90	3.0	#56 Spectropho	2	
0051.COMP	10	06:06	11:09:25.8	+29:34:24	300	90	3.0	0 Calibration	2	
0052.BIAS	0	06:32	10:48:06.1	+31:35:50	300	90	3.0	0 Calibration	2	
0053.ASASSN-16db	1800	06:52	11:09:25.8	+29:34:24	300	90	3.0	#56 Spectropho	2	
0054.COMP	10	07:25	11:09:25.8	+29:34:24	300	90	3.0	0 Calibration	2	
0055.AT2016bau	1800	07:34	11:20:59.0	+53:10:26	300	90	3.0	#56 Spectropho	2	
0056.AT2016bau	1800	08:09	11:20:59.0	+53:10:26	300	90	3.0	#56 Spectropho	2	
0057.AT2016bau	1800	08:42	11:20:59.0	+53:10:26	300	90	3.0	#56 Spectropho	2	
0058.COMP	10	09:13	11:20:59.0	+53:10:26	300	90	3.0	0 Calibration	2	
0059.NGC4348	1800	09:24	12:23:54.0	-03:26:35	300	36	3.0	#56 Spectropho	2	
0060.NGC4348	1800	09:59	12:23:54.0	-03:26:35	300	36	3.0	#56 Spectropho	2	
0061.COMP	10	10:35	12:23:54.0	-03:26:35	300	36	3.0	0 Calibration	2	
0062.M94	30	10:58	12:50:53.0	+41:07:14	300	89	3.0	#56 Spectropho	2	

UT Date 2016-03-17 Observers Astro100Coll. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0063.M94	60	10:59	12:50:53.0	+41:07:14	300	89	3.0	#56 Spectropho	2	
0064.M94	120	11:01	12:50:53.0	+41:07:14	300	89	3.0	#56 Spectropho	2	
0065.M94	120	11:04	12:50:53.0	+41:07:14	300	89	3.0	#56 Spectropho	2	
0066.COMP	10	11:07	12:50:53.0	+41:07:14	300	89	3.0	0 Calibration	2	
0067.M87	60	11:11	12:30:49.4	+12:23:28	300	89	3.0	#56 Spectropho	2	
0068.M87	120	11:12	12:30:49.4	+12:23:28	300	89	3.0	#56 Spectropho	2	
0069.M87	240	11:15	12:30:49.4	+12:23:28	300	89	3.0	#56 Spectropho	2	
0070.M87	240	11:19	12:30:49.4	+12:23:28	300	89	3.0	#56 Spectropho	2	
0071.COMP	10	11:24	12:30:49.4	+12:23:28	300	89	3.0	0 Calibration	2	
0072.SPS1425p606	1800	11:30	14:26:56.0	+60:25:50	300	89	3.0	#56 Spectropho	2	
0073.COMP	10	12:02	14:26:56.0	+60:25:50	300	89	3.0	0 Calibration	2	
0074.BDp262606	5	12:07	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0075.BDp262606	30	12:08	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0076.BDp262606	30	12:10	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0077.COMP	10	12:12	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0078.HD175514	5	12:16	18:55:23.0	+09:20:58	300	89	3.0	#56 Spectropho	2	
0079.HD175514	10	12:17	18:55:23.0	+09:20:58	300	89	3.0	#56 Spectropho	2	
0080.HD175514	10	12:18	18:55:23.0	+09:20:58	300	89	3.0	#56 Spectropho	2	
0081.COMP	10	12:19	18:55:23.0	+09:20:58	300	89	3.0	0 Calibration	2	
0082.HD168607	1	12:23	18:21:14.9	-16:22:32	300	89	3.0	#56 Spectropho	2	

UT Date 2016-03-17 Observers Astro100Coll. Focus 1320 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0083.HD168607	10	12:25	18:21:14.9	-16:22:32	300	89	3.0	#56 Spectropho	2	
0084.HD168607	5	12:26	18:21:14.9	-16:22:32	300	89	3.0	#56 Spectropho	2	
0085.HD168607	5	12:27	18:21:14.9	-16:22:32	300	89	3.0	#56 Spectropho	2	
0086.COMP	10	12:28	18:21:14.9	-16:22:32	300	89	3.0	0 Calibration	2	
comp300+600.ms	10	05:47	10:39:36.9	+43:06:11	300	90	3.0	#56 Spectropho	1	