

UT Date 2016-05-11 Observers Ste OBrienColl. Focus 1320 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:05	19:03:45.0	-16:59:56	600	88	3.0	0 Calibration	4	
0011-0020.FLAT	4	00:07	19:03:45.0	-16:59:56	600	88	3.0	0 Calibration	4	
0021-0030.BIAS	0	00:09	19:03:45.0	-16:59:56	600	88	3.0	0 Calibration	2	
0031-0045.FLAT	7	00:14	19:03:45.0	-16:59:56	600	88	3.0	0 Calibration	2	
0046-0050.DARK	900	01:17	19:03:45.0	-16:59:56	600	88	3.0	0 Calibration	2	
0051.COMP	10	01:51	19:03:45.0	-16:59:56	600	88	3.0	0 Calibration	2	
0052.BIAS	0	02:58	19:03:45.0	-16:59:56	600	88	3.0	0 Calibration	2	
0053.Feige34	180	03:08	10:39:36.7	+43:06:09	600	88	3.0	#56 Spectropho	2	
0054.Feige34	180	03:11	10:39:36.7	+43:06:09	600	88	3.0	#56 Spectropho	2	
0055.Feige34	180	03:15	10:39:36.7	+43:06:09	600	88	3.0	#56 Spectropho	2	
0056.COMP	10	03:20	10:39:36.7	+43:06:09	600	88	3.0	0 Calibration	2	
0057.HD84937	30	03:23	09:48:56.1	+13:44:39	600	87	3.0	#56 Spectropho	2	
0058.HD84937	30	03:23	09:48:56.1	+13:44:39	600	87	3.0	#56 Spectropho	2	
0059.HD84937	30	03:24	09:48:56.1	+13:44:39	600	87	3.0	#56 Spectropho	2	
0060.COMP	10	03:25	09:48:56.1	+13:44:39	600	87	3.0	0 Calibration	2	
0061.snASASSNet	1800	03:33	10:20:01.7	+56:27:40	600	87	3.0	#225 SLSNe and	2	
0062.snASASSNet	1800	04:04	10:20:01.7	+56:27:40	600	87	3.0	#225 SLSNe and	2	
0063.COMP	10	04:35	10:20:01.7	+56:27:40	600	87	3.0	0 Calibration	2	
0064.COMP	10	05:11	13:23:07.2	+52:38:57	600	85	1.5	0 Calibration	4	
0065.j1023m02	1620	05:19	10:23:39.0	-02:51:23	600	85	1.5	#178 Low Mass	4	

UT Date 2016-05-11 Observers Ste OBrienColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0066.COMP	10	05:46	10:23:39.0	-02:51:23	600	85	1.5	0 Calibration	4	
0067.j1019p12	1620	05:50	10:19:54.6	+12:17:18	600	88	1.5	#178 Low Mass	4	
0068.COMP	10	06:17	10:19:54.6	+12:17:18	600	88	1.5	0 Calibration	4	
0069.j1040p53	1680	06:24	10:40:13.0	+53:56:52	600	89	1.5	#178 Low Mass	4	
0070.COMP	10	06:53	10:40:13.0	+53:56:52	600	89	1.5	0 Calibration	4	
0071.j1111p47	540	06:56	11:11:20.7	+47:18:26	600	89	1.5	#178 Low Mass	4	
0072.COMP	10	07:05	11:11:20.7	+47:18:26	600	89	1.5	0 Calibration	4	
0073.Feige34	180	07:07	10:39:36.7	+43:06:09	600	88	1.5	#56 Spectropho	4	
0074.COMP	10	07:11	10:39:36.7	+43:06:09	600	88	1.5	0 Calibration	4	
0075.j1125p44	960	07:17	11:25:29.1	+44:49:46	600	88	1.5	#178 Low Mass	4	
0076.COMP	10	07:33	11:25:29.1	+44:49:46	600	88	1.5	0 Calibration	4	
0077.j1157p51	1140	07:39	11:57:22.4	+51:10:13	600	88	1.5	#178 Low Mass	4	
0078.COMP	10	07:58	11:57:22.4	+51:10:13	600	88	1.5	0 Calibration	4	
0079.ec14369-0823	1140	08:05	14:39:34.1	-08:36:29	600	89	1.5	#178 Low Mass	4	
0080.COMP	10	08:25	14:39:34.1	-08:36:29	600	89	1.5	0 Calibration	4	
0081.ec14380-0747	300	08:27	14:40:41.9	-08:00:20	600	88	1.5	#178 Low Mass	4	
0082.COMP	10	08:32	14:40:41.9	-08:00:20	600	88	1.5	0 Calibration	4	
0083.COMP	10	08:39	14:40:41.9	-08:00:20	300	89	3.0	0 Calibration	2	
0084.COMP	10	08:41	14:40:41.9	-08:00:20	300	89	3.0	0 Calibration	2	
0085.BDp332642	120	08:45	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	

UT Date 2016-05-11 Observers Ste OBrienColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0086.BDp332642	120	08:47	15:51:59.9	+32:56:54	300	88	3.0	#56 Spectropho	2	
0087.BDp332642	120	08:49	15:51:59.9	+32:56:54	300	88	3.0	#56 Spectropho	2	
0088.COMP	10	08:52	15:51:59.9	+32:56:54	300	88	3.0	0 Calibration	2	
0089.BDp262606	90	08:54	14:49:02.4	+25:42:09	300	88	3.0	#56 Spectropho	2	
0090.BDp262606	90	08:56	14:49:02.4	+25:42:09	300	88	3.0	#56 Spectropho	2	
0091.BDp262606	90	08:57	14:49:02.4	+25:42:09	300	88	3.0	#56 Spectropho	2	
0092.COMP	10	09:00	14:49:02.4	+25:42:09	300	88	3.0	0 Calibration	2	
0093.snPTSS16efwk	1800	09:08	17:35:37.8	+08:48:32	300	88	3.0	#2 SN Observat	2	
0094.snPTSS16efwk	1800	09:39	17:35:37.8	+08:48:32	300	88	3.0	#2 SN Observat	2	
0095.COMP	10	10:09	17:35:37.8	+08:48:32	300	88	3.0	0 Calibration	2	
0096.sn2016ccj	1800	10:20	17:10:23.9	+26:23:48	300	81	3.0	#2 SN Observat	2	
0097.sn2016ccj	1800	10:50	17:10:23.9	+26:23:48	300	81	3.0	#2 SN Observat	2	
0098.COMP	10	11:21	17:10:23.9	+26:23:48	300	81	3.0	0 Calibration	2	
0099.BFCyg	15	11:27	19:23:53.0	+29:40:27	300	80	3.0	#12 Symbiotic	2	
0100.BFCyg	15	11:27	19:23:53.0	+29:40:27	300	80	3.0	#12 Symbiotic	2	
0101.COMP	10	11:29	19:23:53.0	+29:40:27	300	80	3.0	0 Calibration	2	
0102-0111.BIAS	0	11:34	19:23:53.0	+29:40:27	300	80	3.0	0 Calibration	4	
0112-0121.FLAT	4	11:36	19:23:53.0	+29:40:27	300	80	3.0	0 Calibration	4	
0122-0131.BIAS	0	11:39	19:23:53.0	+29:40:27	300	80	3.0	0 Calibration	2	
0132-0146.FLAT	7	11:43	19:23:53.0	+29:40:27	300	80	3.0	0 Calibration	2	

UT Date 2016-05-11 Observers Ste OBrienColl. Focus 1320 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0147-0151.DARK	900	12:58	19:23:53.0	+29:40:27	300	80	3.0	0 Calibration	2	