

UT Date 2017-02-26 Observers A VazColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	23:25	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0011-0025.FLAT	7	23:30	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0026-0030.DARK	900	00:34	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0031.COMP	10	01:47	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0032.HD19445	10	02:22	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0033.HD19445	10	02:23	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0034.HD19445	10	02:24	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0035.HD19445	10	02:24	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0036.COMP	10	02:24	03:08:25.6	+26:19:51	300	88	3.0	0 Calibration	2	
0037.HD52071	10	02:29	07:00:58.2	+27:09:27	300	88	3.0	#57 Velocity S	2	
0038.HD52071	5	02:30	07:00:58.2	+27:09:27	300	88	3.0	#57 Velocity S	2	
0039.HD52071	5	02:30	07:00:58.2	+27:09:27	300	88	3.0	#57 Velocity S	2	
0040.HD52071	5	02:30	07:00:58.2	+27:09:27	300	88	3.0	#57 Velocity S	2	
0041.COMP	10	02:31	07:00:58.2	+27:09:27	300	88	3.0	0 Calibration	2	
0042.AGK2p14783	5	02:33	07:20:37.9	+14:53:58	300	88	3.0	#57 Velocity S	2	
0043.AGK2p14783	5	02:33	07:20:37.9	+14:53:58	300	88	3.0	#57 Velocity S	2	
0044.AGK2p14783	5	02:33	07:20:37.9	+14:53:58	300	88	3.0	#57 Velocity S	2	
0045.AGK2p14783	10	02:34	07:20:37.9	+14:53:58	300	88	3.0	#57 Velocity S	2	
0046.AGK2p14783	10	02:34	07:20:37.9	+14:53:58	300	88	3.0	#57 Velocity S	2	
0047.COMP	10	02:35	07:20:37.9	+14:53:58	300	88	3.0	0 Calibration	2	

UT Date 2017-02-26 Observers A VazColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0048.sn2017av1	1800	02:42	05:20:47.1	+03:15:25	300	88	3.0	#2 SN Observat	2	
0049.COMP	10	03:13	05:20:47.1	+03:15:25	300	89	3.0	0 Calibration	2	
0050.sn2017av1	1800	03:19	05:20:47.1	+03:15:25	300	89	3.0	#2 SN Observat	2	
0051.COMP	10	03:49	05:20:47.1	+03:15:25	300	88	3.0	0 Calibration	2	
0052.snMASTEROTJ083256	1800	03:52	08:32:56.9	-03:51:28	300	88	3.0	#2 SN Observat	2	
0053.COMP	10	04:23	08:32:56.9	-03:51:28	300	88	3.0	0 Calibration	2	
0054.snMASTEROTJ083256	1800	04:24	08:32:56.9	-03:51:28	300	88	3.0	#2 SN Observat	2	
0055.COMP	10	04:55	08:32:56.9	-03:51:28	300	88	3.0	0 Calibration	2	
0056-0065.BIAS	0	13:19	08:32:56.9	-03:51:28	300	88	3.0	0 Calibration	2	
0066-0080.FLAT	7	13:24	08:32:56.9	-03:51:28	300	88	3.0	0 Calibration	2	
0081-0085.DARK	900	14:28	08:32:56.9	-03:51:28	300	88	3.0	0 Calibration	2	