

UT Date 2017-03-03 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0007.DARK	900	01:18	15:51:59.9	+32:56:54	600	90	1.5	0 Calibration	4	
0008-0017.BIAS	0	01:41	15:51:59.9	+32:56:54	600	90	1.5	0 Calibration	4	
0018-0037.FLAT	7	01:53	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0038-0050.BIAS	0	01:55	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0051.HD19445	15	02:16	03:08:25.6	+26:19:51	300	90	3.0	#56 Spectropho	2	
0052.HD19445	24	02:17	03:08:25.6	+26:19:51	300	90	3.0	#56 Spectropho	2	
0053.COMP	10	02:18	03:08:25.6	+26:19:51	300	90	3.0	0 Calibration	2	
0054.G191B2B	420	02:22	05:05:30.6	+52:49:52	300	90	3.0	#56 Spectropho	2	
0055.COMP	10	02:29	05:05:30.6	+52:49:52	300	88	3.0	0 Calibration	2	
0056.AXPer	7	02:51	01:36:23.0	+54:15:03	300	89	3.0	#12 Symbiotic	2	
0057.AXPer	50	02:51	01:36:23.0	+54:15:03	300	89	3.0	#12 Symbiotic	2	
0058.AXPer	180	02:53	01:36:23.0	+54:15:03	300	89	3.0	#12 Symbiotic	2	
0059.COMP	10	02:56	01:36:23.0	+54:15:03	300	89	3.0	0 Calibration	2	
0060.GITau	900	03:00	04:33:34.0	+24:21:18	300	89	3.0	#12 Symbiotic	2	
0061.COMP	10	03:16	04:33:34.0	+24:21:18	300	89	3.0	0 Calibration	2	
0062-0071.BIAS	0	12:21	04:33:34.5	+24:21:07	300	89	3.0	0 Calibration	2	
0072-0081.FLAT	7	12:24	04:33:34.5	+24:21:07	300	89	3.0	0 Calibration	2	
0082-0091.DARK	900	14:43	04:33:34.5	+24:21:07	300	89	3.0	0 Calibration	2	