
UT Date 2017-03-25 Observers M CalkinsColl. Focus 1280 Grating/Grism 600


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0007.DARK	900	01:47	04:59:44.1	+31:29:12	300	88	3.0	0 Calibration	4	
0008-0017.BIAS	0	02:03	04:59:44.1	+31:29:12	300	88	3.0	0 Calibration	4	
0018-0037.FLAT	7	02:08	04:59:44.1	+31:29:12	300	88	3.0	0 Calibration	2	
0038-0050.BIAS	0	02:11	04:59:44.1	+31:29:12	300	88	3.0	0 Calibration	2	
0051.Hiltner600	90	02:36	06:45:13.4	+02:08:15	300	88	3.0	#56 Spectropho	2	
0052.COMP	10	02:38	06:45:13.4	+02:08:15	300	88	3.0	0 Calibration	2	
0053.G191B2B	300	02:42	05:05:30.6	+52:49:52	300	88	3.0	#56 Spectropho	2	
0054.COMP	10	02:48	05:05:30.6	+52:49:52	300	88	3.0	0 Calibration	2	
0055.GITau	600	02:50	04:33:34.0	+24:21:18	300	88	3.0	#12 Symbiotic	2	
0056.COMP	10	03:00	04:33:34.0	+24:21:18	300	87	3.0	0 Calibration	2	
0057.GKTau	300	03:01	04:33:34.5	+24:21:07	300	87	3.0	#12 Symbiotic	2	
0058.COMP	10	03:06	04:33:34.5	+24:21:07	300	88	3.0	0 Calibration	2	
0059.SS129	300	03:10	07:32:45.0	-26:49:16	300	70	3.0	#12 Symbiotic	2	
0060.SS129	300	03:15	07:32:45.0	-26:49:16	300	70	3.0	#12 Symbiotic	2	
0061.COMP	10	03:21	07:32:45.0	-26:49:16	300	70	3.0	0 Calibration	2	
0062.BXMon	15	03:24	07:25:23.0	-03:35:51	300	90	3.0	#12 Symbiotic	2	
0063.BXMon	180	03:24	07:25:23.0	-03:35:51	300	90	3.0	#12 Symbiotic	2	
0064.COMP	10	03:28	07:25:23.0	-03:35:51	300	90	3.0	0 Calibration	2	
0065.BGGem	300	03:30	06:03:31.0	+27:41:50	300	90	3.0	#12 Symbiotic	2	
0066.COMP	10	03:36	06:03:31.0	+27:41:50	300	89	3.0	0 Calibration	2	

UT Date 2017-03-25 Observers M CalkinsColl. Focus 1280 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0067.snASASSN17ds	1800	03:39	08:03:55.2	+26:31:13	300	70	3.0	#220 ASASSN Tr	2	
0068.COMP	10	04:20	08:03:55.2	+26:31:13	300	70	3.0	0 Calibration	2	
0069.snMASTEROTJ083256	1800	04:57	08:32:56.9	-03:51:28	300	11	3.0	#2 SN Observat	2	
0070.snMASTEROTJ083256	1800	05:28	08:32:56.9	-03:51:28	300	11	3.0	#2 SN Observat	2	
0071.COMP	10	05:58	08:32:56.9	-03:51:28	300	11	3.0	0 Calibration	2	
0072.snAT2017cfd	1200	06:10	08:40:49.2	+73:29:15	300	70	3.0	#2 SN Observat	2	
0073.COMP	10	06:30	08:40:49.2	+73:29:15	300	71	3.0	0 Calibration	2	
0074.snASASSN17dv	1800	06:39	09:52:31.3	-21:57:55	300	90	3.0	#220 ASASSN Tr	2	
0075.COMP	10	07:09	09:52:31.3	-21:57:55	300	90	3.0	0 Calibration	2	
0076.snASASSN17dt	1800	07:14	11:06:47.2	+14:12:25	300	90	3.0	#220 ASASSN Tr	2	
0077.COMP	10	07:45	11:06:47.2	+14:12:25	300	89	3.0	0 Calibration	2	
0078.TXCVn	10	07:47	12:44:42.0	+36:45:48	300	89	3.0	#12 Symbiotic	2	
0079.TXCVn	30	07:47	12:44:42.0	+36:45:48	300	89	3.0	#12 Symbiotic	2	
0080.COMP	10	07:49	12:44:42.0	+36:45:48	300	89	3.0	0 Calibration	2	
0081.sn2017cfb	1200	07:54	13:54:06.8	+09:24:46	300	89	3.0	#2 SN Observat	2	
0082.COMP	10	08:14	13:54:06.8	+09:24:46	300	89	3.0	0 Calibration	2	
0083.TDE225	900	08:35	14:46:05.2	+68:57:31	300	102	3.0	#225	2	
0084.COMP	10	08:50	14:46:05.2	+68:57:31	300	103	3.0	0 Calibration	2	
0085.TDE225	900	08:52	14:46:05.2	+68:57:31	300	102	3.0	#225	2	
0086.COMP	10	09:07	14:46:05.2	+68:57:31	300	103	3.0	0 Calibration	2	

UT Date 2017-03-25 Observers M CalkinsColl. Focus 1280 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0087.TDE225	900	09:08	14:46:05.2	+68:57:31	300	103	3.0	#225	2	
0088.COMP	10	09:23	14:46:05.2	+68:57:31	300	102	3.0	0 Calibration	2	
0089.TDE225	900	09:24	14:46:05.2	+68:57:31	300	102	3.0	#225	2	
0090.COMP	10	09:40	14:46:05.2	+68:57:31	300	102	3.0	0 Calibration	2	
0091.snASASSN17bu	1800	09:47	16:33:19.8	+23:43:52	300	91	3.0	#220 ASASSN Tr	2	
0092.COMP	10	10:18	16:33:19.8	+23:43:52	300	89	3.0	0 Calibration	2	
0093.N5866	240	10:22	15:06:29.5	+55:45:48	300	89	3.0	#57 Velocity S	2	
0094.COMP	10	10:26	15:06:29.5	+55:45:48	300	89	3.0	0 Calibration	2	
0095.RWHya	2	10:30	13:34:18.0	-25:22:51	300	89	3.0	#12 Symbiotic	2	
0096.RWHya	10	10:30	13:34:18.0	-25:22:51	300	89	3.0	#12 Symbiotic	2	
0097.RWHya	20	10:31	13:34:18.0	-25:22:51	300	89	3.0	#12 Symbiotic	2	
0098.COMP	10	10:32	13:34:18.0	-25:22:51	300	89	3.0	0 Calibration	2	
0099.TCrB	15	10:35	15:59:30.0	+25:55:12	300	89	3.0	#12 Symbiotic	2	
0100.TCrB	60	10:36	15:59:30.0	+25:55:12	300	89	3.0	#12 Symbiotic	2	
0101.COMP	10	10:37	15:59:30.0	+25:55:12	300	89	3.0	0 Calibration	2	
0102.AGDra	2	10:40	16:01:41.0	+66:48:10	300	89	3.0	#12 Symbiotic	2	
0103.AGDra	15	10:40	16:01:41.0	+66:48:10	300	89	3.0	#12 Symbiotic	2	
0104.AGDra	60	10:41	16:01:41.0	+66:48:10	300	89	3.0	#12 Symbiotic	2	
0105.COMP	10	10:43	16:01:41.0	+66:48:10	300	89	3.0	0 Calibration	2	
0106.DracoC1	1200	10:48	17:19:58.0	+57:50:06	300	89	3.0	#12 Symbiotic	2	

UT Date 2017-03-25 Observers M CalkinsColl. Focus 1280 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0107.COMP	10	11:08	17:19:58.0	+57:50:06	300	90	3.0	0 Calibration	2	
0108.BDp262606	30	11:10	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0109.COMP	10	11:11	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0110.BDp332642	120	11:13	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0111.COMP	10	11:16	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0112.BDp332642	150	11:20	15:51:59.9	+32:56:54	600	90	1.5	#178 Low Mass	4	
0113.COMP	10	11:23	15:51:59.9	+32:56:54	600	90	1.5	0 Calibration	4	
0114.j1200p28	1800	11:27	12:00:54.1	+28:59:25	600	90	1.5	#178 Low Mass	4	
0115.COMP	10	11:57	12:00:54.1	+28:59:25	600	91	1.5	0 Calibration	4	
0116.j1415p53	1400	12:00	14:15:49.3	+53:36:39	600	91	1.5	#178 Low Mass	4	
0117.COMP	10	12:24	14:15:49.3	+53:36:39	600	90	1.5	0 Calibration	4	
0118-0127.FLAT	12	12:30	14:15:49.3	+53:36:39	600	90	1.5	0 Calibration	4	
0128-0137.BIAS	0	12:33	14:15:49.3	+53:36:39	600	90	1.5	0 Calibration	4	
0138-0147.BIAS	0	12:39	14:15:49.3	+53:36:39	600	90	1.5	0 Calibration	2	
0148-0157.DARK	900	14:58	14:15:49.3	+53:36:39	600	90	1.5	0 Calibration	2	