

UT Date 2018-07-16 Observers M CalkinsColl. Focus 1310 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	02:30	16:16:00.2	+22:16:05	300	89	3.0	0 Calibration	4	
0011-0020.BIAS	0	03:35	16:16:00.2	+22:16:05	300	89	3.0	0 Calibration	4	
0021-0040.FLAT	7	05:54	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0041-0050.BIAS	0	05:56	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0051.BDp262606	70	05:59	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0052.COMP	10	06:01	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0053.BDp332642	150	06:02	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0054.COMP	10	06:05	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0055.AT2018cow	1800	06:10	16:16:00.2	+22:16:05	300	110	3.0	#225	2	
0056.COMP	10	06:41	16:16:00.2	+22:16:05	300	111	3.0	0 Calibration	2	
0057.AT2018cow	1800	07:05	16:16:00.2	+22:16:05	300	111	3.0	#225	2	
0058.AT2018cow	1800	07:36	16:16:00.2	+22:16:05	300	111	3.0	#225	2	
0059.COMP	10	08:10	16:16:00.2	+22:16:05	300	110	3.0	0 Calibration	2	
0060.ZTF18aajrwju	1800	08:14	17:45:57.8	+44:26:16	300	90	3.0	#225	2	
0061.ZTF18aajrwju	1800	08:44	17:45:57.8	+44:26:16	300	90	3.0	#225	2	
0062.COMP	10	09:15	17:45:57.8	+44:26:16	300	90	3.0	0 Calibration	2	
0063-0072.BIAS	0	11:12	17:45:57.8	+44:26:16	300	90	3.0	0 Calibration	2	
0073-0092.FLAT	7	11:18	17:45:57.8	+44:26:16	300	90	3.0	0 Calibration	2	
0093-0102.BIAS	0	11:20	17:45:57.8	+44:26:16	300	90	3.0	0 Calibration	2	
0103-0112.DARK	900	13:57	17:45:57.8	+44:26:16	300	90	3.0	0 Calibration	2	