

UT Date 2019-06-10 Observers M Giovanazzi (Calkins)Coll. Focus 1290 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	02:32	20:34:12.4	+46:58:30	300	85	3.0	0 Calibration	2	
0011-0020.BIAS	0	02:49	20:34:12.4	+46:58:30	300	85	3.0	0 Calibration	2	
0021-0040.FLAT	7	02:55	20:34:12.4	+46:58:30	300	85	3.0	0 Calibration	2	
0041.BDp332642	120	03:35	15:51:59.9	+32:56:54	300	85	3.0	#56 Spectropho	2	
0042.COMP	10	03:38	15:51:59.9	+32:56:54	300	83	3.0	0 Calibration	2	
0043.BDp262606	90	03:42	14:49:02.4	+25:42:09	300	83	3.0	#56 Spectropho	2	
0044.COMP	10	03:44	14:49:02.4	+25:42:09	300	83	3.0	0 Calibration	2	
0045.JS040661	1500	07:30	15:12:18.5	+27:50:41	300	83	3.0	232 Missing SD	2	
0046.COMP	10	07:56	15:12:18.5	+27:50:41	300	87	3.0	0 Calibration	2	
0047.V443Her	5	09:03	18:22:07.0	+23:27:20	300	87	3.0	#12 Symbiotic	2	
0048.V443Her	45	09:03	18:22:07.0	+23:27:20	300	87	3.0	#12 Symbiotic	2	
0049.V443Her	100	09:04	18:22:07.0	+23:27:20	300	87	3.0	#12 Symbiotic	2	
0050.COMP	10	09:06	18:22:07.0	+23:27:20	300	86	3.0	0 Calibration	2	
0051.AS296	35	09:08	18:15:07.0	-00:18:52	300	86	3.0	#12 Symbiotic	2	
0052.AS296	150	09:10	18:15:07.0	-00:18:52	300	87	3.0	#12 Symbiotic	2	
0053.COMP	10	09:15	18:15:07.0	-00:18:52	300	87	3.0	0 Calibration	2	
0054.AS338	90	09:39	19:03:47.0	+16:26:17	300	87	3.0	#12 Symbiotic	2	
0055.AS338	600	09:41	19:03:47.0	+16:26:17	300	86	3.0	#12 Symbiotic	2	
0056.COMP	10	09:51	19:03:47.0	+16:26:17	300	86	3.0	0 Calibration	2	
0057.BFCyg	14	09:57	19:23:53.0	+29:40:27	300	86	3.0	#12 Symbiotic	2	

UT Date 2019-06-10 Observers M Giovanazzi (Calkins)Coll. Focus 1290 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0058.BFCyg	16	09:58	19:23:53.0	+29:40:27	300	86	3.0	#12 Symbiotic	2	
0059.COMP	10	09:58	19:23:53.0	+29:40:27	300	86	3.0	0 Calibration	2	
0060.CHCyg	1	10:01	19:24:33.0	+50:14:30	300	86	3.0	#12 Symbiotic	2	
0061.CHCyg	5	10:02	19:24:33.0	+50:14:30	300	86	3.0	#12 Symbiotic	2	
0062.CHCyg	30	10:02	19:24:33.0	+50:14:30	300	86	3.0	#12 Symbiotic	2	
0063.COMP	10	10:03	19:24:33.0	+50:14:30	300	86	3.0	0 Calibration	2	
0064-0073.BIAS	0	11:18	20:35:13.3	+39:47:56	300	86	3.0	0 Calibration	2	
0074-0093.FLAT	7	11:25	20:35:13.3	+39:47:56	300	86	3.0	0 Calibration	2	
0094-0103.DARK	900	13:42	20:35:13.3	+39:47:56	300	86	3.0	0 Calibration	2	