

UT Date 2019-07-03 Observers M CalkinsColl. Focus 1290 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	03:37	08:40:29.3	+31:30:26	300	83	3.0	0 Calibration	4	
0011-0030.FLAT	7	04:06	08:40:29.3	+31:30:26	300	83	3.0	0 Calibration	2	
0031-0040.BIAS	0	04:08	08:40:29.3	+31:30:26	300	83	3.0	0 Calibration	2	
0041.BDp262606	90	04:32	14:49:02.4	+25:42:09	300	83	3.0	#56 Spectropho	2	
0042.COMP	10	04:34	14:49:02.4	+25:42:09	300	83	3.0	0 Calibration	2	
0043.BDp332642	120	04:36	15:51:59.9	+32:56:54	300	83	3.0	#56 Spectropho	2	
0044.COMP	10	04:38	15:51:59.9	+32:56:54	300	83	3.0	0 Calibration	2	
0045.JS044731	1800	04:41	14:16:03.7	+62:55:08	300	83	3.0	232 Missing SD	2	
0046.COMP	10	05:15	14:16:03.7	+62:55:08	300	83	3.0	0 Calibration	2	
0047.JS044709	1200	05:18	14:16:35.9	+63:00:40	300	83	3.0	232 Missing SD	2	
0048.COMP	10	05:39	14:16:35.9	+63:00:40	300	83	3.0	0 Calibration	2	
0049.JS092913	1200	05:41	14:17:36.1	+08:10:13	300	83	3.0	232 Missing SD	2	
0050.COMP	10	06:02	14:17:36.1	+08:10:13	300	88	3.0	0 Calibration	2	
0051.ZTF19aanijpu	1800	06:09	13:54:02.7	+14:43:47	300	88	3.0	#225	2	
0052.ZTF19aanijpu	1800	06:40	13:54:02.7	+14:43:47	300	88	3.0	#225	2	
0053.COMP	10	07:25	13:54:02.7	+14:43:47	300	87	3.0	0 Calibration	2	
0054.JS029899	1200	07:28	16:11:52.5	+26:15:37	300	87	3.0	232 Missing SD	2	
0055.COMP	10	07:49	16:11:52.5	+26:15:37	300	88	3.0	0 Calibration	2	
0056.JS042139	1800	07:51	16:16:01.1	+32:50:59	300	88	3.0	232 Missing SD	2	
0057.COMP	10	08:22	16:16:01.1	+32:50:59	300	87	3.0	0 Calibration	2	

UT Date 2019-07-03 Observers M CalkinsColl. Focus 1290 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0058.j2012m13	2400	08:30	20:12:21.1	-13:07:05	600	87	1.5	#230 Gravitati	4	
0059.COMP	10	09:10	20:12:21.1	-13:07:05	600	88	1.5	0 Calibration	4	
0060.j2055p10	1200	09:13	20:55:26.6	+10:25:37	600	88	1.5	#230 Gravitati	4	
0061.COMP	10	09:34	20:55:26.6	+10:25:37	600	88	1.5	0 Calibration	4	
0062.j2056p06	1500	09:35	20:56:50.6	+06:21:49	600	90	1.5	#230 Gravitati	4	
0063.COMP	10	10:01	20:56:50.6	+06:21:49	600	90	1.5	0 Calibration	4	
0064.j2112p06	1100	10:03	21:12:58.1	+06:22:20	600	90	1.5	#230 Gravitati	4	
0065.COMP	10	10:22	21:12:58.1	+06:22:20	600	89	1.5	0 Calibration	4	
0066.j2115m07	1800	10:26	21:15:07.4	-07:41:36	600	89	1.5	#230 Gravitati	4	
0067.COMP	10	10:56	21:15:07.4	-07:41:36	600	90	1.5	0 Calibration	4	
0068.j2201p15	1200	10:58	22:01:02.6	+15:44:22	600	90	1.5	#230 Gravitati	4	
0069.COMP	10	11:18	22:01:02.6	+15:44:22	600	90	1.5	0 Calibration	4	
0070.BDp284211	180	11:20	21:51:11.0	+28:51:50	600	90	1.5	#56 Spectropho	4	
0071.COMP	10	11:23	21:51:11.0	+28:51:50	600	91	1.5	0 Calibration	4	
0072-0091.FLAT	12	11:32	21:51:11.0	+28:51:50	600	91	1.5	0 Calibration	4	
0092-0101.BIAS	0	11:37	21:51:11.0	+28:51:50	600	91	1.5	0 Calibration	4	
0102-0106.DARK	900	12:40	21:51:11.0	+28:51:50	600	91	1.5	0 Calibration	2	
0107-0111.DARK	900	13:56	21:51:11.0	+28:51:50	600	91	1.5	0 Calibration	4	